


Remote button



GB Assembly and operating instruction

Made in Germany




The remote button is an accessory for the following sauna controls:


- EMOTEC DC 9000 Art-no. 94.4412
- EMOTEC DC 9000 DL Art-no. 94.4413
- EMOTEC DC 9000 DB Art-no. 94.4414
- EMOTEC DC 9000 DLF Art-no. 94.4639
- EMOTEC HCS 9003 Art-no. 94.4415
- EMOTEC HCS 9003 DL Art-no. 94.4416
- EMOTEC HCS 9003 DB Art-no. 94.4417
- EMOTEC HCS 9003 DLF Art-no. 94.4640
- EmoTouch II PB Art-no. 94.4337
- EmoTouch II AF Art-no. 94.4410
- EmoTouch II GF Art-no. 94.4644

Scope of delivery

- 1 x button (1)
- 1 x panel (2)
- 1 x wooden cover (3)
- 1 x decorative cover (4)
- 1 x cavity wall socket (5)
- 2 x Spax screws 3 X 20 (6)
- 2 x countersunk screws 3 x 16 (7)
- 2 x cylinder screws 3 x 16 (8)
- 1 x cylinder screw M3 x 8
- 1 x spacer 10 mm



With the remote button, the sauna unit can be switched on/off from a central point (pool attendant, porter or janitor).

 **The remote button may only be connected together with the right cover protection for the heating unit**

- Type 1 Art-no. 94.4421
- Type 2 Art-no. 94.4424
- Type 3 Art-no. 94.4425
- Type 4 Art-no. 94.4724
- Type 5 Art-no. 94.4725

In addition, you will require one of the following pre-assembled connection cables:

- 10m long Art-no. 94.4646
- 25m long Art-no. 94.4647
- 50m long Art-no. 94.4648

Assembly

Determine the installation position of the remote button.


Cut an opening in the wall with \varnothing 67 mm. The assembly depth is min. 40 mm

Lay the pre-assembled connection cable on the sauna control unit, or load box on split sauna controls, in this wall opening.

The connection cable is now placed in the cavity wall socket and inserted in the socket on the button panel.

The locking member on the plug must point downwards and must lock in. The plug is then protected against unintended disconnection.

Screw the cavity wall socket with the button to the back of the wooden cover with both 3 x 16 cylinder screws.




Insert the whole thing in the opening and screw the wooden cover down with both 3 x 20 Spax screws.



In order to switch on the connection cable in the sauna control, open the control housing or load box as described in the assembly instructions.


On the right side of the panel, you will find the slot onto which the panel for the remote button is attached.



The button is now fixed to the cavity wall socket with both 3 x 16 countersunk screws.




Press the spacer into the hole in the panel until it locks into place.



Guide the pre-assembled connection cable through one of the cable insert openings and insert the plug into the socket on the panel until it locks into place.

Then attach the panel to the pins on the slot and secure with the M3 x 8 cylinder screw.



Cylinder screw M3 x 8

Attached remote button on panel

Operation

If the sauna unit is in the stand-by mode, the red button flashes.

If you press the button for longer than 3 seconds, the sauna unit switches on using the last parameters set.

The red button illuminates constantly when the sauna unit is in operation.

The sauna unit is switched back to the stand-by mode by pressing the button for longer than 3 seconds again.

Quick flashing of the red button signals an error in the sauna unit.

In this case, the error is shown on the sauna unit display and can be analyzed and addressed using the operating manual for the sauna control.

Test the system by taking it into operation using the following instructions.

After a successful test run, attach the decorative strips on the remote button's wooden cover.

For this, remove the protection film of the self-adhesive strips on the back of the decorative strips and attach the decorative strips to the groove in the wooden panel.

Then remove the protection film on the decorative strips.



Please keep this address in a safe place together with the installation guide.

To help us answer your questions quickly and competently, please provide data printed on the ID plate, to include system type, article no. and serial no., in all inquiries.

Service Address:

EOS-WERKE GÜNTHER GmbH
Adolf-Weiß-Straße 43
35759 Driedorf-Mademühlen, Germany
Fon: +49 (0)2775 82-0
Fax: +49 (0)2775 82-431
servicecenter@eos-werke.de
www.eos-werke.de

Guarantee

The guarantee is taken over according to the legal regulations at present.

Manufacturer's warranty

- The period of warranty starts from the date of purchase and lasts up to 2 years for commercial use and 3 years for private use.

- Always include the completed warranty certificate when returning equipment.

- The warranty expires for appliances which have been modified without manufacturer's explicit agreement.

- Damages caused by incorrect operation or handling through non-authorized persons are not covered under the terms of warranty.

- In the event of a claim, please indicate the serial number as well as the article code number and type name with expressive description of the fault.

- This warranty covers damaged parts but no defects due to wear and tear.

In case of complaint please return the equipment in its original packaging or other suitable packaging (caution: danger of transport damage) to our service department.

Always include the completed warranty certificate when returning equipment.

Possible shipping costs arising from the transport to and from point of repair cannot be borne by us.

Outside of Germany please contact your specialist dealer in case of warranty claims. Direct warranty processing with our service department is in this case not possible.

Equipment start-up date:

Stamp and signature of the authorized electrician:

Handling procedures for return shipments (RMA) - Details for all returns !

Dear customer

we hope that you will rejoice in the ordered articles. Just in case that you are not entirely contented as an exception, please follow the procedures specified below. This enabling us to ensure a quick and smooth handling of the return shipment.

Please absolutely respect for all returns!

- Please add the available **RMA-voucher** always **completely filled out** together with an **invoice copy** to the return shipment! Do not stick it on the goods or on the packaging. **We do not accept the return shipment without these papers.**
- Not prepaid parcels **will be refused** and returned to Sender! Please always ask for the **RMA-No.** for the cheapest return.
- **Please pay attention that** the goods have to be sent back **without visible marks of use** in the **original scope of delivery and in original packing.**
- We recommend to use an **additional solid and break-proof covering box** which should be padded out with styrofoam, paper or similar. Transport damages as a result of faulty packing are for the sender's account.

Form of complaint:

1) Transport damage

- Please check the content of your parcel immediately and advise the forwarding company of a claim (parcel service/ freight forwarder)
- Do not use damaged goods!
- Ask the forwarder **for a written acknowledgement of the damages.**
- **Report the claim promptly by phone to your dealer.** He will discuss with you how to act in this case.
- If the transport box has been damaged, please use an additional covering box. Do not forget to add the **acknowledgement of the damage of the forwarding company !**

2) Faulty goods

- The implied warranty period is 2 years. Please contact your dealer in case of **faulty or wrong articles or missing accessories.** He will discuss with you the individual case and try for immediate and customer-friendly solution.
- For **economic returns** within Germany you will get an **RMA-number from the manufacturer.**
- All returns have to be in the **original packing of the goods with corresponding accessories.** Please repack the goods to avoid damages. In case of wrong delivery, please do not use this article !

3) Problems of installation and functioning

- Please **read the manual carefully first of all** and pay attention to the indicated assembly or installing instructions.
- **Your dealer should be the first contact person** because he knows his products best and also knows possible problems.
- **In case of function problems with an article,** please check at first whether there is an obvious material defect. The quality system in our factory reduces malfunctions of new appliances to almost zero.