

Sauna heater Bi-O Max


For the family and hotel sauna

- Outer shell: anthracite perl effect cover and front panel of die-cast aluminium
- Stone basket: with air entry openings above the heating elements
- Water container: for approx. 8 litres
- Terminal box: high-grade steel
- Stone filling: 60 kg incl.


Service friendly unit assembly system.
Optimized ratio of radiation heat and convection achieved by matching stone quantity.

Connection diagram

9 kW



12 - 15 kW




Capacity acc. DIN	Vaporiser	Electrical Connection	Fuse control unit in A	Fuse LSG in A	Connecting cable main - control unit in mm ²	Connecting cable main - LSG in mm ²	Connecting cable control unit - heater in mm ²	Connecting cable LSG - heater in mm ²	Connecting cable control unit - LSG in mm ²
9,0 kW	2,0 kW	3N AC 50 Hz 400 V	3 x 16				5 x 1,5 & 4 x 1,5		
12,0 kW				3 x 16	5 x 2,5	5 x 2,5	5 x 1,5	4 x 1,5	
15,0 kW				3 x 16	5 x 2,5	5 x 2,5	5 x 1,5	4 x 1,5	

All cross sections of a line are minimum diameters in mm² (Copper line)

Art.-No.	Outer shell	Capacity acc. DIN	Vaporiser	Installation dimensions H/W/D cm	For cabin size	Minimum dimensions of air intake and exhaust vents	Weight without stones without package	Stone filling	Power switch gear (LSG) needed	For operation with control units
94.2317	anthracite	9,0 kW	2,0 kW	92,5 / 50 / 50	9 - 14 m ³	35 x 6 cm *	49 kg	60 kg	no	ECON H2 EMOTEC HCS 9003 EMOTEC HCS 9003 DB/DL
94.2318		12,0 kW			14 - 18 m ³	35 x 7 cm *			ECON L09 EMOTEC L09	
94.3922		15,0 kW			18 - 25 m ³	35 x 9 cm *				

* or in accordance with the instructions of the cabin manufacturer

Free standing heater with vaporiser




CE DVE IP x4 PC

MADE IN GERMANY


The heater with the varied possibilities for themed sauna



Herb bowl



Aroma bowl



Subject to technical modifications