

Sauna heater Euro-Max

Free standing heater

For family, hotel and commercial saunas

- Outer shell: anthracite pearl effect Cladding of diecast aluminium
- Stone basket: with air entry openings above the heating elements
- Terminal box: high-grade steel
- Stone filling: 60 kg incl.
- Service friendly unit assembly system
- Optimised ratio of radiated heat and convection due to the appropriate amount of stones.




MADE IN GERMANY

The heater with the varied possibilities for *themed sauna* !




Connection diagram

9 kW




12 - 15 kW



Capacity acc. DIN	Electrical Connection	Fuse control unit in A	Fuse LSG in A	Connecting cable main - control unit in mm ²	Connecting cable main - LSG in mm ²	Connecting cable control unit - heater in mm ²	Connecting cable LSG - heater in mm ²	Connecting cable control unit - LSG in mm ²
9,0 kW	3N AC 50 Hz 400 V	3 x 16						
12,0 kW			3 x 16	5 x 2,5	5 x 2,5	5 x 1,5	5 x 1,5	4 x 1,5
15,0 kW			3 x 16	5 x 2,5	5 x 2,5	5 x 1,5	5 x 1,5	4 x 1,5

All cross sections of a line are minimum diameters in mm² (Copper line)



Art.-No.	Outer shell	Capacity acc. DIN	Installation dimensions H/W/D cm	For cabin size	Minimum dimensions of air intake and exhaust vents	Weight without stones without package	Stone filling	Power switch gear (LSG) needed	For operation with control units
94.2320	anthracite	9,0 kW	92,5 / 50 / 50	9 - 14 m ³	35 x 6 cm *	49 kg	60 kg	no	ECON A1 ECON A2 ECON H2 EMOTEC B6000 EMOTEC DC9000 EMOTEC DC9000 DB/DL EMOTEC HCS 9003 EMOTEC HCS 9003 DB/DL
94.2321		12,0 kW		14 - 18 m ³	35 x 7 cm *				
94.3882		15,0 kW		18 - 25 m ³	35 x 9 cm *			ECON L09 EMOTEC L09	

* or in accordance with the instructions of the cabin manufacturer

Subject to technical modifications