

EOS

Portfolio

Season 2025

FINEST SAUNA ENGINEERING



True sauna experience

with quality products made in Germany

EOS is characterized by a perfect interaction of extensive know-how and a passion for design, performance and safety.

The development process of each product is our top priority. All the EOS prototypes go through extensive tests and measurements. All products are manufactured by competent and highly motivated specialists using the highest quality materials.

The EOS product portfolio contains trendsetting high-quality electric sauna heaters and corresponding sauna controls for private and commercial sauna facilities, as well as infrared systems, steam room equipment and a wide range of accessories. The sauna heaters are characterized by their modern design and their large power range from 3.0 to 72.0kW.

The portfolio is supplemented by gas-powered sauna heater-systems from KUSATEK. There are no limits to the performance and size of the sauna heater. The heaters have a power range from 10.0 to 120.0kW and are optionally expandable through the combination of several heater entities.



Valid from 01 January 2025

Prices on no-VAT basis as shown, ex works

Technical changes without prior notice reserved

Contents

| | |
|---|------------|
| Finnish sauna heaters..... | 04 |
| Finnish sauna heaters | 06 |
| Event sauna heaters | 36 |
| KUSATEK - Gas powered sauna heater-systems..... | 40 |
| Bi-O sauna heaters..... | 44 |
| Sauna heaters with vaporizer..... | 46 |
| External vaporizer | 56 |
| Accessories for sauna heaters, FWA | 58 |
| Sauna control units..... | 60 |
| Econ sauna control units and accessories..... | 62 |
| Compact sauna control units and accessories | 64 |
| EmoTec sauna control units | 66 |
| EmoStyle sauna control units | 68 |
| EmoTouch 3 control units | 70 |
| Extension modules and accessories for control units..... | 73 |
| Power extension for control units (LSC) | 77 |
| Safety systems | 78 |
| Hygiene systems (UV-Clean) | 81 |
| Infrared systems | 82 |
| Infrared heaters | 84 |
| Infrared heating foils and accessories..... | 89 |
| Control units for infrared cabins..... | 92 |
| Steam room equipment | 94 |
| Steam generators and accessories..... | 96 |
| Control units and accessories for steam rooms..... | 100 |
| Coloured light systems and accessories..... | 102 |
| Essence dosing systems and flake-ice machines..... | 108 |
| Dosing and water splash systems..... | 110 |
| Salt nebulizer systems | 113 |
| Flake-ice machines..... | 114 |
| Sauna accessories | 116 |
| Sauna accessories | 118 |
| Sauna doors and accessories | 126 |
| Important notes | 128 |
| Overview sauna control, heater power selection | 130 |

Finnish sauna heaters

The Finnish sauna is the most original type of sauna, which sauna-goers will find in nearly every sauna facility. The temperature is usually between 80 and 95 up to 100°C, some-times as a dry, sometimes as an infusion sauna.

EOS sauna heaters are characterized by a well thought-out design, high-quality materials and quality down to the last detail. EOS Saunatechnik sets standards in design, reliability and durability. The excellent air convection of the EOS sauna heater ensures optimal air circulation in the cabin and thus creates a pleasant sauna climate.

With the high-quality products from EOS, you have models at your disposal which, in terms of their diversity and range of functions, hardly leave anything to be desired. With EOS sauna heaters, you can select between floor-standing and wall-mounting heaters as well as systems for hidden assembly.

All sauna heater models are characterized by their compact design and leave plenty of space for cabin benches. With a power range of 3.0 to 72.0kW, they are perfect for saunas with a volume between 3 and 160m³.



EOS Zeus L HD
See page 29



Further information available at: www.eos-sauna.com/en/products/finnish-sauna-heaters



Finnish sauna heaters



Model 1

Model 2



Model 1



Model 2



Optional feet

EOS Picco W | wall-mounting & floor-standing

Sauna heater for small sauna cabins. Very compact, space-saving design. For dry Finnish sauna, recommended for sauna size up to approx. 4,5m³.

Inner and outer shell of chrome steel. Three exterior designs: polished chrome steel, matt black or anthracite pearl effect finish.

Wall-mounting. 3,5m connection cable 4×1,5mm² included.

Available in two versions with exterior design 1 and design 2. With optional feet allows floor-standing installation.

Rock store fits approx. 10kg stones (stones optional).

Power supply: 230 V 1N ~ 50/60Hz (1×16 A)

Dimensions HWD: 500×300×215 (*230) mm

Outer shell: chrome steel, anthracite pearl effect or matt black finish

Suitable cover protection rail: type 6

Secondary packaging surcharge for parcel services 10,00 €.

Flat rate charge for sauna stones 6,00 €.

* Model 2

| Power | Item no. | Price € no VAT |
|--|----------|-------------------|
| EOS Picco W black - Model 1 | | |
| 3,0kW | 94 7619 | 637,00 |
| 3,5kW | 94 7622 | 663,00 |
| EOS Picco W black - Model 2 | | |
| 3,0kW | 94 7625 | 637,00 |
| 3,5kW | 94 7628 | 663,00 |
| EOS Picco W anthracite - Model 1 | | |
| 3,0kW | 94 7620 | 625,00 |
| 3,5kW | 94 7623 | 650,00 |
| EOS Picco W anthracite - Model 2 | | |
| 3,0kW | 94 7626 | 625,00 |
| 3,5kW | 94 7629 | 650,00 |
| EOS Picco W stainless steel - Model 1 | | |
| 3,0kW | 94 7621 | 612,00 |
| 3,5kW | 94 7624 | 637,00 |
| EOS Picco W stainless steel - Model 2 | | |
| 3,0kW | 94 7627 | 612,00 |
| 3,5kW | 94 7624 | 637,00 |

Optional feet for EOS Picco W and Bi-O Picco W - Model 1 and 2

| Feet | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Black | 94 7631 | 285,00 |
| Anthracite | 94 7632 | 272,00 |



EOS M3 W | wall-mounting, built-in control

Sauna heater with built-in control unit. For small-size domestic sauna cabins 3-4m³. Thermostatic temperature control 40-110°C. Heating time up to 4h. Single phase 230V power supply.

Durable triple shell stainless steel construction. Space-saving direct mounting to the sauna wall. Outer shell in polished chrome steel or anthracite finish design.

Control unit may be placed on the left or on the right by outer shell swapping.

Rock store fits up to 8kg stones.

Power supply: 230 V N ~ 50Hz

Dimensions HWD: 600×300×200 mm

Outer shell: chrome steel or anthracite pearl effect

Suitable cover protection rail: type 6

Secondary packaging surcharge for parcel services 10,00 €.

| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| EOS M3 W anthracite | | |
| 3,0kW | 94 7348 | 873,00 |
| EOS M3 W stainless steel | | |
| 3,0kW | 94 1921 | 782,00 |

EOS

**EOS Filius W** | wall-mounting

Sauna heater for domestic saunas. For dry Finnish sauna. Slim size design - only 24 cm depth, mounts directly on the sauna wall. Contemporary, timeless design. Stainless steel top, outer shell in anthracite pearl effect finish.

Durable triple-shell construction.

Rock store fits up to 8 kg stones.

Secondary packaging surcharge for parcel services 10,00 €. Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 4,5kW | 94 5031 | 665,00 |
| 6,0kW | 94 5032 | 706,00 |
| 7,5kW | 94 5033 | 726,00 |

Power supply: 400V3N~50/60Hz

Dimensions HWD: 570×400×240 mm

Suitable cover protection rail: type 6

**EOS Filius Control W** | wall-mounting, built-in control

Sauna heater with built-in control unit.

Based on the proven Filius heater construction. For dry Finnish sauna. Only 24 cm installation depth.

Control unit at the top side for convenient and safe operation. Temperature control range 40-100°C, heating time limitation up to 4 h.

Rock store fits up to 8 kg stones (stones optional).

Secondary packaging surcharge for parcel services 10,00 €. Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 4,5kW | 94 7175 | 1.192,00 |
| 6,0kW | 94 7176 | 1.211,00 |
| 7,5kW | 94 7177 | 1.223,00 |

Power supply: 400V3N/230VIN~50Hz

Dimensions HWD: 575×470×240 mm

Suitable cover protection rail: type 6

**EOS ThermoTec W** | wall-mounting

Middle class sauna heater for dry Finnish sauna.

With an elegant, curved shape die-cast aluminium top, stainless steel inner shell, outer shell in anthracite pearl effect finish. Superior performance and durability.

Wall-mounting model. Stainless steel stones support, adjustable height. Terminal box at the rear.

Rock store fits up to 18 kg stones (stones optional).

Secondary packaging surcharge for parcel services 10,00 €. Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 6,0kW | 94 5688 | 725,00 |
| 7,5kW | 94 5689 | 772,00 |
| 9,0kW | 94 5690 | 826,00 |

Power supply: 400V3N~50/60Hz

Dimensions HWD: 600×375×380 mm

Suitable cover protection rail: type 1

**EOS Euro** | wall-mounting & floor-standing

Upper class sauna heater for dry Finnish sauna. Suitable both for residential and for commercial operation.

Wall-mounting model. May be used as a floor-standing model with optional feet. Wall-mounting brackets included.

Proven construction, exceptionally robust and durable. Triple shell design. Zinc-coated middle shell, stainless steel inner shell. Outer shell with polished stainless steel. 12 kW version completely of stainless steel. Die-cast iron top. Terminal box at the rear.

Rock store fits up to 15 kg stones (stones optional).

Power supply: 400V3N~50/60Hz

Dimensions HWD: 610*×460×350 mm

Suitable cover protection rail: type 1

Secondary packaging surcharge for parcel services 10,00 €. Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 7,5kW | 90 7686 | 937,00 |
| 9,0kW | 90 7687 | 982,00 |
| 10,0kW | 94 7886 | 1.004,00 |
| 10,5kW | 94 5185 | 1.004,00 |
| 12,0kW | 90 8076 | 1.027,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---------------------|----------|-------------------|
| Floor-standing feet | 90 7110 | 103,00 |

Finnish sauna heaters



EOS Gracil W | wall-mounting

Slim-depth sauna heater for dry Finnish sauna. For residential use. Wall-mounting model.

Very space-saving - only 27.5cm total depth (incl. 3cm wall gap). Modern, straightlined design. Recessed terminal box (cable connection at the bottom side).

Durable triple-shell construction. Anthracite pearl effect finish. Brushed stainless steel top cover. Also available with high-quality matt black finish.

Optional EOSafe L safety system (see page 79) can be easily attached to the heater and ensures safety in your sauna. Full size rock store with up to 20 kg volume (stones optional).

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 740×505×275 mm

Outer shell: anthracite pearl effect or matt black finish

Suitable cover protection rail: type 6

Secondary packaging surcharge for parcel services 10,00 €.

Flat rate charge for sauna stones 6,00 €.



Image shows Gracil W black



EOS Gracil | floor-standing

Universal sauna heater for dry Finnish sauna.

Floor-standing model with extra slim construction - only 25cm depth.

Thanks to the recessed terminal box and an optional rear wall cover panel, Gracil can be placed in front of glass walls.

Durable triple-shell construction. Anthracite pearl effect finish. Brushed stainless steel top cover. Also available with high-quality matt black finish.

Optional EOSafe L safety system (see page 79) can be easily attached to the heater and ensures safety in your sauna.

Full size rock store with up to 20 kg volume (stones optional).

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 760×505×250 mm

Outer shell: anthracite pearl effect or matt black finish

Suitable cover protection rail: type 6

Notice: No parcel delivery possible.

Flat rate charge for sauna stones 6,00 €.



Image shows Gracil black



Optional for Gracil/Gracil W: EOS Scent Trophy S optional (see page 59).



optional for Gracil/Gracil W: Guard rail and mounting brackets



Optional for Gracil: Rear wall cover panel in anthracite or black.

| Power | Item no. | Price € no VAT |
|--------------------------------|----------|-------------------|
| EOS Gracil W anthracite | | |
| 6,0kW | 94 7157 | 1.076,00 |
| 7,5kW | 94 7158 | 1.097,00 |
| 9,0kW | 94 7159 | 1.113,00 |
| EOS Gracil W black | | |
| 6,0kW | 94 8197 | 1.108,00 |
| 7,5kW | 94 7245 | 1.135,00 |
| 9,0kW | 94 7246 | 1.156,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---------------------------|----------|-------------------|
| Guard rail with brackets | 94 7332 | 324,00 |
| For Gracil W black | | |
| Guard rail with brackets | 94 7334 | 335,00 |
| Brackets for guard rail* | 94 7249 | 235,00 |

*without wooden parts

| Power | Item no. | Price € no VAT |
|------------------------------|----------|-------------------|
| EOS Gracil anthracite | | |
| 4,5kW | 94 7904 | 1.116,00 |
| 6,0kW | 94 6755 | 1.116,00 |
| 7,5kW | 94 6756 | 1.135,00 |
| 9,0kW | 94 6757 | 1.161,00 |
| EOS Gracil black | | |
| 4,5kW | 94 7906 | 1.138,00 |
| 6,0kW | 94 8196 | 1.138,00 |
| 7,5kW | 94 7243 | 1.158,00 |
| 9,0kW | 94 7244 | 1.172,00 |

Accessories

| Description | Item no. | Price € no VAT |
|--------------------------|----------|-------------------|
| Rear wall cover panel | 94 6841 | 194,00 |
| Guard rail with brackets | 94 6972 | 336,00 |
| For Gracil black | | |
| Rear wall cover panel | 94 7254 | 194,00 |
| Guard rail with brackets | 94 7329 | 336,00 |

EOS



EOS Moment W | wall-mounting

Sauna heater for domestic saunas. For dry Finnish sauna. Moment heaters feature a very stylish and contemporary looking design with an elegantly curved outer shell.

Robust, durable construction - inner casing and rock store made of stainless steel. With stylish matt black finish on the outer shell and top cover.

EOSafe L safety system (see page 79) optionally available.

Rock store fits up to 15kg stones (stones optional).

Secondary packaging surcharge for parcel services 10,00 €.

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 6,0kW | 94 6858 | 762,00 |
| 7,5kW | 94 6859 | 789,00 |
| 9,0kW | 94 6860 | 814,00 |

Power supply: 400V 3N~50/60Hz

Dimensions HWD: 640×440×330 mm

Outer shell: matt black finish

Suitable cover protection rail: type 1



EOS Moment Control W | wall-mounting, built-in control

Sauna heater with built-in control unit for domestic saunas. For dry Finish sauna.

Convenient and safe operation thanks to the integrated control unit. Polished stainless steel top cover.

Temperature control range 40-100 °C, heating time limitation up to 4h.

Rock store fits up to 15kg stones (stones optional).

Secondary packaging surcharge for parcel services 10,00 €.

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 7,5kW | 94 7581 | 887,00 |
| 9,0kW | 94 7582 | 900,00 |

Power supply: 400V 3N~50Hz

Dimensions HWD: 640×440×330mm

Outer shell: matt black finish



Guard rail optional



Top view of the EOS Organic W.



Guard rail and EOS Scent Trophy S optional (see page 59).

EOS Organic W | wall-mounting

Wall-mounting sauna heater for dry Finnish sauna. Recommended for residential use.

Organic impresses with its unique futuristic design. With the asymmetrical cut-outs in the top cover for air circulation and the curved edges, it is an absolute highlight in every sauna cabin.

The combination of brushed stainless steel and anthracite pearl effect finish on the outer shell underlines the modern character.

The optional EOSafe L safety system can be easily and discreetly attached to the heater and ensures safety in your sauna.

Rock store fits approx. 20kg stones (stones optional).

Power supply: 400V 3N~50/60Hz

Dimensions HWD: 650×410×385mm

Outer shell: stainless steel / anthracite

Suitable cover protection: rail type 1

Secondary packaging surcharge for parcel services 10,00 €.

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 6,0kW | 94 7549 | 1.602,00 |
| 7,5kW | 94 7550 | 1.627,00 |
| 9,0kW | 94 7551 | 1.654,00 |
| 10,0kW | 94 7890 | 1.680,00 |
| 10,5kW | 94 7552 | 1.680,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Brackets for guard rail* | 94 7699 | 190,00 |
| Guard rail with brackets | 94 7700 | 302,00 |
| EOSafe L safety system with 27 mm reflector | 94 7792 | 2.169,00 |

*without wooden parts

Finnish sauna heaters



Image shows Cubo 2 black - Styling 2. Guard rail optional.

EOS Cubo 2 | floor-standing

Upper class sauna heater for dry Finnish sauna. Suitable for domestic and commercial use. Modern cubistic design.

Cubo 2 is available in two versions with different top cover designs. Available in anthracite pearl effect finish with brushed stainless steel top or completely with high-quality matt black finish.

Floor-standing, space-saving design - only 40×39 cm footprint. Thanks to the included rear wall cover panel with recessed terminal box, Cubo 2 is ideal for installations in front of glass panels.

Service-friendly construction - heating elements above rock store, replacement of elements without stones removal. Optimized air convection and rock store volume for effective heat-up times and powerful steam shocks.

Heater guard rail optional. Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits approx. 25 kg stones.

Power supply: 400 V 3N ~ 50/60 Hz

Dimensions HWD: 720×400×385 mm

Outer shell: anthracite pearl effect or matt black finish

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 6,00 €.



EOS Scent Trophy S optional (see page 59).



Styling 1 - round holes



Styling 2 - structure

| Power | Item no. | Price € no VAT |
|-------------------------------------|----------|-------------------|
| EOS Cubo 2 - Styling 1 | | |
| 7,5kW | 94 8890 | 1.670,00 |
| 9,0kW | 94 8891 | 1.723,00 |
| 10,0kW | 94 8892 | 1.770,00 |
| 12,0kW | 94 8893 | 1.812,00 |
| EOS Cubo 2 black - Styling 1 | | |
| 7,5kW | 94 8894 | 1.765,00 |
| 9,0kW | 94 8895 | 1.812,00 |
| 10,0kW | 94 8896 | 1.855,00 |
| 12,0kW | 94 8897 | 1.897,00 |
| EOS Cubo 2 - Styling 2 | | |
| 7,5kW | 94 8898 | 1.728,00 |
| 9,0kW | 94 8899 | 1.770,00 |
| 10,0kW | 94 8900 | 1.812,00 |
| 12,0kW | 94 8901 | 1.855,00 |
| EOS Cubo 2 black - Styling 2 | | |
| 7,5kW | 94 8902 | 1.824,00 |
| 9,0kW | 94 8903 | 1.866,00 |
| 10,0kW | 94 8904 | 1.908,00 |
| 12,0kW | 94 8905 | 1.951,00 |

Heater guard rail - for EOS Cubo 2, Cubo 2+ and Cubo Avantgarde



Guard rail brackets optionally available in stainless steel or black.



| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Guard rail brackets (without wooden rail) | | |
| Stainless steel | 94 5792 | 233,00 |
| Black | 94 7121 | 233,00 |
| Guard rail in maple wood with mounting brackets | | |
| Stainless steel | 94 6970 | 345,00 |
| Black | 94 7122 | 345,00 |
| Guard rail in walnut wood with mounting brackets | | |
| Stainless steel | 94 9231 | Upon request |
| Black | 94 9232 | Upon request |



Finnish sauna heaters



EOS Cubo Avantgarde | floor-standing

Upper class sauna heater for dry Finnish sauna. Suitable for domestic and commercial use.

Specially designed distinctive top section holds up to 10 kg special rounded quartz stones (included in delivery).

Exterior with exclusive matt black finish.

Very space-saving design – only 40×39 cm footprint, flat rear side with recessed terminal box makes this model ideal for installation in front of glass panels.

Service-friendly construction – heating elements above rock store with no contact to sauna stones. Optimized air convection and rock store size ensure effective heat-up times and powerful water splashing.

The optional EOSafe L safety system can be easily and discreetly attached to the heater and ensures safety in your sauna.

Rock store fits approx. 35 kg stones. Delivery includes 10 kg rounded white quartz stones. The rock store beneath fits up to 25 kg regular stones.

Flat rate charge for sauna stones 6,00 €.



Optional:
Guard rail and mounting
brackets (see page 10).

| Power | Item no. | Price € no VAT |
|---------|----------|-------------------|
| 9,0 kW | 94 7109 | 1.878,00 |
| 10,0 kW | 94 9076 | 1.917,00 |
| 10,5 kW | 94 7370 | 1.917,00 |
| 12,0 kW | 94 7110 | 1.956,00 |

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 720×400×385 mm

Exterior design: matt black finish

Suitable cover protection: rail type 1

Accessories

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| EOSafe L safety system with 27 mm 45° reflector | 94 7491 | 2.218,00 |



EOS P1 W | wall-mounting

Wall-mounting sauna heater for dry Finnish sauna. For private and commercial use.

Slim design – only 380 mm depth. Large side air channels ensure optimal air convection.

Inner shell, outer shell and rock store completely made of stainless steel. Also available with anthracite pearl effect finish.

Single circuit wiring. Terminal box at the rear side. Bottom serves as a dust and water collecting tray.

Rock store fits approx. 30 kg stones.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 720×630×380 mm

Outer shell: stainless steel or anthracite pearl effect finish

Suitable cover protection guard: type 3

Flat rate charge for sauna stones 12,00 €.

| Power | Item no. | Price € no VAT |
|----------------------------|----------|-------------------|
| EOS P1 W | | |
| 12,0 kW | 94 8906 | 1.294,00 |
| 15,0 kW | 94 8907 | 1.328,00 |
| EOS P1 W Anthracite | | |
| 12,0 kW | 94 8913 | 1.328,00 |
| 15,0 kW | 94 8914 | 1.360,00 |



EOS

EOS Cubo 2+ | floor-standing



Upper class sauna heater for dry Finnish sauna. Cubo 2+ is based on the proven Cubo 2 construction and features an extra large 45kg stone volume is available in two versions with different top cover designs.

Available in anthracite pearl effect finish with brushed stainless steel top or completely with high-quality matt black finish. Thanks to the included rear wall cover panel with recessed terminal box, Cubo 2+ is ideal for installations in front of glass panels.

Service-friendly construction - no contact between heating elements and stones, replacement of heating elements without stones removal possible. Increased stone compartment ensures high temperature stability and energy reserves for powerful steam shocks.

Heater guard rail optional (see page 10). Optional EOSafeL safety system (see page 79) ensures safety in your sauna.

Rock store fits approx. 45kg stones.

Power supply: 400V3N~50/60Hz

Dimensions HWD: 720×400×385mm

Outer shell: anthracite pearl effect or matt black finish

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 12,00 €.



Styling 1 - round holes



Styling 2 - structure

| Power | Item no. | Price € no VAT |
|--------------------------------------|----------|-------------------|
| EOS Cubo 2+ - Styling 1 | | |
| 7,5kW | 94 8919 | 1.935,00 |
| 9,0kW | 94 8920 | 1.989,00 |
| 10,0kW | 94 8921 | 2.036,00 |
| 12,0kW | 94 8922 | 2.080,00 |
| EOS Cubo 2+ black - Styling 1 | | |
| 7,5kW | 94 8923 | 2.030,00 |
| 9,0kW | 94 8924 | 2.076,00 |
| 10,0kW | 94 8925 | 2.120,00 |
| 12,0kW | 94 8926 | 2.161,00 |
| EOS Cubo 2+ - Styling 2 | | |
| 7,5kW | 94 8927 | 1.989,00 |
| 9,0kW | 94 8928 | 2.036,00 |
| 10,0kW | 94 8929 | 2.080,00 |
| 12,0kW | 94 8930 | 2.120,00 |
| EOS Cubo 2+ black - Styling 2 | | |
| 7,5kW | 94 8931 | 2.080,00 |
| 9,0kW | 94 8932 | 2.131,00 |
| 10,0kW | 94 8933 | 2.171,00 |
| 12,0kW | 94 8934 | 2.221,00 |

EOS P1+ | floor-standing



Floor-standing sauna heater for dry Finnish sauna. For commercial use.

Inner shell, outer shell and rock store completely of stainless steel. Slim design - only 380mm depth. Large side air channels ensure optimal air convection.

Features enlarged 40kg rock volume and the anthracite pearl effect exterior finish. Adjustable feet.

Two-circuit design. Terminal box at the rear side. Bottom serves as a dust and water collecting tray.

Rock store fits approx. 40kg stones.

Power supply: 400V3N~50/60Hz

Dimensions HWD: 720×630×380mm

Outer shell: anthracite pearl effect finish

Suitable cover protection guard: type 3

Flat rate charge for sauna stones 12,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 10,0kW | 94 7889 | 1.686,00 |
| 10,5kW | 94 6383 | 1.686,00 |
| 12,0kW | 94 6382 | 1.742,00 |
| 15,0kW | 94 6381 | 1.997,00 |



Finnish sauna heaters



EOS Edge | floor-standing

Stylish sauna heater in "tower" design with the rock store open on all sides.

Very compact size - only 35×35 cm footprint. Durable stainless steel housing, adjustable feet. Optional side cover panels with anthracite or black finish can be added on 1-4 sides.

Up to approx. 100 kg stone volume.

Power supply: 400 V 3N ~ 50/60 Hz

Dimensions HWD: 1000×350×350 mm

Outer shell: Stainless steel, blank polished

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 24,00 €.

Optional side cover panels with anthracite or black finish. Price per 1 panel.



Optional for Edge / Edge Control: Guard rail and mounting brackets.



EOS Edge Control | floor-standing

An alternative version with built-in control unit. Temperature control range 40-100 °C. Heating time up to 4 hours.

Very compact size - only 35×35 cm footprint. Durable stainless steel housing, adjustable feet. Optional side cover panels with anthracite or black finish can be added on 1-4 sides.

Up to approx. 100 kg stone volume.

Power supply: 400 V 3N ~ 50 Hz

Dimensions HWD: 1000×350×350 mm

Outer shell: Stainless steel, blank polished

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 24,00 €.

Optional side cover panels with anthracite or black finish. Price per 1 panel.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 6,0 kW | 94 6976 | 1.020,00 |
| 7,5 kW | 94 6977 | 1.020,00 |
| 9,0 kW | 94 6978 | 1.044,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| Side cover panel, anthracite | 94 7115 | 160,00 |
| Side cover panel, matt black | 94 7116 | 160,00 |
| Guard rail brackets* | 94 7145 | 173,00 |
| Wooden guard rail with brackets | 94 7146 | 289,00 |

*without wooden parts

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 7,5 kW | 94 7367 | 1.418,00 |
| 9,0 kW | 94 7368 | 1.430,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| Side cover panel, anthracite | 94 7115 | 160,00 |
| Side cover panel, matt black | 94 7116 | 160,00 |
| Guard rail brackets* | 94 7145 | 173,00 |
| Wooden guard rail with brackets | 94 7146 | 289,00 |

*without wooden parts

EOS



Guard rail and EOS Scent Trophy S optional (see page 59).

EOS FinnRock | floor-standing

Sauna heater with partially open rock store on the front side. Smart design angled front grill provides this heater its distinctive appearance. Thanks to the flat rear wall with an optional cover panel FinnRock is great for installation in front of glass panels. Completely made of stainless steel, anthracite pearl effect finish. Also available with high-quality matt black finish.

Robust, long-lasting construction. Reduced contact between heating elements and stones.

Rock store fits up to 40kg stones.

Power supply: 400 V 3N~50/60Hz

Dimensions HWD: 760×413×385mm

Outer shell: anthracite pearl effect or matt black finish

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 12,00 €.

| Power | Item no. | Price € no VAT |
|---------------------------|----------|-------------------|
| EOS FinnRock | | |
| 7,5kW | 94 5663 | 1.623,00 |
| 9,0kW | 94 5664 | 1.670,00 |
| 12,0kW | 94 5719 | 1.715,00 |
| EOS FinnRock black | | |
| 7,5kW | 94 7861 | 2.080,00 |
| 9,0kW | 94 7862 | 2.117,00 |
| 12,0kW | 94 7863 | 2.160,00 |

Accessories

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| Rear wall cover panel | 94 5766 | 275,00 |
| Rear wall cover panel black | 94 7864 | 275,00 |
| Guard rail brackets* | 94 5793 | 252,00 |
| Wooden guard rail with mounting brackets | 94 6971 | 386,00 |

*without wooden parts



Guard rail brackets and EOS Scent Trophy S optional (see page 59).

EOS Saunadome II | floor-standing

Exclusive sauna heater in distinctive "tower" design with the rock store open on all sides.

Unique design angled front grill prevents even small rocks from falling out and allows water splashes directly on the side walls. Extra large rock store ensures high temperature stability and allows frequent water splashes.

Completely of stainless steel, corner posts in anthracite pearl effect finish. Brushed stainless steel top. Improved air convention system. With adjustable feet.

Rock store fits up to 100kg stones.

Power supply: 400 V 3N~50/60Hz

Dimensions HWD: 1000×410×410mm

Outer shell: anthracite pearl effect / stainless steel

Flat rate charge for sauna stones 24,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 9,0kW | 94 5603 | 2.291,00 |
| 12,0kW | 94 5604 | 2.323,00 |
| 15,0kW | 94 5605 | 2.364,00 |
| 18,0kW | 94 5606 | 2.392,00 |

Brackets for 2-level 4-sided heater guard rail, mounting directly on the heater (wooden rail not included).

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5323 | 462,00 |



Finnish sauna heaters



EOS Zeus S | floor-standing

Luxury class sauna heater with the distinctive round design. Suitable for domestic and commercial use.

Ideal for compact or mid-sized saunas.

The highlight of Zeus S is the unique laser-cut solid steel housing with approx. 25-30kg rock store. The optionally available matching design round shape protective rail in 360° or 270° sets the crowning touch to the spectacular design of this model.

Finish - red-brown powder coating in "Rust Marble". Also available with anthracite and matt black finish.

Safety guard rail - optionally available (rail and mounting brackets to be ordered separately).

Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits up to 25-30kg stones.

Power supply: 400 V 3N~50/60Hz

Dimensions WH: 450×1000 mm

Dimensions WH (with rail): 680×1000 mm


Flat rate charge for sauna stones 6,00 €.



EOS Scent Trophy S optional (see page 59).



Guard rail optional



Example of installation in front of a glass or sauna wall (air supply from the side) / installation in the cabin center (air supply from below).

| Power | Item no. | Price € no VAT |
|-------------------------|----------|-------------------|
| EOS Zeus S brown | | |
| 6,0kW | 94 7010 | 4.355,00 |
| 7,5kW | 94 7011 | 4.355,00 |
| 9,0kW | 94 7012 | 4.355,00 |
| 10,0kW | 94 7892 | 4.627,00 |
| 10,5kW | 94 7013 | 4.627,00 |
| 12,0kW | 94 7014 | 4.627,00 |

| | | |
|-------------------------|---------|----------|
| EOS Zeus S black | | |
| 6,0kW | 94 7020 | 4.355,00 |
| 7,5kW | 94 7021 | 4.355,00 |
| 9,0kW | 94 7022 | 4.355,00 |
| 10,0kW | 94 7893 | 4.627,00 |
| 10,5kW | 94 7023 | 4.627,00 |
| 12,0kW | 94 7024 | 4.627,00 |

| | | |
|------------------------------|---------|----------|
| EOS Zeus S anthracite | | |
| 6,0kW | 94 7030 | 4.355,00 |
| 7,5kW | 94 7031 | 4.355,00 |
| 9,0kW | 94 7032 | 4.355,00 |
| 10,0kW | 94 7894 | 4.627,00 |
| 10,5kW | 94 7033 | 4.627,00 |
| 12,0kW | 94 7034 | 4.627,00 |

Mounting brackets for guard rail for EOS Zeus S / SL

| Descrip- tion | Item no. | Price € no VAT |
|-------------------------------|----------|-------------------|
| Mounting brackets (set) | 94 6761 | 191,00 |

Heater guard rail - for EOS Zeus S and Zeus SL, ring-shape, without mounting brackets

| Model | Item no. | Price € no VAT |
|-------------|----------|-------------------|
| 360° Abachi | 94 7101 | 491,00 |
| 270° Abachi | 94 7100 | 491,00 |
| 360° Walnut | 94 7093 | 955,00 |
| 270° Walnut | 94 7092 | 955,00 |

EOS

EOS Zeus SL | floor-standing



Alternative design model based on the Zeus S construction. Particularly suitable for central position.

Finish - red-brown powder coating in "Rust Marble". Also available with anthracite or black finish.

Safety guard rail - optionally available (rail and mounting brackets to be ordered separately).

Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits up to 25 - 30 kg stones.

Power supply: 400 V 3N ~ 50/60 Hz


Dimensions WH: 450 × 700 mm

Dimensions WH (with rail): 680 × 700 mm

Flat rate charge for sauna stones 6,00 €.



Guard rail optional



| Power | Item no. | Price € no VAT |
|--------------------------|----------|-------------------|
| EOS Zeus SL brown | | |
| 6,0kW | 94 7015 | 4.083,00 |
| 7,5kW | 94 7016 | 4.083,00 |
| 9,0kW | 94 7017 | 4.083,00 |
| 10,0kW | 94 7901 | 4.355,00 |
| 10,5kW | 94 7018 | 4.355,00 |
| 12,0kW | 94 7019 | 4.355,00 |

| | | |
|--------------------------|---------|----------|
| EOS Zeus SL black | | |
| 6,0kW | 94 7025 | 4.083,00 |
| 7,5kW | 94 7026 | 4.083,00 |
| 9,0kW | 94 7027 | 4.083,00 |
| 10,0kW | 94 7902 | 4.355,00 |
| 10,5kW | 94 7028 | 4.355,00 |
| 12,0kW | 94 7029 | 4.355,00 |

| | | |
|-------------------------------|---------|----------|
| EOS Zeus SL anthracite | | |
| 6,0kW | 94 7035 | 4.083,00 |
| 7,5kW | 94 7036 | 4.083,00 |
| 9,0kW | 94 7037 | 4.083,00 |
| 10,0kW | 94 7903 | 4.355,00 |
| 10,5kW | 94 7038 | 4.355,00 |
| 12,0kW | 94 7039 | 4.355,00 |

Mounting brackets for guard rail for EOS Zeus S / SL

| Descrip- tion | Item no. | Price € no VAT |
|-------------------------------|----------|-------------------|
| Mounting brackets (set) | 94 6761 | 191,00 |

Heater guard rail - for EOS Zeus S and Zeus SL, ring-shape, without mounting brackets

| Model | Item no. | Price € no VAT |
|-------------|----------|-------------------|
| 360° Abachi | 94 7101 | 491,00 |
| 270° Abachi | 94 7100 | 491,00 |
| 360° Walnut | 94 7093 | 955,00 |
| 270° Walnut | 94 7092 | 955,00 |

Finnish sauna heaters



Guard rail and **EOS Scent Trophy S** optional (see page 59).

EOS Herkules S25 | floor-standing

Exclusive luxury class sauna heater for private and commercial saunas.

Thanks to the flat rear side panel with the recessed terminal block, these heaters may be installed in front of glass panels or in the center of the sauna.

Side panels in anthracite pearl effect finish and brushed stainless steel provide a distinctive, high contrast, straight-lined design.

Also available with high-quality matt black finish. Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits approx. 25kg stones.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 750×400×385 mm

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 6,00 €.



EOS Stone S25 | floor-standing

As Herkules S25, but with the front side fitted with massive soapstone panels. Also available with high-quality matt black finish.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 750×400×385 mm

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 6,00 €.



EOS Herkules S60 | floor-standing

High-performance sauna heater large private and commercial saunas.

Thanks to the extra large rock store and the included 60kg sauna stones, EOS Herkules S60 models offer an exceptional heat storage and powerful steam shocks.

Also available with high-quality matt black finish. Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits approx. 60kg stones.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 850×510×530 mm

Suitable cover protection rail: type 4

Flat rate charge for sauna stones 18,00 €.

| Power | Item no. | Price € no VAT |
|-------------------------------|----------|-------------------|
| EOS Herkules S25 | | |
| 7,5kW | 94 4326 | 1.674,00 |
| 9,0kW | 94 4327 | 1.730,00 |
| EOS Herkules S25 black | | |
| 7,5kW | 94 7250 | 1.715,00 |
| 9,0kW | 94 7237 | 1.769,00 |

Accessories for Herkules/Stone S25

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Rear wall cover panel stainless steel | 94 5277 | 333,00 |
| Rear wall cover panel black | 94 7241 | 326,00 |
| Guard rail with brackets | 94 4468 | 377,00 |
| Brackets for guard rail without rail | | |
| Stainless steel | 94 7308 | 175,00 |
| Black | 94 7589 | 275,00 |

| Power | Item no. | Price € no VAT |
|----------------------------|----------|-------------------|
| EOS Stone S25 | | |
| 7,5kW | 94 4582 | 2.271,00 |
| 9,0kW | 94 4583 | 2.328,00 |
| EOS Stone S25 black | | |
| 7,5kW | 94 7376 | 2.312,00 |
| 9,0kW | 94 7377 | 2.368,00 |

| Power | Item no. | Price € no VAT |
|-------------------------------|----------|-------------------|
| EOS Herkules S60 | | |
| 9,0kW | 94 4493 | 2.424,00 |
| 12,0kW | 94 4272 | 2.452,00 |
| 15,0kW | 94 4273 | 2.507,00 |
| EOS Herkules S60 black | | |
| 9,0kW | 94 7689 | 2.483,00 |
| 12,0kW | 94 7690 | 2.510,00 |
| 15,0kW | 94 7691 | 2.566,00 |

EOS



EOS Stone S60 | floor-standing

As Herkules S60, but with the front side fitted with massive soapstone panels.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 850×510×530 mm

Suitable cover protection rail: type 4

Flat rate charge for sauna stones 18,00 €.



Guard rail and **EOS Scent Trophy S** optional (see page 59).



Also available as Watermill sauna, see page 37.



EOS Herkules XL S50 | floor-standing

EOS Herkules XL S50 models have a unique design featuring an innovative construction with two separate rock stores.

Two 25kg large rock stores provide a perfect balance between strong air convection and optimal heat storage capacity. This ensures an optimized air convection and allows to make water splashes alternately on the left or on the right side for more steam and more sauna enjoyment.

Floor-standing sauna heater. Thanks to the stretched design and the flat rear wall with recessed terminal boxes, EOS Herkules XL S50 may be placed in front of glass panels.

Also available with high-quality matt black finish.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 750×750×385 mm

Suitable cover protection rail: type 3

Flat rate charge for sauna stones 12,00 €.



Image shows Herkules XL S50 black



EOS Herkules XL S120 HD | floor-standing

The flagship of the EOS Herkules sauna heater series (see page 30).

| Power | Item no. | Price € no VAT |
|---------|----------|-------------------|
| 9,0 kW | 94 4616 | 3.181,00 |
| 12,0 kW | 94 4586 | 3.237,00 |
| 15,0 kW | 94 4587 | 3.369,00 |

Accessories for Herkules/Stone S60

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| Brackets for guard rail without wooden parts | 94 7909 | 172,00 |
| Guard rail with brackets | 94 5698 | 425,00 |
| Rear wall cover panel stainless steel | 94 4375 | 565,00 |
| Rear wall cover panel black | 94 7776 | 565,00 |

| Power | Item no. | Price € no VAT |
|----------------------------------|----------|-------------------|
| EOS Herkules XL S50 | | |
| 12,0 kW | 94 4330 | 3.325,00 |
| 15,0 kW | 94 4331 | 3.381,00 |
| EOS Herkules XL S50 black | | |
| 12,0 kW | 94 7692 | 3.510,00 |
| 15,0 kW | 94 7693 | 3.568,00 |

Accessories

| Description | Item no. | Price € no VAT |
|--------------------------|----------|-------------------|
| Guard rail with brackets | 94 4470 | 369,00 |
| | | |
| Stainless steel | 94 7308 | 175,00 |
| Black | 94 8951 | 275,00 |

Finnish sauna heaters



EOS Selection | floor-standing

EOS Selection offers you a brand-new innovative concept – spec your sauna heater by yourselves to suit your preferences and your individual sauna design.

Unfold your creativity, select from at least 16 designs with numerous options, each as a classic Finnish sauna heater or as a Bi-O sauna heater (see Bi-O Selection, page 55). EOS Selection is available in four power outputs from 7,5kW to 12,0kW. Built to impress – stylish polished stainless steel body, alternatively available with anthracite, matt black or matt white finish can be refined with an elegant guard rail crafted of solid abachi or walnut wood and other options.

Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

The optionally delivered stone quantity is approx. 40 kg.

Image shows Selection:
- Exterior: anthracite
- Top cover: stainless steel
- Diabase sauna stones



EOS Selection with a stone volume of up to approx. 35 - 40 kg.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 750×420×420 mm

Outer shell: Stainless steel, polished or with powder-coated finish

Suitable cover protection rail: type 1



Image shows Selection:
- Exterior: matt white
- Top cover: matt black
- Quartz sauna stones
- Heater guard rail:
Walnut wood (4-sided)



Guard rail and EOS Scent Trophy S optional (see page 59).

| Power | Item no. | Price € no VAT |
|--------------------|----------|-------------------|
| 7,5 kW | 159387 | 1.315,00 |
| 9,0 kW | 159388 | 1.339,00 |
| 10,0 kW | 159389 | 1.375,00 |
| 12,0 kW | 159390 | 1.399,00 |
| Outer shell design | Item no. | Price € no VAT |
| Stainless steel | 159383 | 623,00 |
| Anthracite | 159366 | 813,00 |
| Matt black | 159367 | 825,00 |
| Matt white | 159368 | 873,00 |
| Top cover design | Item no. | Price € no VAT |
| Stainless steel | 159373 | 126,00 |
| Anthracite | 159374 | 228,00 |
| Matt black | 159375 | 240,00 |
| Matt white | 159376 | 252,00 |

Notice: prices are additive. The total price consists of at least three items.

| Sauna stones, approx. 40 kg | Item no. | Price € no VAT |
|--|------------------------------|-------------------|
| Diabase sauna stones, 20 kg | (2x) 94 7336 | 92,00 |
| Vulcanite sauna stones, 20 kg | (2x) 94 7911 | 98,00 |
| Quartz sauna stones, 10 kg stacked on diabase sauna stones, 15 kg | (1x) 94 7698 (2x) 94 8054 | 169,00 |
| Heater guard rail | Item no. | Price € no VAT |
| Guard rail brackets (without wooden rail) | 94 7501 | 151,00 |
| Abachi - 3-sided | 94 7502 | 324,00 |
| Walnut - 3-sided | 94 7503 | 408,00 |
| Abachi - 4-sided | 94 7964 | 430,00 |
| Walnut - 4-sided | 94 7965 | 549,00 |

Heater guard rail in abachi or walnut wood with mounting brackets.

Spec your sauna heater in a few simple steps:

Sauna heater type



Finnish



Bi-O

Power output

7,5kW

9,0kW

10,0kW

12,0kW

Outer shell design



Polished stainless steel



Anthracite pear effect



Matt black



Matt white

Top cover design



Polished stainless steel



Anthracite pear effect



Matt black



Matt white

Sauna stones - optional



without sauna stones



Diabase sauna stones

Grain size:
50-100 mm



Vulcanite sauna stones

Grain size:
50-100 mm



Quartz sauna stones

Grain size:
50-80 mm

Heater guard rail (with mounting brackets) - optional



without heater guard rail



Guard rail brackets (without wooden rail)



Abachi - 3-sided



Walnut - 3-sided



Abachi - 4-sided



Walnut - 4-sided

Finnish sauna heaters



EOS Mythos S35 | floor-standing

The EOS Mythos is an exclusive sauna heater for design-oriented sauna cabins.

It impresses with a well thought-out construction down to the smallest detail and a diverse design selection. You can choose from various elegant colour variants. Its distinctive cubistic shape makes it a real eye-catcher.

With a stone volume of 35kg, the heater can be equipped with an optional vaporizer to enable flexible climate forms (see Mythos Vapor, page 57).

The cubistic design is completed by the unique Cubius stones, which offer individual design options. Cubius stones are optionally available. Mythos black and white include Cubius stones in matching finish.

Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

All EOS Mythos heaters include pre-mounted 8m connection cable. Special colours upon request.

The heater guard rail is optionally available.

Power supply: 400V 3N~50/60Hz

Dimensions HWD: 840×420×370mm

Outer shell: brushed stainless steel front or completely in anthracite pearl effect, matt white or matt black finish

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 12,00 €.



Guard rail and Cubius stones (see page 24) optional



For optional vaporizer with anthracite, white or black finish, please refer to page 57.

| Power | Item no. | Price € no VAT |
|----------------------------------|----------|-------------------|
| EOS Mythos S35 CRS | | |
| 7,5kW | 94 5581 | 2.267,00 |
| 9,0kW | 94 5582 | 2.343,00 |
| EOS Mythos S35 anthracite | | |
| 7,5kW | 94 5488 | 2.267,00 |
| 9,0kW | 94 5489 | 2.343,00 |
| EOS Mythos S35 white | | |
| 7,5kW | 94 5988 | 3.296,00 |
| 9,0kW | 94 5989 | 3.444,00 |
| EOS Mythos S35 black | | |
| 7,5kW | 94 6066 | 3.296,00 |
| 9,0kW | 94 6067 | 3.444,00 |

Mounting brackets including the guard rail of Abachi wood (3-sided rail)

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Guard rail | 94 5652 | 398,00 |
| Brackets for guard rail without rail | | |
| Anthracite | 94 7055 | 279,00 |
| Black | 94 7056 | 279,00 |

EOS Mythos Glas | Accessories



| Modell | Price € no VAT |
|--|-------------------|
| Surcharge for Mythos S35 / S45 heaters with black glass panel | 756,00 |

Notice: Delivery only includes the glass panel, not the complete housing.

EOS



EOS Mythos S45 | floor-standing

Exclusive sauna heater for design-oriented sauna cabins. As Mythos S35 model, but with 45kg rock store volume. Cubius stones are optionally available. Mythos black and white include Cubius stones in matching finish. Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

All EOS Mythos heaters include pre-mounted 8m connection cable. Special colours upon request.

The heater guard rail is optionally available.

Power supply: 400 V 3N~50/60Hz

Dimensions HWD: 840×500×370mm

Outer shell: brushed stainless steel front or completely in anthracite pearl effect, matt white or matt black finish

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 12,00 €.



Guard rail, Cubius stones (see page 24) and **EOS Scent Trophy S** (see page Seite 59) optional.



For optional vaporizer with anthracite, white or black finish, please refer to page 57



EOS Credo | floor-standing

Exclusive sauna heater for design-oriented sauna cabins. The special highlight is the distinctive outer cladding made of special black ceramic tiles, which give this heater its luxurious appearance.

The cubistic design is perfectly complemented by the elegant base. Thanks to the flat rear side, EOS Credo can be placed directly in front of glass surfaces or in the center of the sauna cabin.

Just 2cm safety gap thanks to excellent thermal insulation.

Optional EOSafe L safety system ensures safety in your sauna. A safety guard rail is not necessary, due to the low surface temperature of the tiles.

Cubius stones and diabase sauna stones are included in the delivery. Rock store fits approx. 40kg stones.

Power supply: 400 V 3N~50/60Hz

Dimensions HWD: 810×500×400mm



EOS Scent Trophy S optional (see page 59).

| Power | Item no. | Price € no VAT |
|----------------------------------|----------|-------------------|
| EOS Mythos S45 CRS | | |
| 12,0kW | 94 5583 | 2.760,00 |
| 15,0kW | 94 5584 | 2.849,00 |
| EOS Mythos S45 anthracite | | |
| 12,0kW | 94 5490 | 2.760,00 |
| 15,0kW | 94 5491 | 2.849,00 |
| EOS Mythos S45 white | | |
| 12,0kW | 94 5991 | 3.905,00 |
| 15,0kW | 94 5992 | 3.981,00 |
| EOS Mythos S45 black | | |
| 12,0kW | 94 6068 | 3.905,00 |
| 15,0kW | 94 6069 | 3.981,00 |

Guard rail in abachi wood (3-side rail) with mounting brackets

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Guard rail | 94 5655 | 398,00 |
| Brackets for guard rail without rail | | |
| Anthracite | 94 7055 | 279,00 |
| Black | 94 7056 | 279,00 |


| Power | Item no. | Price € no VAT |
|---------|----------|-------------------|
| 12,0 kW | 94 8809 | 8.240,00 |
| 15,0 kW | 94 8808 | 8.400,00 |

Accessories

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| EOSafe L safety system with 27mm reflector | 94 8855 | 2.053,00 |



Finnish sauna heaters



EOS Cubius | Accessories

| Cubius stones | Item no. | Price € no VAT |
|--|----------|-------------------|
| Cubius stones, natural Set for S35 (20 pcs.) | 94 5520 | 476,00 |
| Cubius stones, natural Set for S45 (24 pcs.) | 94 5521 | 570,00 |
| Cubius stones, white Set for S35 (20 pcs.) | 94 5938 | 732,00 |
| Cubius stones, white Set for S45 (24 pcs.) | 94 5939 | 832,00 |
| Cubius stones, black Set for S35 (20 pcs.) | 94 5942 | 732,00 |
| Cubius stones, black Set for S45 (24 pcs.) | 94 5943 | 832,00 |

Notice: Cubius stones are subjects to wear and ageing depending on the temperature and specific use, just as regular sauna stones. They should be inspected regularly and if necessary replaced.

Cubius stones in sets except for special heights 60 and 80 mm include special mounting frame of stainless steel for installation in the EOS Mythos sauna heaters.

| Cubius Loop stones | Size, mm | Item no. | Price € no VAT |
|------------------------------|---------------|----------|-------------------|
| Cubius Loop 1 natural | 50×50×40 mm | 94 5946 | 120,00 |
| Cubius Loop 1 black | 50×50×40 mm | 94 7342 | 133,00 |
| Cubius Loop 1 white | 50×50×40 mm | 94 7343 | 133,00 |
| Cubius Loop 2 natural | 50×112×40 mm | 94 5947 | 147,00 |
| Cubius Loop 2 black | 50×112×40 mm | 94 7058 | 161,00 |
| Cubius Loop 2 white | 50×112×40 mm | 94 7344 | 161,00 |
| Cubius Loop 4 natural | 118×112×40 mm | 94 5948 | 222,00 |
| Cubius Loop 4 black | 118×112×40 mm | 94 6903 | 237,00 |
| Cubius Loop 4 white | 118×112×40 mm | 94 6287 | 237,00 |
| Cubius Loop 6 natural | 174×112×40 mm | 94 5949 | 265,00 |
| Cubius Loop 6 black | 174×112×40 mm | 94 7364 | 284,00 |
| Cubius Loop 6 white | 174×112×40 mm | 94 7365 | 284,00 |

| Cubius stones in alternative heights | Item no. | Price € no VAT |
|---|----------|-------------------|
| Set 10 pcs., 60 mm height, natural | 94 5627 | 245,00 |
| Set 6 pcs., 60 mm height, black | 94 6049 | 265,00 |
| Set 6 pcs., 60 mm height, white | 94 6050 | 265,00 |
| Set 10 pcs., 80 mm height, natural | 94 5626 | 245,00 |
| Set 6 pcs., 80 mm height, black | 94 6051 | 265,00 |
| Set 6 pcs., 80 mm height, white | 94 6052 | 265,00 |



Finnish sauna heaters



EOS EuroMax

Sauna heater for dry Finnish sauna operation. Optimal for intensive commercial operation.

Durable construction completely made of stainless steel with extra-large air channels for optimal air convection, triple shell design. Elegant die-cast aluminium top, anthracite pearl effect finish.

Extra large 60 kg rock store ensures exceptional temperature stability and evaporation capacity for powerful water splashes.

Service-friendly – no contact between sauna stones and heating elements. Heating elements may be replaced without removing the stones.

Power supply: 400 V 3N ~50/60 Hz

Dimensions HWD: 925 × 500 × 500 mm

Outer shell: anthracite pearl effect finish

Suitable cover protection guard: type 4

Flat rate charge for sauna stones 18,00 €.

| Power | Item no. | Price € no VAT |
|---------|----------|-------------------|
| 9,0 kW | 94 2320 | 1.781,00 |
| 12,0 kW | 94 2321 | 1.824,00 |
| 15,0 kW | 94 3882 | 1.995,00 |

Mounting brackets for heater guard rail mounting directly to the heater (wooden rail not included)

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4595 | 256,00 |



EOS BlackRock

Sauna heater for dry Finnish sauna. Great for intensive commercial use.

Durable construction made of stainless steel with extra large side channels for stable air convection.

Available in two distinctive designs: High-contrast design with side panels with anthracite finish, corners made of polished stainless steel and top cover of polished stainless steel – or completely with high-quality matt black finish.

BlackRock looks the same on all sides, no typical rear side – ideal for installation in front of glass walls or for central position. Terminal box at the bottom, with connection at the rear.

Thanks to an optional vaporizer 3,0 kW, BlackRock can also be used as Bi-O version for humid sauna operation (see page 56 for details). Retrofitting possible on site.

Optional EOSafe L safety system (see page 79) can be easily attached to the heater and ensures safety in your sauna.

Rock store fits approx. 40 kg stones.

Power supply: 400 V 3N ~50/60 Hz

Dimensions HWD: 830 × 555 × 555 mm

Suitable cover protection rail: type 4

Flat rate charge for sauna stones 12,00 €.


| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| EOS BlackRock Anthracite | | |
| 12,0 kW | 94 7140 | 2.317,00 |
| 15,0 kW | 94 7141 | 2.378,00 |
| 18,0 kW | 94 7142 | 2.442,00 |
| EOS BlackRock Black | | |
| 12,0 kW | 94 7312 | 2.803,00 |
| 15,0 kW | 94 7313 | 2.858,00 |
| 18,0 kW | 94 7314 | 2.921,00 |



Image shows BlackRock black version with optional guard rail



Also available as Watermill sauna, see page 37.



For optional vaporizer with anthracite or black finish, please refer to page 56.

Accessories

| Description | Item no. | Price € no VAT |
|-----------------------------------|----------|-------------------|
| EOS BlackRock Anthracite | | |
| Mounting brackets for guard rail* | 94 7309 | 253,00 |
| Guard rail with mounting brackets | 94 7310 | 383,00 |
| EOS BlackRock Black | | |
| Mounting brackets for guard rail* | 94 7315 | 277,00 |
| Guard rail with mounting brackets | 94 7316 | 410,00 |

*without wooden parts

EOS



EOS Goliath HD

High-performance sauna heater for dry Finnish sauna. Modern straight-lined design, anthracite pearl effect finish, brushed stainless steel top. Red-brown powder coating in "Rust Marble" upon request.

EOS Goliath HD - "heavy-duty" version with internal wiring as massive copper rails. Copper rails as inner wiring make this high-performance heater perfectly suitable for saunas with particularly intensive commercial use.

Durable triple shell wall construction, completely made of stainless steel. Extra large rock store with 75kg volume. Heating elements without contact with stones, replacement of elements without removal of stones possible.

EOSafe L safety system (see page 79) optionally available.

Rock store fits approx. 75kg stones.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 830×960×470 mm

Outer shell: Anthracite pearl effect finish

Suitable cover protection guard: type 5

Flat rate charge for sauna stones 18,00 €.



Guard rail and aroma tray optional. "Rust Marble" upon request.



Also available as Watermill sauna, see page 38.



EOS 34.G HD

High-performance sauna heater for dry Finnish sauna. For very intensive commercial use. Floor-standing model in two sizes.

EOS 34.G HD - "heavy-duty" version with internal wiring as massive copper rails. Copper rails as inner wiring make this high-performance heater perfectly suitable for saunas with particularly intensive commercial use.

Very robust and durable construction, completely in stainless steel. Reinforced 3-shell wall construction. Large rock store with extra wide air channels for improved air convection. Dust and water collecting tray at the bottom. Rock store may be enlarged with an optional stack frame.

EOSafe L safety system (see page 79) optionally available.

Size 1: 15 - 21kW, ~30kg rock store volume

Size 2: 24 - 36kW, ~45kg rock store volume

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD:

Size 1: 950×750×530 mm

Size 2: 950×1000×530 mm

Outer shell: Stainless steel, polished

Suitable cover protection guard: type 5

Flat rate charge for 30 / 45 kg sauna stones 12,00 €.



Stack frame for additional 30-45kg stones + cover protection guard with mounting directly on the heater



Also available as Watermill sauna, see page 38.



Aroma Tray optional



Frame rack for heater guard rail optional:
Application and installation example without and with wooden parts

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 18,0kW | 94 7826 | 4.480,00 |
| 24,0kW | 94 7827 | 4.560,00 |
| 30,0kW | 94 7828 | 4.640,00 |
| 36,0kW | 94 7829 | 4.720,00 |

On request available in rust marble finish.

Accessories

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Mounting brackets for guard rail (without rail) | 94 7125 | 237,00 |
| Guard rail with mounting brackets | 94 7126 | 497,00 |
| Aroma Tray | 94 8886 | 314,00 |

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 15,0kW | 94 8097 | 2.800,00 |
| 18,0kW | 94 8098 | 2.884,00 |
| 21,0kW | 94 8099 | 2.968,00 |
| 24,0kW | 94 7360 | 3.062,00 |
| 27,0kW | 94 7361 | 3.156,00 |
| 30,0kW | 94 7362 | 3.250,00 |
| 36,0kW | 94 7363 | 3.344,00 |

Stack frame for additional 30 - 45 kg rock volume, stainless steel:

| | | |
|--------|---------|--------|
| Size 1 | 94 4000 | 679,00 |
| Size 2 | 94 4001 | 774,00 |

Set: stack frame + mounting frame for cover protection guard mounting directly on the heater.

| | | |
|--------|---------|----------|
| Size 1 | 94 4983 | 973,00 |
| Size 2 | 94 4984 | 1.051,00 |

Aroma Tray

| | | |
|--------|---------|--------|
| Size 1 | 94 8839 | 283,00 |
| Size 2 | 94 8838 | 314,00 |

Frame rack for heater guard rail (without wooden parts)

| | |
|---------|--------|
| 94 8813 | 513,00 |
|---------|--------|

Finnish sauna heaters

EOS Zeus HD



EOS Zeus / Zeus L HD
with 30.0 kW and 36.0 kW
output, incl. stack frame.



Guard rail optional

Luxury class sauna heater with the distinctive round design. EOS Zeus HD - "heavy-duty" version with internal wiring as massive copper rails. Copper rails as inner wiring make this high-performance heater perfectly suitable for saunas with particularly intensive commercial use.

The highlight of this model is the unique laser-cut massive steel housing with impressive 60kg rock store. The optionally available matching design round shape protective rail in 360° or 270° sets the crowning touch to the spectacular design of this model.

Safety guard rail - optionally available (rail and mounting brackets to be ordered separately).

The optional EOSafe L safety system (see page 79) can be easily and discreetly attached to the heater and ensures safety in your sauna.

Incl. two connection cables 6m with special heavy-duty plugs.

Rock store fits approx. 60kg stones.

Power supply: 400 V 3N ~ 50/60 Hz




Dimensions WH: 700 × 1250 mm

Dimensions WH (with rail): 935 × 1250 mm

Outer shell: Red-brown powder coating in "Rust Marble". Also available in matt black and anthracite pearl effect finish.

Flat rate charge for sauna stones 18,00 €.

Stone size 100 - 150 mm



Example of installation in the cabin center (air supply from below) / in front of a glass or sauna wall (air supply from the side).

Min. size air supply and extract:
50 × 10 cm (approx. 500 cm³) / Ø 30 cm

| Power | Item no. | Price € no VAT |
|-------------------------------|----------|-------------------|
| EOS Zeus HD brown | | |
| 20,0kW | 94 7837 | 8.410,00 |
| 24,0kW | 94 7838 | 8.579,00 |
| 30,0kW | 94 7839 | 9.195,00 |
| 36,0kW | 94 7840 | 9.352,00 |
| EOS Zeus HD black | | |
| 20,0kW | 94 7841 | 8.410,00 |
| 24,0kW | 94 7842 | 8.579,00 |
| 30,0kW | 94 7843 | 9.195,00 |
| 36,0kW | 94 7844 | 9.352,00 |
| EOS Zeus HD anthracite | | |
| 20,0kW | 94 7845 | 8.410,00 |
| 24,0kW | 94 7846 | 8.579,00 |
| 30,0kW | 94 7847 | 9.195,00 |
| 36,0kW | 94 7848 | 9.352,00 |

Mounting brackets for guard rail for
EOS Zeus HD / Zeus L HD

| Descrip- tion | Item no. | Price € no VAT |
|-------------------------------|----------|-------------------|
| Mounting brackets (set) | 94 6761 | 191,00 |

Heater guard rail -for EOS Zeus and
Zeus L, ring-shape, without mounting
brackets

| Modell | Art.-Nr. | Preis € ohne MwSt. |
|-------------|----------|-----------------------|
| 360° Abachi | 94 6606 | 930,00 |
| 270° Abachi | 94 6605 | 897,00 |
| 360° Walnut | 94 6598 | 1.580,00 |
| 270° Walnut | 94 6597 | 1.516,00 |

EOS

EOS Zeus L HD



Alternative design model based on the Zeus HD heater construction.

Great for installation in front of glass or central position.

Safety guard rail - optionally available (rail and mounting brackets to be ordered separately).

The optional EOSafe L safety system (see page 79) can be easily and discreetly attached to the heater and ensures safety in your sauna.

Rock store fits approx. 60 kg stones.

Power supply: 400 V 3N~50/60 Hz

Dimensions WH: 700×790 mm

Dimensions WH (with rail): 935×790 mm

Outer shell: Red-brown powder coating in "Rust Marble". Also available in matt black and anthracite pearl effect finish.

Flat rate charge for sauna stones 18,00 €.

Stone size 100 - 150 mm



Guard rail optional

| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| EOS Zeus L HD brown | | |
| 20,0kW | 94 7849 | 8.410,00 |
| 24,0kW | 94 7850 | 8.579,00 |
| 30,0kW | 94 7851 | 9.195,00 |
| 36,0kW | 94 7852 | 9.352,00 |
| EOS Zeus L HD black | | |
| 20,0kW | 94 7853 | 8.410,00 |
| 24,0kW | 94 7854 | 8.579,00 |
| 30,0kW | 94 7855 | 9.195,00 |
| 36,0kW | 94 7856 | 9.352,00 |
| EOS Zeus L HD anthracite | | |
| 20,0kW | 94 7857 | 8.410,00 |
| 24,0kW | 94 7858 | 8.579,00 |
| 30,0kW | 94 7859 | 9.195,00 |
| 36,0kW | 94 7860 | 9.352,00 |

Mounting brackets for guard rail for EOS Zeus HD / Zeus L HD

| Descrip- tion | Item no. | Price € no VAT |
|-------------------------------|----------|-------------------|
| Mounting brackets (set) | 94 6761 | 191,00 |


Heater guard rail - for EOS Zeus and Zeus L, ring-shape, without mounting brackets

| Modell | Art.-Nr. | Preis € ohne MwSt. |
|-------------|----------|-----------------------|
| 360° Abachi | 94 6606 | 930,00 |
| 270° Abachi | 94 6605 | 897,00 |
| 360° Walnut | 94 6598 | 1.580,00 |
| 270° Walnut | 94 6597 | 1.516,00 |

Finnish sauna heaters



Guard rail optional.
Powder coating in "Rust
Marble" upon request.



Example of installation in the
cabin center (air supply from
below). Installation in front
of a glass or sauna wall (air
supply from the side) also
possible.

EOS Orbit

Round sauna heater for dry Finnish sauna. Ideal for intensive commercial operation.

Durable stainless steel construction. Optimized for stable air convection. Anthracite pearl effect finish. Upon request also available with red-brown powder coating in "Rust Marble".

Service-friendly - Stone compartment separated from the heating elements.

Safety guard rail in 360° or 270° optionally available. Includes mounting brackets for the optional guard rail.

The optional EOSafe L safety system (see page 79) can be easily and discreetly attached to the heater and ensures safety in your sauna.

Rock store fits approx. 40 kg stones.

Power supply: 400 V 3N~50/60 Hz

Dimensions WH: 655×920 mm

Dimensions WH (with rail): 935×920 mm

Outer shell: anthracite pearl effect finish

Flat rate charge for sauna stones 12,00 €.

| Power | Item no. | Price € no VAT |
|---------|----------|-------------------|
| 18,0 kW | 94 6421 | 3.938,00 |
| 21,0 kW | 94 6422 | 3.998,00 |
| 24,0 kW | 94 6423 | 4.058,00 |

Heater guard rail - for EOS Orbit models (brackets included with heater).

| Model | Item no. | Price € no VAT |
|-------------|----------|-------------------|
| 360° Abachi | 94 6896 | 958,00 |
| 270° Abachi | 94 6890 | 926,00 |
| 360° Walnut | 94 6900 | 1.627,00 |
| 270° Walnut | 94 6894 | 1.561,00 |

EOS Herkules XL S120 HD

The flagship of the EOS Herkules series with an upgraded special "heavy-duty" inner wiring with solid copper busbars for even more durability and long-lasting service even by unfavourable operation conditions in a commercial sauna.

The EOS Herkules XL S120 set standards for superior performance, durability and sophisticated design.

Two separate rock stores with up to 120 kg stones ensure an excellent temperature stability and heat storage capacity. The unique construction with rock stores above the heating elements provides continuously high performance and reliability, strong air convection, long service life and easy maintenance.

Also available with high-quality matt black finish.

Optional EOSafe L safety system (see page 79) can be easily attached to the heater and ensures safety in your sauna.

Power supply: 400 V 3N~50/60 Hz

Dimensions HWD: 850×960×530 mm

Suitable cover protection rail: type 5

Flat rate charge for sauna stones 36,00 €.



Image shows Herkules XL
S120 black

| Power | Item no. | Price € no VAT |
|--------------------------------------|----------|-------------------|
| EOS Herkules XL S120 HD | | |
| 18,0 kW | 94 8116 | 5.409,00 |
| 24,0 kW | 94 8117 | 5.579,00 |
| 30,0 kW | 94 8118 | 5.748,00 |
| EOS Herkules XL S120 HD black | | |
| 18,0 kW | 94 8821 | 5.432,00 |
| 24,0 kW | 94 8822 | 5.601,00 |
| 30,0 kW | 94 8823 | 5.770,00 |

Accessories

for EOS Herkules XL S120/S120 Vapor

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Rear wall cover panel stainless steel | 94 4439 | 629,00 |
| Rear wall cover panel black | 94 7778 | 629,00 |
| Guard rail with mounting brackets | 94 5679 | 466,00 |
| Mounting brackets for guard rail (without rail) | 94 7909 | 172,00 |



Finnish sauna heaters



EOS Mega S HD

High-performance sauna heater for large sauna cabins up to 90m³.

Specially designed for themed and event commercial saunas. Stainless steel body and special copper rails as standard inner wiring make the Mega S HD perfectly suitable for saunas with particularly intensive use.

Contemporary, timeless design with uniform appearance on all sides. No typical "rear side". Connections at the bottom. Great for installation in front of glass or central position

The extra large rock store with an stone volume of approx. 100 kg is separated from the heating elements and thus ensures optimal air convection and guarantees a long service life for the heating elements.

Power supply: 400 V 3N ~50/60 Hz

Dimensions (HWD): 1000×900×800 mm

Outer shell: anthracite pearl effect finish

Flat rate charge for sauna stones 36,00 €.

Stone size 100 - 150 mm



Guard rail optional



EOS Mega HD

High-performance sauna heater with internal wiring as massive copper rails. Specially designed for intensive commercial operation in event sauna cabins and very large sauna cabins up to 160m³. For dry Finnish sauna type.

The optimized extra large 150 kg rock store with approx. 25% more stone volume is fully separated from heating elements. Fast heat-up times and powerful sauna infusions are guaranteed. Large sauna infusion area of 70×110 cm.

Unique V-shape profiles in two layers serve as the rock store bottom and ensure effective water evaporation and improved air flow.

Durable stainless steel construction. Anthracite pearl effect finish. Uniform appearance on all sides - no typical "rear" side, ideal for central placement.

Power supply: 400 V 3N ~50/60 Hz (4 inputs)

Dimensions (HWD): 1000×1200×800 mm

Outer shell: anthracite pearl effect finish

Requires 2 power extension units PEB36

Flat rate charge for sauna stones 48,00 €.

Stone size 100 - 150 mm



Terminal box of EOS Mega HD with the internal wiring as massive copper rail



Guard rail optional



Red-brown powder coating in "Rust Marble" upon request.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 36,0kW | 94 8094 | 6.960,00 |
| 42,0kW | 94 8045 | 7.120,00 |
| 48,0kW | 94 8044 | 7.400,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Mounting brackets for guard rail (without rail) | 94 7183 | 377,00 |
| Guard rail, Abachi with mounting brackets | 94 7184 | 693,00 |
| Guard rail, walnut with mounting brackets | 94 7185 | 1.274,00 |

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 42,0kW | 94 7735 | 7.760,00 |
| 48,0kW | 94 7736 | 7.920,00 |
| 54,0kW | 94 7737 | 8.080,00 |
| 60,0kW | 94 7738 | 8.240,00 |
| 72,0kW | 94 7739 | 8.400,00 |

4 connection cables required. Cable connections on the bottom.

Accessories

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Mounting brackets for guard rail (without rail) | 94 7183 | 377,00 |
| Guard rail, Abachi with mounting brackets | 94 7184 | 693,00 |
| Guard rail, walnut with mounting brackets | 94 7185 | 1.274,00 |



Finnish sauna heaters



EOS Invisio XL | under-bench sauna heater

Special design sauna heater for concealed installation under the sauna benches. Floor-standing model for dry Finnish sauna.

Suitable for intensive commercial use. Very space-saving, only 10 cm gap between sauna wall and partition wall required.

Extra-large rock store with up to 75kg stone volume - optimal for intensive water infusions. Integrated water gutter over the entire heater width, water tube connection left or right. Water infusion funnel with silicone tube and cover protection safety grill included. Adjustable height (640 or 790 mm).



Water infusion funnel with silicone hose are included. Connection on the left or right possible.

Included accessories:

- Cover protection safety grill
- Stainless steel water splash funnel
- Silicone hose with elbow connector

Flat rate charge for sauna stones 18,00 €.

| Power | Item no. | Price € no VAT |
|----------------------------------|----------|-------------------|
| EOS Invisio XL | | |
| 9,0kW | 94 5522 | 2.304,00 |
| 12,0kW | 94 6390 | 2.496,00 |
| EOS Invisio XL anthracite | | |
| 9,0kW | 94 5816 | 3.355,00 |
| 12,0kW | 94 6391 | 3.593,00 |

Power supply: 400 V 3N~50/60Hz

Outer shell: zinc-plated steel or anthracite pearl effect finish

Dimensions HWD: 800×1160×580mm

Safety grill LW: 1200×100mm



EOS Invisio Midi | under-bench sauna heater

Middle-sized version of the underbench sauna heater Invisio XL.

With water distribution gutter across the entire width, connection left and right. Adjustable height, no contact between sauna stones and heating elements. Service-friendly construction.

Rock store fits approx. 20kg stones.

Power supply: 400 V 3N~50/60Hz

Dimensions HWD: 650×1160×380mm

Height adjustable to 650 / 710 / 770mm

Safety grill LW: 1200×100mm

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|------------------------------------|----------|-------------------|
| EOS Invisio Midi | | |
| 6,0kW | 94 5786 | 1.781,00 |
| 9,0kW | 94 5787 | 1.857,00 |
| 12,0kW | 94 5788 | 1.957,00 |
| EOS Invisio Midi anthracite | | |
| 6,0kW | 94 5813 | 1.900,00 |
| 9,0kW | 94 5814 | 1.979,00 |
| 12,0kW | 94 5815 | 2.077,00 |



EOS Invisio Mini | under-bench sauna heater

Compact size version of the underbench sauna heater Invisio Midi.

Extra compact, place-saving construction - only 66cm width. 15kg rock store, no contact between stones and heating elements. Water distribution gutter across the entire width, connection left and right.

Power supply: 230 V 2N ~50/60Hz (3,0kW)
400 V 3N~50/60HZ (4,5kW, 6,0kW)

Dimensions HWD: 650×660×380mm

Height adjustable to 650 / 710 / 770mm

Safety grill LW: 594×100mm

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|------------------------------------|----------|-------------------|
| EOS Invisio Mini | | |
| 3,0kW | 94 5708 | 1.356,00 |
| 4,5kW | 94 5709 | 1.441,00 |
| 6,0kW | 94 5710 | 1.517,00 |
| EOS Invisio Mini anthracite | | |
| 3,0kW | 94 5810 | 1.489,00 |
| 4,5kW | 94 5811 | 1.575,00 |
| 6,0kW | 94 5812 | 1.656,00 |

EOS



46.U XL



46.U

Notice: 46.U XL models require an additional overheating limiter fuse.
94 5732 for Compact/Emo-Tec/EmoStyle/EmoTouch series.
94 6779 for Econ series.

EOS 46.U / 46.U XL | behind-the-bench sauna heater

Sauna heater for concealed behind-the-bench installation. For dry Finnish sauna operation.

Suitable for commercial use.

Available in 2 versions: 46.U with 6 - 12kW and 46.U XL with 15 - 18kW power.

Special extra slim construction for space-saving hidden installation. Only 22cm depth required for installation!

Saves valuable place and increases safety in use thanks to the hidden installation.

Very robust and reliable. Inner and outer shell of stainless steel. Dust and water collecting tray at the bottom. Rock store with water distribution gutter across the entire heater width. Rock store fits 15kg stones (46.U) or 20kg stones (46.U XL).

Delivery scope includes:

- Water splash funnel with 1m hose
- Cover protection safety grill:
46.U - 1200mm, 46.U XL - 1600mm.

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|--------------------|----------|-------------------|
| EOS 46.U | | |
| 6,0kW | 94 4887 | 1.620,00 |
| 7,5kW | 94 4888 | 1.675,00 |
| 9,0kW | 94 4889 | 1.915,00 |
| 12,0kW | 90 8608 | 2.107,00 |
| EOS 46.U XL | | |
| 15,0kW | 94 7219 | 3.253,00 |
| 18,0kW | 94 7222 | 3.312,00 |

Power supply: 400 V 3N ~50/60Hz

Outer shell: Blank polished stainless steel

Dimensions HWD:

- 46.U 870×1120×200mm
- 46.U XL 870×1440×200mm



EOS 46.U Compact | behind-the-bench sauna heater

Compact version of the 46.U sauna heater with 92 cm width. Floor-standing model for dry Finnish sauna.

Top (air deflector) made of stainless steel. Outer shell - zinc-plated steel.

Rock store with approx. 15kg stone volume.

Delivery scope includes:

- Water splash funnel with 1m hose
- Cover protection safety grill

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 6,0kW | 94 6707 | 1.496,00 |
| 7,5kW | 94 4250 | 1.554,00 |


Power supply: 400 V 3N ~50/60Hz

Outer shell: Blank polished stainless steel


Dimensions HWD: 870×920×200mm

Safety grill LW: 999×200mm


Installation example EOS 46.U series



Installation example EOS Invisio XL



Installation example EOS Invisio Midi/Mini



Event sauna heaters



PRICE UPON REQUEST



EOS Skiff | floor-standing

EOS Skiff - the special atmosphere in your event sauna.
An eye-catcher and attraction in your sauna at the same time. With its special design, the unique event sauna heater brings action into your sauna.
The Skiff features two separate rock stores which can be manually rotated around and dipped into a water tank with a special lever without any electrical power - for a spectacular showlike steam-shock effect. Your guests will be fascinated when the rock stores slowly sink and the sauna infusion is released. Create a sauna according to ancient Banya tradition.
For an unforgettable sauna experience. Due to the exclusively manual operation, the EOS Skiff with a heater output of 9.0kW is low-maintenance.
Approx. 60kg stone volume - divided into two rock stores with 30 kg stone volume each.
Notice: The external housing is not included in the delivery.
Flat rate charge for sauna stones 18,00 €.




PRICE UPON REQUEST

EOSphere | floor-standing

EOSphere - the one-of-a-kind ultra-luxury event-sauna heater with the unique plunging steam-shock effect for commercial sauna cabins. Impressive design with a moving rock store and an underlying illuminated water tank makes the EOSphere a highlight in every sauna.

- Spectacular steam-shock effect with accompanying colour and light effects thanks to the innovative plunging function: The separate rock store heats the stones and then plunges down into the underlying water tank, accompanied by the specially coordinated light effects with colour changes from red to blue.
- Fully automatic function with adjustable time intervals and dwell time of the rock store in the water tank. Manual or automatic start.
- Finest quality hand-selected materials, carefully crafted down to the last detail. High-contrast design of polished stainless steel and powder-coated components with anthracite pearl effect.
- Luxury and exclusivity - no mass production, each system is individually handcrafted to order. Made in Germany quality from EOS.
- 45kg stones included in delivery.

Power supply: 400 V 3N ~50/60Hz
Dimensions HWD: 1600×720×1010mm
Power rating: 3,5kW
Design: Polished stainless steel and powder-coated components with anthracite finish
Notice: The heat output of the EOSphere alone is not sufficient for a sauna and usually requires an additional heating system.



| Item no. |
|----------|
| 94 7040 |

Accessories

| Description | Item no. |
|-----------------------------|----------|
| Button for manual operation | 94 7380 |

EOS



Guard rail optional

EOS Watermill sauna set with Stone S60 heater | floor-standing

Themed sauna or a powerful water splash - the exclusive EOS Watermill sauna heater will be a spectacular attraction and a "piece of action" in your sauna. The wheel rotates slowly anti-clockwise in the background.

Upon a manual or an automatic signal it starts to rotate in the reverse direction and pours the water several times into the cascade directly over the heater, which creates a series of powerful, impressive steam shocks.

Rock store fits approx. 60 kg stones.

NOTICE: Control unit for sauna heater is not included and should be ordered separately

Flat rate charge for sauna stones 18,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 9,0kW | 94 5294 | 10.396,00 |
| 12,0kW | 94 5295 | 10.450,00 |
| 15,0kW | 94 5296 | 10.505,00 |

Power supply: 400 V 3N ~50/60 Hz

Dimensions HWD: 850×510×530 mm

Overall dimensions: 1500×800×910 mm

Design: Stone S60 sauna heater with soap-stone panels on the front side. Watermill wheel with anthracite finish and stainless steel scoops.



Image shows EOS Watermill sauna set with BlackRock black heater

EOS Watermill sauna set with BlackRock heater | floor-standing

Spectacular Watermill system for themed sauna. The Watermill sauna allows an automated water infusion at preselected intervals. The wheel continuously rotates anti-clockwise, at pre-set intervals it rotates clockwise and delivers water on the cascade over the heater for an impressive steam-shock effect.

Set consists of the Watermill wheel with drive and control mechanism (with auto-filling system) and a BlackRock commercial heater (requires separate sauna control unit).

Includes automatic water refilling device FWA01. Permanent water supply required.

Durable construction made of stainless steel with extra large side channels for stable air convection.

Available in two distinctive designs:

- High-contrast design with side panels with anthracite finish and corners made of polished stainless steel. Top cover of polished stainless steel.
- Exclusive design with all sides and top with stylish matt black finish.

Rock store fits approx. 40 kg stones.

NOTICE: Control unit for sauna heater is not included and should be ordered separately

Flat rate charge for sauna stones 12,00 €.

| Power | Item no. | Price € no VAT |
|--|----------|-------------------|
| EOS Watermill sauna set with BlackRock anthracite | | |
| 12,0kW | 94 8862 | 10.288,00 |
| 15,0kW | 94 8863 | 10.353,00 |
| 18,0kW | 94 8864 | 10.418,00 |
| EOS Watermill sauna set with BlackRock black | | |
| 12,0kW | 94 8865 | 10.775,00 |
| 15,0kW | 94 8866 | 10.828,00 |
| 18,0kW | 94 8867 | 10.892,00 |

Power supply: 400 V 3N ~50/60 Hz

Dimensions HWD: 830×555×555 mm

Design: heater - Stainless steel / anthracite finish or completely in matt black finish

Watermill wheel in anthracite / black, stainless steel scoops.

Event sauna heaters



EOS Watermill sauna set with Goliath HD heater | floor-standing

Watermill system for themed saunas.

As described above but with the Goliath HD sauna heater (see page 27 for details). "Heavy-duty" version with internal wiring as massive copper rails. Copper rails as inner wiring make this high-performance heater perfectly suitable for saunas with particularly intensive commercial use.

Includes automatic water refilling device FWA01. Permanent water supply required. Stylish guard rail crafted of solid Abachi can be added as an option to complement the heater design (see page 27 for details).

Rock store fits approx. 75kg stones.

NOTICE: Control unit for sauna heater is not included and should be ordered separately

Flat rate charge for sauna stones 18,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 18,0kW | 94 6223 | 14.258,00 |
| 24,0kW | 94 8804 | 14.359,00 |
| 30,0kW | 94 8805 | 14.471,00 |
| 36,0kW | 94 8806 | 14.583,00 |

Power supply: 400 V 3N ~50/60Hz

Dimensions HWD: 825×960×470 mm

Overall dimensions:
1700×1200×980 mm

Design: heater - anthracite finish

Watermill wheel in anthracite pearl effect, stainless steel scoops.



EOS Watermill sauna set with 34.GM HD heater | floor-standing

Spectacular Watermill system for themed sauna. The Watermill sauna allows an automated water infusion at preselected intervals. The wheel continuously rotates anti-clockwise, at pre-set intervals it rotates clockwise and delivers water on the cascade over the heater for an impressive steam-shock effect.

Set consists of the Watermill wheel with drive and control mechanism (with auto-filling system) and a 34.GM HD commercial heater with massive granite front panel (requires separate sauna control unit).

Includes automatic water refilling device FWA01. Permanent water supply required.

34.GM heater is available in two sizes:

Size 1 18 kW, rock store volume ~30kg.

Size 2 27 - 36kW, rock store volume ~45kg.

NOTICE: Control unit for sauna heater is not included and should be ordered separately

Flat rate charge for 30 / 45 kg sauna stones 12,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 18,0kW | 94 6385 | 15.968,00 |
| 27,0kW | 94 6386 | 16.227,00 |
| 30,0kW | 94 6387 | 16.301,00 |
| 36,0kW | 94 6388 | 16.459,00 |

Power supply: 400 V 3N ~50/60HZ

Dimensions HWD:
950×750×530 mm (size 1)
950×1000×530 mm (size 2)

Overall dimensions:
1700×1200×980 mm

Design: 34.GM HD sauna heater with granite plate on the front side. Watermill wheel with anthracite finish and stainless steel scoops.





Gas-powered sauna heater-systems from KUSATEK:

stand for environmental compatibility and longevity.

As the market leader and specialist in the field of gas-powered sauna heater-systems, we are your competent contact from advice in planning, design, installation, as well as in annual maintenance.

With more than 25 years of experience and our own innovation department, we manufacture efficient sauna heaters as standard and individual solutions. Our special focus is on high-quality and robust sauna engineering which is economical to use and extremely durable. Our DVGW-certified gas-powered sauna heater-systems have a power range from 10 to 120 kW and are optionally expandable through the combination of several heater entities. There are no limits to the performance and size of the sauna heater.



In 2019 KUSATEK realizes the 12-meter-long gas-powered sauna heater – the only one in the world so far.

KUSATEK

DVGW

made in Germany

YOUR ADVANTAGES:

- **Sustainable and low-maintenance**
due to durable and robust construction.
- **Efficient and effective with additional benefits**
Expandable with exhaust heat exchanger (4.5 kW) for energy recovery for e.g. water boilers (for showers, floor heating etc.).
By multi-cabin solutions - distribution of recovered energy.
- **Durable**
The operation equipment is not placed inside sauna cabin and therefore it is not subject to increased wear.
- **Retrofitting possible**
from electric sauna heaters to gas-powered sauna heaters, with regards to the individual situation.
- **Improves afterheating and operating costs**
Unique heat storage capacity thanks to very large volume of stones per heater in the respective performance class.
The larger the area of your sauna or spa complex, the better your investment results.
- **As individual as your operation**
Individual settings, programming the individual weekly operating time is possible.
- **Attractive financing models**
Contact us for more information.

We would be happy to advise you on the various options for operating your sauna cost-efficiently.

Further information and references can be found at:

www.kusatek.de/en





PRICE UPON
REQUEST

KUSATEK Kusatherm | Gas-powered sauna heater-system

Unique design and performance - the powerhouse among its peers. Ideal for intensive commercial operation. Very economical and durable thanks to the unique technical features and particularly robust construction. With the KUSATEK-system, in addition to a standard solution, individual special solutions can be realized for the most diverse installation situations.

- Power range from 10 to 120 kW, optionally expandable through the combination of several heater entities.
- Kusatherm-heater feature the largest heating surface in the respective category thanks to the unique double-pipe spiral.
- Particularly cost-efficient for large saunas.
- Individual special solutions can be realized.
- There are no limits to the performance and size of the sauna heater.
- Very large stone volume up to approx. 680 kg for perfect temperature stability.
- Suitable for natural, propane and butane gas, 10 to 30 kW per burner.



PRICE UPON
REQUEST

KUSATEK K-Tec | Control unit for gas-powered sauna heater-systems

Advanced sauna control unit for gas-powered sauna heaters with compact-sized control panel and a coloured TFT display and a separate relay box. Great for domestic and commercial use. Innovative jog-dial switch allows quick and simple access to all functions.

- Control of up to eight burners and the corresponding fans.
- Evaluating burner malfunctions (up to four inputs).
- Control of vaporizer or automatic water splash for humidification.
- Digital temperature control, 30 - 125 °C range.
- Connection for heater, bench, and humidity sensor.
- Additional control features through optional extensions: coloured light control for LED, music control, Eco/Hot function, remote start and operation.



Sauna engineering for a mobile sauna solution

From now on, you can enjoy a sauna session from almost anywhere independently from any external power supply - create a place of relaxation with a mobile sauna, whether in your own garden or somewhere in the countryside.

With the gas-powered sauna heater-system from KUSATEK, you can enjoy your sauna completely independently. The perfect combination for this is the KUSATEK Independent (see page 43) and the K-TEC control unit.

We would be happy to advise you on the various options.

KUSATEK Independent | Gas-powered sauna heater-system

Carefree sauna pleasure at almost any location. How about a sauna hut by the lake or in an idyllic forest, for example? Or may it even be a sauna raft?

If you want to switch off from the stress of everyday life and create a retreat of total peace and relaxation while being very close to nature, the KUSATEK Independent promises a unique sauna experience at almost any location. The gas-powered sauna heater can be operated with a normal fixed gas connection or simply and independently with a propane gas bottle.



PRICE UPON
REQUEST



EOS Scent Trophy S optional (see page 59).

Independent set package incl. K-Tec control unit, **without sauna stones, propane gas bottle and exhaust system**

Through our many years of experience we have developed an ultra-compact gas-powered sauna heater - **the most compact gas-powered sauna heater of its class**. With a footprint of only 0.23m³ and a **power output of 9kW**, it fits perfectly in indoor saunas with a **cabin size of approx. 16m³** and approx. 12m³ for outdoor saunas. Like all of our gas-powered sauna heater-systems, the Independent offers robust and durable engineering.

The KUSATEK Independent promises a unique **sauna experience at almost any location**. This is made possible by the option of being able to operate the sauna heater with a normal fixed gas connection or simply with a propane gas bottle. For example, an 11kg gas bottle promises sauna pleasure for up to 16 hours. A 230V power connection is only required for the exhaust fan and control unit. The large **stone volume** of the heater **of 40kg** enables optimal infusion behaviour.

The sauna heater is available in two versions: side panels with anthracite finish, corners and top made of polished stainless steel or completely in matt black finish.

- Housing: Stainless steel, approx. 48×48×85 cm, incl. bottom tray
- Heating spiral: Steel pipe as per EN 10219
- Rock store: 40 kg, grain size: 50 - 100 mm (sauna stones optionally available)
- Burner: 10 kW, suitable for natural gas, propane and butane
- Connection pipes: Between heater and burner
- Pressure reducer: With connection hose 1.5 m
- Exhaust fan: GE133, 230 V IN ~ 50 Hz, 75 W

K-Tec control unit



Housing with heating spiral and bottom tray



Exhaust fan with spigot

Connection pipes (heater - burner) approx. 0.5 m

Bi-O sauna heaters

The temperatures in the Bi-O sauna are lower than in the classic dry (Finnish) sauna, usually around 45-60°C with a humidity of around 40-55%. The Bi-O sauna is considered to be more gentle on the circulation and is often combined with the addition of essential oils or special lighting (light therapy). The length of the humid sauna session with approx. 15-30 minutes is longer than in a regular dry sauna - otherwise the procedure is the same.

The integrated vaporizer of EOS Bi-O type sauna heaters leaks the steam out next to the sauna stones so that it is spread quickly in the entire cabin. An integrated bowl allows to place oils and sauna essences to make your sauna an aromatically exhilarating experience for the senses.

All EOS Bi-O sauna heaters have water shortage detection and dry-run protection. The excellent air convection of the EOS heaters ensures optimal air circulation in the cabin and thus creates a pleasant sauna climate, which can be adjusted very flexibly - from hot and dry to mild and humid.

With a power range of 3.0 to 30.0kW, they are perfect for saunas with a volume between 3 and 65m³. Of course, all Bi-O heaters can also be used as classic dry Finnish heaters if required, thus offering maximum flexibility and versatility.



EOS Herkules S60 Vapor
(Black)
See page 53

Further information available at: www.eos-sauna.com/en/products/bi-o-sauna-heaters





Bi-O sauna heaters

Note for sauna heaters with vaporizer:

Our vaporizer systems have been designed for use with EOS sauna control units and require appropriate maintenance. Contact your water supply company and ask about the hardness level of your water. By hardness level I (0-8.4° German hardness level), the unit generally works without any problems and only has to be de-scaled occasionally if necessary. If your hardness level is in the range of II - III, the vaporizer must be de-scaled regularly (depending on the hardness level). Use soft water if possible, clean the vaporizer regularly. Please also observe that, according to the currently valid regulations (DIN EN 60335-1 / DIN EN 60335-2-53), during sauna operation with humidity the maximum permitted temperature must be in certain relation to the pre-set air humidity; this is automatically ensured by all EOS sauna control units.

Bi-O type sauna heaters should be used with the appropriate EOS control units designed for humid operation.

Important: Do not add any sauna essences or other additives into the water tank!

EOS Bi-O Picco W | wall-mounting

Sauna heater with built-in vaporizer for small saunas up to approx. 4,5m³. Allows flexible sauna climate, from dry Finnish sauna to mild and humid bath.

Very compact and space-saving - only 21,5cm depth.

Outer and inner shell made of stainless steel. Also available with the outer shell with anthracite finish.

Vaporizer with stainless steel 2l water tank. Dry-run protection with acoustic alarm.

Available in two model variants with different outer shell designs. May be used as a floor-standing model with optional feet.

Rock store fits approx. 10 kg stones.

2,5m silicone cable included.

Power supply: 230 V 1N ~ 50/60Hz

Dimensions HWD: 500×300×215 (*230)mm

Outer shell: chrome steel, anthracite pearl effect or matt black finish

Power output: 3,0kW / 3,5kW

Vaporizer: 750W, manual water filling

Suitable cover protection rail: type 6

Secondary packaging surcharge for parcel services EUR 10,00.

Flat rate charge for sauna stones 6,00 €.

* Model 2



Model 2



Model 1



Model 2



Optional feet

| Power | Item no. | Price € no VAT |
|---|----------|-------------------|
| Bi-O Picco W black - model 1 | | |
| 3,0kW | 94 7607 | 882,00 |
| 3,5kW | 94 7610 | 907,00 |
| Bi-O Picco W black - model 2 | | |
| 3,0kW | 94 7613 | 894,00 |
| 3,5kW | 94 7616 | 919,00 |
| Bi-O Picco W anthracite - model 1 | | |
| 3,0kW | 94 7608 | 869,00 |
| 3,5kW | 94 7611 | 894,00 |
| Bi-O Picco W anthracite - model 2 | | |
| 3,0kW | 94 7614 | 882,00 |
| 3,5kW | 94 7617 | 907,00 |
| Bi-O Picco W stainless steel - model 1 | | |
| 3,0kW | 94 7609 | 855,00 |
| 3,5kW | 94 7612 | 882,00 |
| Bi-O Picco W stainless steel - model 2 | | |
| 3,0kW | 94 7615 | 869,00 |
| 3,5kW | 94 7618 | 894,00 |

Optional feet for EOS Picco W and Bi-O Picco W - Model 1 and 2

| Feet | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Black | 94 7631 | 285,00 |
| Anthracite | 94 7632 | 272,00 |

EOS Bi-O Filius W | wall-mounting



Modern design sauna heater for residential saunas with built-in vaporizer.

Extra slim construction - only 24 cm depth. Direct mounting to the sauna wall. Allows flexible climate setting from hot and dry to humid and mild.

Vaporizer mounting side left or right can be selected on site. With essence bowl. Manual water filling. Dry-run protection with acoustic alarm. Vaporizer with stainless steel 2l water tank.

Rock store fits approx. 8kg stones.

Secondary packaging surcharge for parcel services EUR 10,00.

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 4,5kW | 94 7226 | 1.320,00 |
| 6,0kW | 94 7227 | 1.380,00 |
| 7,5kW | 94 7228 | 1.460,00 |

Power supply:

400 V 3N / 230 V 1N ~ 50/60 Hz

Dimensions HWD: 570 × 470 × 240 mm

Outer shell: Anthracite pearl effect finish

Vaporizer: 750 W

Suitable cover protection rail: type 6

EOS Bi-O Tec W | wall-mounting



Upper class sauna heater with integrated vaporizer for flexible climate forms.

With an elegant die-cast aluminium top with holders for accessories. Twin wall construction with the inner shell made of stainless steel. Outer shell in blank polished stainless steel or anthracite pearl effect finish.

Vaporizer on the right side with 5l water tank (manual filling). With bowl for essences and oils. Dry-run protection with acoustic alarm.

Rock store fits approx. 15kg stones.

Power supply: 400 V 3N ~ 50/60 Hz

Dimensions HWD: 600 × 450 × 380 mm

Outer shell: stainless steel or anthracite pearl effect finish

Suitable cover protection rail: type 1

Secondary packaging surcharge for parcel services EUR 10,00.

Flat rate charge for sauna stones 6,00 €.

| Power | Item no. | Price € no VAT |
|---------------------------------------|----------|-------------------|
| EOS Bi-O Tec W anthracite | | |
| 6,0kW * | 94 2605A | 1.291,00 |
| 7,5kW ** | 94 2606A | 1.358,00 |
| 9,0kW ** | 94 2607A | 1.397,00 |
| EOS Bi-O Tec W stainless steel | | |
| 6,0kW * | 94 2608A | 1.342,00 |
| 7,5kW ** | 94 2609A | 1.415,00 |
| 9,0kW ** | 94 2610A | 1.449,00 |

vaporizer *1,5 kW, ** 2,0 kW

Bi-O sauna heaters



EOS Bi-O Gracil | floor-standing

Upper class sauna heater with integrated vaporizer for flexible climate forms.

Extra-slim design - only 25cm depth. Thanks to the recessed terminal box Bi-O Gracil has a flat rear side and perfectly suits installations in front of glass panels.

Durable triple-shell construction. Anthracite pearl effect finish. Brushed stainless steel top cover.

Also available with high-quality matt black finish.

Vaporizer 750 W on the right, with herbs bowl. Dry-run protection with acoustic alarm. Manual filling. Water tank volume approx. 2l.

Rock store fits approx. 20kg stones.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 760×560×250 mm

Outer shell: Anthracite pearl effect or matt black finish

Suitable cover protection rail: type 6

Notice: unsuitable for parcel delivery.

Flat rate charge for sauna stones 6,00 €.

Image shows Bi-O Gracil black



Optional rear wall cover panel



EOS Bi-O Gracil W | wall-mounting

Slim-design sauna heater with built-in vaporizer.

Bi-O Gracil W is a modern, stylish heater featuring an extra-slim construction with only 275mm total depth. While still offering an approx. 20kg large rock store for great steam shocks. Construction and specifications like Bi-O Gracil model.

Durable triple-shell construction. Anthracite pearl effect finish. Brushed stainless steel top cover.

Also available with high-quality matt black finish.

750W vaporizer with 2l volume and manual filling. With a bowl for oils and essences at the top. Dry-run protection with automatic cut-out and acoustic warning by water shortage.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 740×560×275mm

Outer shell: anthracite pearl effect or matt black finish

Suitable cover protection rail: type 6

Notice: delivery via parcel services not possible.

Flat rate charge for sauna stones 6,00 €.

*with mounting brackets

Image shows Bi-O Gracil W black

| Power | Item no. | Price € no VAT |
|-----------------------------------|----------|-------------------|
| EOS Bi-O Gracil anthracite | | |
| 4,5kW | 94 7905 | 1.584,00 |
| 6,0kW | 94 6986A | 1.584,00 |
| 7,5kW | 94 6987A | 1.699,00 |
| 9,0kW | 94 6988A | 1.864,00 |
| EOS Bi-O Gracil black | | |
| 4,5kW | 94 7907 | 1.744,00 |
| 7,5kW | 94 7247 | 1.744,00 |
| 9,0kW | 94 7248 | 1.905,00 |

Accessories

Guard rail with mounting brackets

| Description | Item no. | Price € no VAT |
|--------------------------------------|----------|-------------------|
| Rear wall cover panel | 94 7054 | 215,00 |
| Guard rail | 94 7009 | 366,00 |
| Accessories Bi-O Gracil black | | |
| Rear wall cover panel | 94 7255 | 233,00 |
| Guard rail | 94 7330 | 372,00 |

| Power | Item no. | Price € no VAT |
|-------------------------------------|----------|-------------------|
| EOS Bi-O Gracil W anthracite | | |
| 6,0kW | 94 7160A | 1.661,00 |
| 7,5kW | 94 7161A | 1.710,00 |
| 9,0kW | 94 7162A | 1.866,00 |
| EOS Bi-O Gracil W black | | |
| 7,5kW | 94 7327 | 1.755,00 |
| 9,0kW | 94 7328 | 1.914,00 |

Accessories

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| Guard rail* | 94 7333 | 369,00 |
| Accessories Bi-O Gracil W black | | |
| Guard rail* | 94 7335 | 375,00 |
| Mounting brackets (without rail) | 94 7249 | 235,00 |



EOS Bi-O Organic W | wall-mounting

Wall-mounting sauna heater with integrated vaporizer for flexible climate forms.

Bi-O Organic W impresses with its unique futuristic design. With the asymmetrical cut-outs in the top cover for air circulation and the curved edges, it is an absolute highlight in every sauna cabin.

Vaporizer 2,0kW on the right side with 5l water tank (manual filling). With bowl for essences and oils. Dry-run protection with acoustic alarm.

The optional EOSafe L safety system can be easily and discreetly attached to the heater and ensures safety in your sauna.

Rock store fits approx. 20 kg stones (stones optional).

Power supply: 400 V 3N ~ 50/60 Hz

Dimensions HWD: 650×500×385mm

Outer shell: brushed stainless steel / anthracite pearl effect finish

Suitable cover protection: rail type 1

Secondary packaging surcharge for parcel services EUR 10,00.

Flat rate charge for sauna stones 6,00 €.



Image shows the top view of the Bi-O Organic heater



Guard rail optional

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 6,0kW | 94 7672 | 2.674,00 |
| 7,5kW | 94 7673 | 2.708,00 |
| 9,0kW | 94 7674 | 2.745,00 |
| 10,0kW | 94 7891 | 2.763,00 |
| 10,5kW | 94 7675 | 2.763,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Brackets for guard rail* | 94 7701 | 205,00 |
| Guard rail with brackets | 94 7702 | 337,00 |
| EOSafe L safety system with 27 mm reflector | 94 7792 | 2.169,00 |

* without wooden parts

Bi-O sauna heaters



Image shows Bi-O Cubo 2 black - Styling 2. Guard rail optional.

EOS Bi-O Cubo 2 | floor-standing

Upper class sauna heater with an integrated vaporizer for domestic and commercial use. Modern cubistic design.

Bi-O Cubo 2 is based on the proven Bi-O Cubo construction and is available in two versions with different top cover designs.

New design with extended outer shell - available in anthracite pearl effect finish with brushed stainless steel top or completely with high-quality matt black finish.

Thanks to the included rear wall cover panel with recessed terminal box, Bi-O Cubo 2 is ideal for installations in front of glass panels.

Vaporizer in the bottom, 9l water tank. Steam exit at the rock store, with holder for essences. Manual filling. Integrated dry run protection with acoustic alarm. Water level indication at the front panel.

Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits approx. 25kg stones.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 950×400×395mm

Outer shell: anthracite pearl effect or matt black finish

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 6,00 €.

** vaporizer 2,0 KW, *** vaporizer 3,0 KW

| Power | Item no. | Price € no VAT |
|--|----------|-------------------|
| EOS Bi-O Cubo 2 - Styling 1 | | |
| 7,5kW ** | 94 8935 | 2.512,00 |
| 9,0kW ** | 94 8936 | 2.650,00 |
| 10,0kW *** | 94 8937 | 2.692,00 |
| 12,0kW *** | 94 8938 | 2.862,00 |
| EOS Bi-O Cubo 2 black - Styling 1 | | |
| 7,5kW ** | 94 8939 | 2.618,00 |
| 9,0kW ** | 94 8940 | 2.756,00 |
| 10,0kW *** | 94 8941 | 2.798,00 |
| 12,0kW *** | 94 8942 | 2.968,00 |
| EOS Bi-O Cubo 2 - Styling 2 | | |
| 7,5kW ** | 94 8943 | 2.565,00 |
| 9,0kW ** | 94 8944 | 2.702,00 |
| 10,0kW *** | 94 8945 | 2.745,00 |
| 12,0kW *** | 94 8946 | 2.914,00 |
| EOS Bi-O Cubo 2 black - Styling 2 | | |
| 7,5kW ** | 94 8947 | 2.671,00 |
| 9,0kW ** | 94 8948 | 2.808,00 |
| 10,0kW *** | 94 8949 | 2.851,00 |
| 12,0kW *** | 94 8950 | 3.020,00 |



Styling 1 - round holes



Styling 2 - structure



Styling 1 - round holes
black



Styling 2 - structure
black

Heater guard rail



Guard rail brackets optionally available in stainless steel or black.



| Description | Item no. | Price € no VAT |
|---|--------------|-------------------|
| Guard rail brackets (without wooden rail) | | |
| Stainless steel | 94 6123 | 233,00 |
| Black | 94 7279 | 233,00 |
| Guard rail in maple wood with mounting brackets | | |
| Stainless steel | 94 7112 | 345,00 |
| Black | 94 7668 | 345,00 |
| Guard rail in walnut wood with mounting brackets | | |
| Stainless steel | Upon request | |
| Black | | |



EOS

Bi-O sauna heaters



EOS Herkules S25 Vapor | floor-standing

Exclusive luxury class sauna heater for private and commercial saunas.

With built-in 2kW vaporizer (manual refilling) which allows to create various climate forms, from hot and dry to mild and humid. An elegant stainless steel holder for essences allows to turn your sauna to a herbal bath or fill it with pleasant fragrances.

Side panels in anthracite pearl effect finish and brushed stainless steel provide a distinctive, high contrast, straight-lined design.

Also available with high-quality matt black finish. Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits approx. 25kg stones.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 750×450×385mm

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 6,00 €.

*with mounting brackets



EOS Stone S25 Vapor | floor-standing

As Herkules S25 Vapor, but with the front side fitted with massive soapstone panels. Also available with high-quality matt black finish.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 750×450×385mm

Suitable cover protection rail: type 1

Flat rate charge for sauna stones 6,00 €.



EOS Herkules XL S50 Vapor | floor-standing

EOS Herkules XL S50 models have a unique design featuring an innovative construction with two separate rock stores.

With built-in vaporizer located right between the rock stores which provides this heater its unique appearance. An elegant cup holder for essences or herbs perfectly complements the design and enhances the possibilities.

Two 25kg large rock stores provide a perfect balance between strong air convection and optimal heat storage capacity. This ensures an optimized air convection and allows to make water splashes alternately on the left or on the right side for more steam and more sauna enjoyment.

Also available with high-quality matt black finish.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 750×750×385mm

Suitable cover protection rail: type 3

Flat rate charge for sauna stones 12,00 €.

Image shows Herkules XL S50 Vapor black



| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| Herkules S25 Vapor | | |
| 7,5kW | 94 4324 | 2.232,00 |
| 9,0kW | 94 4325 | 2.300,00 |
| Herkules S25 Vapor black | | |
| 7,5kW | 94 7251 | 2.270,00 |
| 9,0kW | 94 7238 | 2.340,00 |

Accessories for Herkules/Stone S25 Vapor

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Rear wall cover panel stainless steel | 94 5278 | 333,00 |
| Rear wall cover panel black | 94 7242 | 326,00 |
| Guard rail with brackets | 94 4469 | 377,00 |
| Brackets for guard rail without rail | | |
| Stainless steel | 94 7308 | 175,00 |
| Black | 94 7589 | 275,00 |

| Power | Item no. | Price € no VAT |
|------------------------------|----------|-------------------|
| Stone S25 Vapor | | |
| 7,5kW | 94 4584 | 2.838,00 |
| 9,0kW | 94 4585 | 2.896,00 |
| Stone S25 Vapor black | | |
| 7,5kW | 94 7378 | 2.879,00 |
| 9,0kW | 94 7379 | 2.936,00 |

| Power | Item no. | Price € no VAT |
|------------------------------------|----------|-------------------|
| Herkules XL S50 Vapor | | |
| 12,0kW | 94 4332 | 4.290,00 |
| 15,0kW | 94 4333 | 4.464,00 |
| Herkules XL S50 Vapor black | | |
| 12,0kW | 94 7679 | 4.475,00 |
| 15,0kW | 94 7680 | 4.649,00 |

Accessories

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| Guard rail with brackets | 94 4470 | 391,00 |
| Brackets for guard rail without rail | | |
| Stainless steel | 94 7308 | 174,00 |
| Black | 94 8951 | 275,00 |



EOS Herkules S60 Vapor | floor-standing

High-performance sauna heater large private and commercial saunas.

With built-in 2kW vaporizer (manual refilling) which allows to create various climate forms, from hot and dry to mild and humid. A designer stainless steel essence holder is included with every Hekules S60 Vapor model. Also available with high-quality matt black finish.

Thanks to the extra large rock store and the included 60kg sauna stones, EOS Herkules S60 models offer an exceptional heat storage and powerful steam shocks.

Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

Rock store fits approx. 60 kg stones.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 850×530×530 mm

Suitable cover protection rail: type 4

Flat rate charge for sauna stones 18,00 €.

*without rail **available in stainless steel or black

| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| Herkules S60 Vapor | | |
| 9,0kW | 94 4494 | 3.576,00 |
| 12,0kW | 94 4270 | 3.610,00 |
| 15,0kW | 94 4271 | 3.665,00 |
| Herkules S60 Vapor black | | |
| 9,0kW | 94 7676 | 3.634,00 |
| 12,0kW | 94 7677 | 3.667,00 |
| 15,0kW | 94 7678 | 3.725,00 |

Accessories for Herkules/Stone S60 Vapor

| Description | Item no. | Price € no VAT |
|--------------------------|----------|-------------------|
| Brackets for guard rail* | 94 7910 | 172,00 |
| Guard rail with brackets | 94 5699 | 425,00 |
| Rear wall cover panel** | 94 4376 | 565,00 |



EOS Stone S60 Vapor | floor-standing

As Herkules S60 Vapor, but with the front side fitted with massive soapstone panels.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 850×530×530 mm

Suitable cover protection rail: type 4

Flat rate charge for sauna stones 18,00 €.

| Power | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 9,0kW | 94 4617 | 4.276,00 |
| 12,0kW | 94 4588 | 4.339,00 |
| 15,0kW | 94 4589 | 4.450,00 |



EOS Herkules XL S120 HD Vapor | floor-standing

The flagship of the EOS Herkules series with an upgraded special "heavy-duty" inner wiring with solid copper busbars for even more durability and long-lasting service even by unfavourable operation conditions in a commercial sauna.

With built-in 3 - 4kW vaporizer placed in the middle between both rock stores. The vaporizer is equipped with an automatic refilling (integrated top-up device) for convenience in use.

Two separate rock stores with up to 120 kg stones ensure an excellent temperature stability and heat storage capacity. The unique construction with rock stores above the heating elements provides continuously high performance and reliability, strong air convection, long service life and easy maintenance.

Also available with high-quality matt black finish. Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

For accessories please refer to page 30.

Power supply: 400 V 3N ~ 50/60Hz

Dimensions HWD: 850×960×530 mm

Suitable cover protection rail: type 5

Flat rate charge for sauna stones 36,00 €.

| Power | Item no. | Price € no VAT |
|--|----------|-------------------|
| Herkules XL S120 HD Vapor | | |
| 18,0 kW *** | 94 8119 | 6.581,00 |
| 24,0 kW *** | 94 8120 | 6.750,00 |
| 30,0 kW **** | 94 8121 | 6.920,00 |
| Herkules XL S120 HD Vapor black | | |
| 18,0 kW *** | 94 8124 | 6.594,00 |
| 24,0 kW *** | 94 8125 | 6.752,00 |
| 30,0 kW **** | 94 8126 | 6.933,00 |

vaporizer *** 3,0 kW, **** 4,0 kW



Image shows Herkules XL S120 HD Vapor black

Bi-O sauna heaters



EOS Bi-O Mat U | behind-the-bench heater

Hidden heater for positioning behind-the-bench with integrated vaporizer for domestic and commercial saunas. Robust, long-lasting construction. Extra slim design - only 22 cm installation depth! All made of stainless steel. Dust collecting bottom tray. Integrated full-width infusion gutter. Water funnel with 1m silicone hose.

1,5kW vaporizer with 5l water tank, manual filling (auto-filling optional). Dry run protection with acoustic alarm.

Rock store fits approx. 15 kg stones.

Power supply: 400 V 3N ~ 50/60 Hz


Dimensions HWD: 1000×1120×200 mm

Outer shell: blank polished stainless steel

Flat rate charge for sauna stones 6,00 €.

Installation example EOS Bi-O Mat U

Very space saving installation, only 22 cm distance to the partition wall! Invisible mounting behind the partition.



| Power | Item no. | Price € no VAT |
|------------|----------|-------------------|
| 6,0 kW * | 94 4890 | 2.695,00 |
| 7,5 kW * | 94 4891 | 2.736,00 |
| 9,0 kW * | 94 4892 | 2.791,00 |
| 12,0 kW ** | 94 1127 | 2.891,00 |

Includes accessories:

- 2 water funnels, each with 1m connection hose
- Stainless steel safety grill 1200×200 mm

vaporizer *1,5 kW, ** 2,0 kW

EOS Bi-O Max | floor-standing



Sauna heater with an integrated vaporizer. For domestic and commercial use.

Timeless, elegant design, die-cast aluminium top and front panel cover, anthracite pearl effect finish.

Completely in stainless steel. Extra-large rock store with 60 kg volume for powerful water splashes. No contact between stones and heating elements. Large side channels ensure optimal air convection for fast heat up time.

Allows flexible climate settings with humidity operation. Vaporizer right-hand side, with holder for essences. Dry-run protection with acoustic alarm. Water level indication at the front panel. 8l water tank, manual filling. Very service-friendly design.

Rock store fits approx. 60 kg stones.

Power supply: 400 V 3N ~ 50/60 Hz

Dimensions HWD: 925×500×500 mm

Outer shell: Anthracite pearl effect finish

Suitable cover protection rail: type 4

Flat rate charge for sauna stones 18,00 €.

| Power | Item no. | Price € no VAT |
|-----------|----------|-------------------|
| 9,0 kW** | 94 2317 | 2.522,00 |
| 12,0 kW** | 94 2318 | 2.551,00 |
| 15,0 kW** | 94 3922 | 2.738,00 |

Mounting brackets for heater guard rail mounting directly to the heater (without wooden parts)

| Description | Item no. | Price € no VAT |
|---------------------|----------|-------------------|
| Guard rail brackets | 94 4595 | 256,00 |



EOS Bi-O Selection | floor-standing

EOS Selection offers you a brand-new innovative concept - spec your sauna heater by yourselves to suit your preferences and your individual sauna design.

Unfold your creativity, select from at least 16 designs with numerous options, each as a classic Finnish sauna heater (see EOS Selection, page 20) or as a Bi-O sauna heater for flexible climate forms with integrated 2,0kW vaporizer and a water tank volume of approx. 7l. EOS Selection is available in four power outputs from 7,5kW to 12,0kW. Built to impress - stylish polished stainless steel body, alternatively available with anthracite, matt black or matt white finish can be refined with an elegant guard rail crafted of solid abachi or walnut wood and other options.

Optional EOSafe L safety system (see page 79) ensures safety in your sauna.

The optionally delivered stone quantity is approx. 25kg.

Power supply: 400V3N~50/60Hz

Dimensions HWD: 750×420×420mm

Outer shell: Stainless steel, polished or with powder-coated finish

Suitable cover protection rail: type 1

Image shows Bi-O Selection:
- Exterior: matt white
- Top cover: stainless steel
- Vulcanite sauna stones
- Heater guard rail:
Walnut wood (3-sided)



EOS Bi-O Selection with a stone volume of up to approx. 20 - 22 kg.
2.0 kW vaporizer with a comfortable vaporizer volume of 7 l.



Image shows Bi-O Selection:
- Exterior: matt black
- Top cover: matt white
- Vulcanite sauna stones
- Heater guard rail:
Abachi wood (4-sided)

| Power | Item no. | Price € no VAT |
|--------------------|----------|-------------------|
| 7,5kW | 159387 | 2.701,00 |
| 9,0kW | 159388 | 2.706,00 |
| 10,0kW | 159389 | 2.759,00 |
| 12,0kW | 159390 | 2.783,00 |
| Outer shell design | Item no. | Price € no VAT |
| Stainless steel | 159383 | 658,00 |
| Anthracite | 159366 | 903,00 |
| Matt black | 159367 | 914,00 |
| Matt white | 159368 | 1.004,00 |
| Top cover design | Item no. | Price € no VAT |
| Stainless steel | 159373 | 126,00 |
| Anthracite | 159374 | 228,00 |
| Matt black | 159375 | 240,00 |
| Matt white | 159376 | 252,00 |

Notice: prices are additive. The total price consists of at least three items.

| Sauna stones, approx. 25kg | Item no. | Price € no VAT |
|--|------------------------------|-------------------|
| Diabase sauna stones, 25kg | 94 7337 | 54,00 |
| Vulcanite sauna stones, 25kg | 94 8114 | 58,00 |
| Quartz sauna stones, 10kg stacked on diabase sauna stones, 15kg | (1x) 94 7698 (1x) 94 8054 | 123,00 |
| Heater guard rail | Item no. | Price € no VAT |
| Guard rail brackets (without wooden rail) | 94 7501 | 151,00 |
| Abachi - 3-sided | 94 7502 | 324,00 |
| Walnut - 3-sided | 94 7503 | 408,00 |
| Abachi - 4-sided | 94 7964 | 430,00 |
| Walnut - 4-sided | 94 7965 | 549,00 |

Heater guard rail in abachi or walnut wood with mounting brackets.

External vaporizer



EOS Invisio vaporizer

External vaporizer for EOS Invisio sauna heaters - turns every Invisio sauna heater into a "Bi-O" version for a flexible sauna climate from hot and dry to mild and humid.

The vaporizer may be mounted on the left and on the right hand side, and is available with 2.000 W and 3.000 W power.

The water tank is made of high-grade stainless steel and holds approx. 12l water. Includes stainless steel pipe with steam outlet at the top to provide the steam exit along the top edge of the screen wall.

With dry-run and overheating protection with acoustic alarm.

For automatic water filling an optionally available FWA01 Compact top-up device is required!

Thanks to the twin nipple it is possible to connect the FWA01 top-up device and the drain valve at the same time.

Suits Invisio-Mini, Invisio-Midi and Invisio XL heaters.

Picture shows installation example of the vaporizer on an Invisio XL anthracite model.

The sauna heater is not included!

| Power | Item no. | Price € no VAT |
|---------|----------|-------------------|
| 2.000 W | 94 6293 | 1.390,00 |
| 3.000 W | 94 6294 | 1.452,00 |

Dimensions HWD: 530×200×360 mm

Power supply: 230 V 1N~

Power rating: 2.0 kW and 3.0 kW

Volume: up to 12l

EOS BlackRock vaporizer



External vaporizer for EOS BlackRock sauna heaters - turns every BlackRock sauna heater into a "Bi-O" version for a flexible sauna climate from hot and dry to mild and humid.

Durable stainless steel water tank with manual drain, 10l tank volume, 3.0 kW power.

The vaporizer is only intended for use for humidifying sauna cabins, in connection with the EOS BlackRock sauna heater and a corresponding control unit.

Very slim design - only 10,5 cm depth. The vaporizer can be mounted on any side of the heater. Retrofitting possible on site.

The sauna heater is not included!

| Type | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Anthracite | 94 7230 | 1.155,00 |
| Black | 94 7324 | 1.297,00 |

Dimensions HWD: 760×395×105 mm

Power supply: 230 V 1N~50 Hz

Power rating: 3.0 kW

Volume: 10l

Accessories

for EOS BlackRock with vaporizer

| Description | Item no. | Price € no VAT |
|--------------------------------------|----------|-------------------|
| For Bi-O BlackRock Anthracite | | |
| Brackets for guard rail* | 94 7322 | 143,00 |
| Guard rail with brackets | 94 7323 | 375,00 |
| For Bi-O BlackRock Black | | |
| Brackets for guard rail* | 94 7325 | 168,00 |
| Guard rail with brackets | 94 7326 | 410,00 |

* without wooden rail



Image shows BlackRock black version with vaporizer and optional guard rail



Image shows EOS Mythos S35 anthracite Vapor (vaporizer left anthracite)

EOS Mythos vaporizer

The **EOS Mythos Vapor** - the optional vaporizer for the Mythos sauna heater series S35 and S45. The vaporizer can be simply docked on both the left and right side, which gives you a maximum amount of design options.

With an output of 2.0 kW or 3.0 kW, you will have a powerful steam source that you can adapt to the size of the sauna in order to create a large variety of climate forms - from hot and dry to mild and humid.

The sauna heater is not included!

Dimensions HWD: 840×80×370 mm

Power supply: 230 V 1N~50 Hz

Volume: bis 10 l

Notice: If there are two or more Mythos vaporizers in one sauna cabin, they should be ordered in a special alternative version. In the standard version only one Mythos vaporizer is allowed per sauna heater or sauna room.



Image shows EOS Mythos S45 CRS Vapor (vaporizer left anthracite)



Image shows EOS Mythos S45 white Vapor (vaporizer right white)



Image shows EOS Mythos S45 black Vapor (vaporizer left + right black) and optional guard rail

| EOS Mythos vaporizer in anthracite | Power | Item no. | Price € no VAT |
|------------------------------------|-------|----------|-------------------|
| Left, 3.0kW | 3.0kW | 94 5572 | 1.993,00 |
| Right, 3.0kW | 3.0kW | 94 5493 | 1.993,00 |
| Left + right, 3.0kW each | 6.0kW | 94 6250 | 4.108,00 |
| Left, 2.0kW | 2.0kW | 94 5571 | 1.844,00 |
| Right, 2.0kW | 2.0kW | 94 5492 | 1.844,00 |
| Left + right, 2.0kW each | 4.0kW | 94 6253 | 3.675,00 |

| EOS Mythos vaporizer in white | Power | Item no. | Price € no VAT |
|-------------------------------|-------|----------|-------------------|
| Left, 3.0kW white | 3.0kW | 94 5900 | 2.035,00 |
| Right, 3.0kW white | 3.0kW | 94 5904 | 2.035,00 |
| Left + right, 3.0kW each | 6.0kW | 94 6256 | 4.284,00 |
| Left, 2.0kW white | 2.0kW | 94 5899 | 1.889,00 |
| Right, 2.0kW white | 2.0kW | 94 5903 | 1.889,00 |
| Left + right, 2.0kW each | 4.0kW | 946259 | 4.167,00 |

| EOS Mythos vaporizer in black | Power | Item no. | Price € no VAT |
|-------------------------------|-------|----------|-------------------|
| Left, 3.0kW black | 3.0kW | 94 5902 | 2.035,00 |
| Right, 3.0kW black | 3.0kW | 94 5906 | 2.035,00 |
| Left + right, 3.0kW each | 6.0kW | 94 6262 | 4.284,00 |
| Left, 2.0kW black | 2.0kW | 94 5901 | 1.889,00 |
| Right, 2.0kW black | 2.0kW | 94 5905 | 1.889,00 |
| Left + right, 2.0kW each | 4.0kW | 94 6265 | 4.167,00 |

| Heater guard rail | Item no. | Price € no VAT |
|-----------------------------|----------|-------------------|
| For S35 with one vaporizer | 94 5653 | 405,00 |
| For S35 with two vaporizers | 94 5654 | 415,00 |
| For S45 with one vaporizer | 94 5656 | 405,00 |
| For S45 with two vaporizers | 94 5657 | 415,00 |
| For EOS Mythos vaporizer | 94 5658 | 323,00 |

Mounting brackets including the guard rail of Abachi wood (3-side rail)

Accessories for sauna heaters



FWA Fixed water connection (top up device)

Automatic refilling device for Bi-O type heaters - for automatic refilling of the vaporizer water tank. Requires permanent water connection. Mounts on the sauna heater or on the sauna wall. Connection via standard flex hose with 1/2" thread connector.

Compact size device, mechanical, no electric power supply needed. Option for installing an overflow protection on site.

FWA 02 - as FWA01 but for Herkules/Stone S60 heaters.

FWA 03 - as FWA01 but for Bi-O Cubo heaters.

| Type | Item no. | Price € no VAT |
|--------|----------|-------------------|
| FWA 01 | 94 4845 | 426,00 |
| FWA 02 | 94 4846 | 419,00 |
| FWA 03 | 94 6071 | 426,00 |

Dimensions HWD: 180×150×75 mm

Water connection 1/2"

Housing: stainless steel



EOS Herkules Fragrance

Essence oil tray with an integrated water supply. Designed for retrofitting onto the EOS sauna heater Herkules XL S120 / XL S120 Vapor (see page 30 and 53).

Herkules Fragrance is designed for operation with an upstream automatic vaporizer dosing unit that controls the water filling quantity, the dosing cycle and the quantity of aromas.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6826 | 934,00 |

Supporting arm height: 1058 mm

Dish holder + cover HxWxD:

80×290×375 mm

SteamFix EOS Herkules XL

Connection utility for an external steam generator.

Steam outlet is placed between the rock stores.

Fits sauna heaters: EOS Herkules XL S50 and Herkules XL S120 (see page 19 and 30).

| Item no. | Price € no VAT |
|--|-------------------|
| 94 4418 | 500,00 |
| Connector for SteamFix system with syphon | |
| 94 4329 | 354,00 |



Auxiliary vaporizer

Compact slim-size vaporizer for wall-mounting installation in sauna cabins. Ideal for retrofitting into an existing sauna, e.g. to extend the existing vaporizer capacity. May be controlled with all EOS control units for humid sauna operation. Water filling and steam exit at the top under the removable cover with essence holder. Suitable for saunas up to 14 m³ size. Dry run protection with acoustic low water alarm. 5 l water tank.

Outer shell completely of stainless steel. Steam output cover frame with essence cup. 3.0 m silicone connection cable 4×1,5 mm³ included.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4742 | 870,00 |

Power supply: 230 V 1N~

Power output 2.0 kW

Dimensions HWD: 600×310×140 mm

Housing: polished stainless steel



EOS Scent Trophy W

Designer essence bowl for aromatic sauna pleasure. Wall-mounting model.

Made of glass with a high-quality swiveling stainless steel arm in black finish for scenting the sauna cabin. Ideal for aromas, essential oils and fragrances.

The essence bowl can be easily removed and cleaned. It can also be positioned over the sauna heater using the swivel mechanism, whereby the intensity of the vaporization can be determined individually.

Explore more opportunities - try the included original Himalayan salt rocks to enrich the air with salt ions.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 8132 | 278,00 |



Application and installation example with EOS Mythos.

EOS Scent Trophy S

Designer essence bowl for aromatic sauna pleasure. No assembly necessary.

Made of glass for scenting the sauna cabin. Ideal for aromas, essential oils and fragrances.

The essence bowl can be easily removed and cleaned.

Explore more opportunities - try the included original Himalayan salt rocks to enrich the air with salt ions.



EOS Scent Trophy S4 - Application example with EOS Bi-O Gracil.



EOS Scent Trophy S1 - Application example with EOS BlackRock.



EOS Scent Trophy S11 - Application example with EOS Mythos S35.

| Type | Item no. | Price € no VAT |
|------|----------|-------------------|
| S1 | 94 8991 | 429,00 |
| S2 | 94 8992 | 329,00 |
| S3 | 94 8993 | 329,00 |
| S4 | 94 8994 | 329,00 |
| S5 | 94 8995 | 329,00 |
| S6 | 94 8996 | 329,00 |
| S7 | 94 8997 | 429,00 |
| S8 | 94 8998 | 329,00 |
| S9 | 94 8999 | 329,00 |
| S10 | 94 9000 | 429,00 |
| S11 | 94 9034 | 329,00 |

| Type | Item no. | Size HxWxD | Suitable sauna heaters |
|------|----------|----------------|----------------------------|
| S1 | 94 8991 | ~564×564×204mm | BlackRock, Independent |
| S2 | 94 8992 | ~346×346×138mm | Cubo (+, 2, 2+), Selection |
| S3 | 94 8993 | ~383×383×139mm | FinnRock |
| S4 | 94 8994 | ~358×358×139mm | Gracil / Gracil W |
| S5 | 94 8995 | ~345×345×139mm | Herkules / Stone S25 |
| S6 | 94 8996 | ~392×392×139mm | Herkules / Stone S60 |
| S7 | 94 8997 | ~507×507×204mm | Mythos S45, Credo |
| S8 | 94 8998 | ~318×318×140mm | Organic W |
| S9 | 94 8999 | ~421×421×137mm | Saunadome II |
| S10 | 94 9000 | ~401×401×239mm | Zeus S / SL |
| S11 | 94 9034 | ~445×445×204mm | Mythos S35 |

Sauna control units



EOS sauna control units are the perfect complement to EOS sauna heaters and EOS sauna heaters with vaporizers. Controlling your sauna becomes child's play and you can fully devote yourself to relaxation.

Perfect relaxation is no coincidence, but the result of optimal interaction of all necessary components. Regardless of whether it is a classic Finnish sauna, Bi-O sauna, steam bath or an infrared cabin, the EOS control units help you to create the unique moment of well-being and a memorable experience. Leave nothing to chance.

With the right control units from EOS, taking a sauna becomes even more fun. In addition to the temperature, you can easily control the light, sound, steam and fragrances in your cabin.

With the very simple and convenient operation you set standards, in the private as well as commercial area.



EOS EmoTouch 3
black / white / "Individual"
See page 70



Further information available at: www.eos-sauna.com/en/products/sauna-control-units



CONTROL UNITS



Sauna control units



EOS Econ D2 | for dry Finnish sauna

Electronic control unit for dry (Finnish) sauna. Universal model with an excellent price/value ratio. Suitable for home and commercial use.

Modern, slim housing for surface or semi-recessed mounting. Only 67 mm housing depth. Cable connections at the rear. Extra-large, multi-line LCD display with menu navigation in 12 languages, all parameters at a glance. With 24 h single-event timer or recurring switching timer, control range 30-115°C, clock, output for cabin light 230 V, remaining heating time display, heating time limitation up to 6 h or 12 h (for commercial use). 4 user profiles. With keypad lock (child lock). Safety temperature limitation 139°C. Holiday home and holiday park modes.

Switching power 9 kW, extendable for connection of more powerful heaters.

Incl. temperature sensor in beige with 2 m cable.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6138 | 426,00 |

Power supply: 400 V 3N~50 Hz

Dimensions HWD: 220×250×67 mm

Installation: surface or semi-recessed

Colour: white

Power output: max. 9 kW, extendable with LSG devices.



EOS Econ D4 | for dry Finnish sauna

Electronic control unit for dry (Finnish) sauna with new innovative functions. Particularly suitable for modern commercial sauna cabins.

As Econ D2 model, but additionally with:

- Heating time with unlimited mode (supervised commercial operation).
- Connection of the 2nd temperature sensor possible (optional accessories).
- Remote switching with an optional remote start module (see Extension Modules, page 73).
- Dimmable cabin light, 10-steps. Automatic detection of inductive and capacitive loads on light output.
- Output for ventilation fan, adjustable (3 speeds).

Incl. temperature sensor in beige with 2 m cable.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5842 | 494,00 |

Power supply: 400 V 3N~50 Hz

Dimensions HWD: 220×250×67 mm

Installation: surface or semi-recessed

Colour: white

Power output: max. 9 kW, extendable with LSG devices.

Temperature sensor | main sensor, analogue



Temperature sensor, complete with housing, sensor board and overheating limiter fuse.

Suitable for all Econ control units.

Notice: temperature sensor is already included by all sauna control units.

| Colour | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Beige | 60 7520 | 97,00 |
| Anthracite | 94 5025 | 97,00 |

Dimensions: 45 mm × Ø 45 mm

2nd temperature sensor | bench sensor, analogue



2nd temperature sensor (bench sensor), including housing and 6 m silicone cable.

Allows improved temperature control especially by large size saunas and cabins with complex layouts.

Suitable control units: EOS Econ D4/H4

| Colour | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Beige | 94 4389 | 123,00 |
| Anthracite | 94 5026 | 123,00 |

Dimensions: 45 mm × Ø 45 mm

EOS Econ H2 | for dry & humid sauna



Electronic control unit for dry and humid sauna operation (for heaters with vaporizer).

As the Econ D2 model but with the additional humidity control and output for vaporizer. For all EOS Bi-O heaters up to 9 kW.

Control range: 30-70°C (humid mode) and 30-115°C (dry mode).

Humidity control on time basis, adjustable in 10 steps. With low water recognition, after-heating and sauna dry function after the humid operation.

Switching power 9 kW, may be extended for connection of more powerful heaters.

Incl. temperature sensor in beige with 2m cable.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6139 | 540,00 |

Power supply: 400 V 3N~50 Hz

Dimensions HWD: 220×250×67 mm

Installation: surface or semi-recessed

Colour: white

Power output: max. 9 kW, extendable

Output vaporizer: up to 3 kW.

EOS Econ H4 | for dry & humid sauna



Electronic control unit for dry and humid sauna operation. For demanding commercial sauna cabins.

As Econ H2 model, but additionally with:

- optional humidity sensor and humidity control as per relative air humidity (by connected humidity sensor).
- optional 2nd temperature sensor (bench sensor).
- Unlimited heating time (for commercial use).
- Remote switching via an optional remote start module.
- Dimmable cabin light (10-step).
- Output for ventilation fan, adjustable (3 speeds).

Switching power 9 kW, may be extended for connection of more powerful heaters.

Incl. temperature sensor in beige with 2m cable.

Humidity sensor optional.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5843 | 679,00 |

Power supply: 400 V 3N~50 Hz

Dimensions HWD: 220×250×67 mm

Installation: surface or semi-recessed

Colour: white

Power output: max. 9 kW, extendable

Output vaporizer: up to 3 kW.

F2 humidity sensor | analogue



Humidity sensor, including housing and 4m silicone cable.

For exact humidity control basing on the relative air humidity in a sauna cabin.

Suitable control units: EOS Econ H4

| Colour | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Beige | 90 9479 | 252,00 |
| Anthracite | 94 5027 | 252,00 |

Dimensions: 45mm×Ø 45mm



Sauna control units

EOS Compact DP / HP | for dry & humid sauna



- EOS Compact DP: electronic control unit for Finnish (dry) sauna.
- EOS Compact HP: as Compact DP, but for Finnish sauna and sauna with humidity operation. Suitable for all Bi-O sauna heaters up to 10kW. Switching capacity can be extended with power supply units.

Modern, stylish design with slim depth housing. Flexible mounting options - wall mounting and partially recessed mounting. Available in arctic white and anthracite.

Simple, intuitive operation thanks to multifunctional buttons. Very large scope of functions. Temperature control range:

- DP model: 30 - 115°C
- HP model: 30 - 115°C (dry mode) / 30 - 70°C (humid mode)

Large 3.5" TFT colour display. Display for remaining time, holiday home mode, 4 user profiles, 24h pre-set timer, operation lock, safety temperature limit 139°C. Output for cabin light and fan, output for EOSafe safety system. Heating time limitation: 6h/12h/18h/unlimited.

Power supply: 400V 3N~50/60Hz

Dimensions HWD: 220×255×65mm

Colour: arctic white or anthracite

Power output: 10kW, extendable with LSG devices

Vaporizer output: up to 3kW for HP model

Incl. temperature sensor in beige with STB and 2m cable.

| Item no. | Price € no VAT |
|------------------------------------|-------------------|
| EOS Compact DP anthracite | |
| 94 7431 | 556,00 |
| EOS Compact DP arctic white | |
| 94 7427 | 556,00 |
| EOS Compact HP anthracite | |
| 94 7432 | 654,00 |
| EOS Compact HP arctic white | |
| 94 7428 | 654,00 |

Accessories

Additional high limiter

| Item no. | Preis € inkl. 19% MwSt. |
|---------------------------|----------------------------|
| Beige housing | |
| 94 7443 | 95,00 |
| Anthracite housing | |
| 94 7444 | 95,00 |

EOS Compact DC / HC | for dry & humid sauna



- EOS Compact DC: electronic control unit for Finnish (dry) sauna. Optimal for demanding private and commercial use.
- EOS Compact HC: as Compact DC, but for Finnish sauna and sauna with humidity operation. Suitable for all Bi-O sauna heaters up to 10kW. Switching capacity can be extended with power supply units.

Basic features as the Compact DP / HP, but additionally with:

- Dimmable cabin light output (phase lead edge control)
- Two-stage fan output
- Hot function with short-time power boost (via external SBM-Hot module)
- Remote start (via external remote start module)
- Remote control via building management system (via external KNX/Modbus module)
- Connection for external modules (e.g. remote start, remote control, Eco, Hot)
- Connection for optional bank and combination sensor - combination sensor only for HC model (page 65)

Power supply: 400V 3N~50/60Hz

Dimensions HWD: 220×255×65mm

Colour: arctic white or anthracite

Power output: 10 kW, extendable with LSG devices

Vaporizer output: up to 3kW for HC model

Incl. temperature sensor in beige with STB and 2m cable.

| Item no. | Price € no VAT |
|------------------------------------|-------------------|
| EOS Compact DC anthracite | |
| 94 7433 | 654,00 |
| EOS Compact DC arctic white | |
| 94 7429 | 654,00 |
| EOS Compact HC anthracite | |
| 94 7434 | 753,00 |
| EOS Compact HC arctic white | |
| 94 7430 | 753,00 |

Accessories

Additional high limiter

| Item no. | Preis € inkl. 19% MwSt. |
|---------------------------|----------------------------|
| Beige housing | |
| 94 7443 | 95,00 |
| Anthracite housing | |
| 94 7444 | 95,00 |

EOS Compact D18 / H18 | for dry & humid sauna

Electronic control unit for dry and humid sauna operation (for heaters with vaporizer). Recommended for commercial sauna cabins.

- EOS Compact D18 - for dry (Finnish) sauna
- EOS Compact H18 - for dry and humid sauna operation

Basic features as the Compact DC / HC models, but additionally with a power output of 18kW (extendable with LSG devices)

Power supply: 400V3N~50/60Hz

Dimensions HWD: 220×255×90 mm

Colour: arctic white or anthracite

Power output: 18kW, extendable with LSG devices

Vaporizer output: up to 3kW (H18 models only)

Incl. temperature sensor in beige with STB and 2m cable.

| Item no. | Price € no VAT |
|-------------------------------------|-------------------|
| EOS Compact D18 anthracite | |
| 94 7447 | 1.014,00 |
| EOS Compact D18 arctic white | |
| 94 7445 | 1.014,00 |
| EOS Compact H18 anthracite | |
| 94 7448 | 1.119,00 |
| EOS Compact H18 arctic white | |
| 94 7446 | 1.119,00 |

Temperature sensor | Compact series

Main temperature sensor (heater sensor), analogue type. Set includes temperature sensor, overheating limiter fuse, housing and cable set.

Suitable for all EOS Compact control units.

Notice: temperature sensor is already included by all sauna control units.

| Colour | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Beige | 94 7437 | 97,00 |
| Anthracite | 94 7438 | 97,00 |

Bench sensor | Compact series

Bench sensor includes housing and 6m silicone cable.

Allows improved temperature control especially by large size saunas and cabins with complex layouts.

Suitable control units: EOS Compact DC / HC, D18 / H18

| Colour | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Beige | 94 7439 | 128,00 |
| Anthracite | 94 7440 | 128,00 |

Combi sensor | Compact series

Combi sensor includes housing and 4m silicone cable.

Suitable control units: EOS Compact HC and H18

| Colour | Item no. | Price € no VAT |
|------------|----------|-------------------|
| Beige | 94 7441 | 317,00 |
| Anthracite | 94 7442 | 317,00 |



Sauna control units



Display panel is available in three designs

EOS EmoTec D | for dry Finnish sauna

Digital control system for domestic and commercial operation. For dry Finnish sauna.

Separate slim-size display panel (may be installed remotely at up to 100m distance). Modern TFT colour display with menu navigation in 19 languages. Innovative operation via a jog-dial knob.

EmoTec D features a large scope of advanced functions:

- Temperature control range 30-115°C
- Dimmable cabin light output 230V, automatic detection of inductive and capacitive loads
- Output for ventilation fan 230V (3 speeds)
- 24h pre-set timer and extended week timer (4 programs per day possible)
- Heating time limitation 6h/12h/unlimited
- Display panel with screen saver and sleep mode
- Holiday home mode and display lock per pin code
- Pin code protected service level for setup and fine tuning
- Volt-free output
- Optional 2nd temperature sensor (bench sensor)
- Remote switching or remote control via optional modules
- Coloured light and sound control via optional modules
- Quick check for pre-set and real temperature in the sauna
- Display panel includes bottom housing for flush-mounting or surface-mounting installation, 5m connection cable incl.
- Relay box and digital temperature sensor in black with 5m cable incl.
- Firmware updates on site possible.

| Item no. | Price € no VAT |
|---|-------------------|
| EOS EmoTec D anthracite / silver | |
| 94 5559 | 899,00 |
| EOS EmoTec D white / silver | |
| 94 6053 | 899,00 |
| EOS EmoTec D anthracite / black | |
| 94 7256 | 899,00 |

Display panel HWD: 127×130×25 mm

Relay box HWD: 270×300×100 mm

Switching power 10kW, extendable

Power supply 400 V 3N~50/60 Hz

Accessories

Optional extra-long cables for display panel, sensors and extension modules - see pages 72 - 76.



Display panel is available in three designs

EOS EmoTec H | for dry and humid sauna

Digital control unit for sauna, all functions as the EOS EmoTec D above but additionally with humidity control.

For all EOS Bi-O type sauna heaters.

Humidity control - either in proportional to time way (allows constant steam production per given time) or with an optional humidity sensor as per relative air humidity (allows exact humidity setting per rel. air humidity in %).

Output for vaporizers up to 3kW. With water shortage detection.

Quick selection between dry sauna or humid sauna operation modes with a jog-dial.

Additional functions:

- After-heating (sauna dry program after humid mode)
- Adjustable after-heating temperature
- Adjustable after-heating extractor fan speed
- Adjustable after-heating time
- Adjustable grace time for refilling the water tank by low level
- Smart-Heat function heats up the sauna faster and prevents that the steam production starts while the sauna is not yet well heated

Optional display and sensor cables - see pages 72 - 76.

| Item no. | Price € no VAT |
|---|-------------------|
| EOS EmoTec H anthracite / silver | |
| 94 5560 | 1.032,00 |
| EOS EmoTec H white / silver | |
| 94 6054 | 1.032,00 |
| EOS EmoTec H anthracite / black | |
| 94 7257 | 1.032,00 |

Display panel HWD: 127×130×25 mm

Relay box HWD: 270×300×100 mm

Switching capacity: 10kW, extendable

Vaporizer output: 3kW

Power supply: 400 V 3N~50/60 Hz

Recommended accessory - humidity sensor:

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 9182 | 271,00 |



Sauna control units



EOS EmoStyle D | for dry sauna

Luxury class digital control system for domestic and commercial operation. For dry Finnish sauna.

Exclusive glass front display panel, colour TFT display and capacitive buttons. Available in white and black design.

Large scope of advanced functions:

- Temperature control range 30 - 115 °C
- Dimmable cabin light output 230 V, automatic detection of inductive and capacitive loads
- Output for ventilation fan 230 V (3 speeds)
- 24 h pre-set timer and extended week timer (4 programs per day possible)
- Heating time limitation 6 h/12 h/unlimited
- Display panel with screen saver and sleep mode
- Holiday home mode and display lock per pin code
- Volt-free output
- Remote switching or remote control via optional modules
- Coloured light and sound control via optional modules
- Quick check for pre-set and real temperature in the sauna
- Display panel includes bottom housing for flush-mounting or surface-mounting installation, 5 m connection cable incl.
- Relay box and digital micro-chip based temperature sensor with 5 m cable incl.
- Optional 2nd temperature sensor (bench sensor)
- Two included sensor housings in black and beige
- Firmware can be updated with a micro SD card (not included)

| Item no. | Price € no VAT |
|-----------------------------|-------------------|
| EOS EmoStyle D white | |
| 94 6316 | 1.148,00 |
| EOS EmoStyle D black | |
| 94 6314 | 1.148,00 |

Display panel HWD: 132×135×25 mm

Relay box HWD: 270×300×100 mm

Switching power 10 kW, extendable

Power supply 400 V 3N~50/60 Hz

Accessories

Optional extra-long cables for display panel, sensors and extension modules - see pages 72 - 76.



EOS EmoStyle H | for dry and humid sauna

Digital sauna control unit. As the above described EmoStyle D but additionally with humidity control.

For all EOS Bi-O type sauna heaters.

Humidity control - either in proportional to time way (allows constant steam production per given time) or with an optional humidity sensor as per relative air humidity (allows exact humidity setting per rel. air humidity in %).

Output for vaporizers up to 3 kW. With water shortage detection.

Quick selection between dry or humid sauna operation modes.

With the additional convenience features:

- After-heating (sauna dry program after humid mode)
- Adjustable after-heating temperature
- Adjustable after-heating extractor fan speed
- Adjustable after-heating time
- Adjustable grace time for refilling the water tank by low level
- Smart-Heat functions heats up the sauna faster and prevents that the steam production starts while the sauna is not yet well heated

| Item no. | Price € no VAT |
|-----------------------------|-------------------|
| EOS EmoStyle H white | |
| 94 6315 | 1.286,00 |
| EOS EmoStyle H black | |
| 94 6319 | 1.286,00 |

Display panel HWD: 132×135×25 mm

Relay box HWD: 270×300×100 mm

Switching capacity 10 kW, extendable

Power supply: 400 V 3N~50/60 Hz

Recommended accessory - humidity sensor:

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 9182 | 271,00 |

Optional display and sensor cables - see pages 72 - 76.

EOS

EOS EmoStyle Hi I for dry and humid sauna

Luxury class digital sauna control unit.

As the EmoStyle H model but **with display panel suitable for installation inside sauna rooms.**

For all EOS Bi-O type sauna heaters.

Features a special design display panel with glass front, colour TFT display and a stylish wooden inlay cut of maple or walnut with capacitive buttons.

For display panel installation inside sauna rooms.

All functions as the EmoStyle D and H models.

Display panel available in four designs:

- White glass with maple inlay
- White glass with walnut inlay
- Black glass with maple inlay
- Black glass with walnut inlay

Optional extension modules and other accessories - see pages 72 - 76.



| Item no. | Price € no VAT |
|-------------------------------------|-------------------|
| EOS EmoStyle Hi white maple | |
| 94 6317 | 1.742,00 |
| EOS EmoStyle Hi black maple | |
| 94 6241 | 1.742,00 |
| EOS EmoStyle Hi white walnut | |
| 94 6415 | 1.742,00 |
| EOS EmoStyle Hi black walnut | |
| 94 6414 | 1.742,00 |

Display panel HWD: 202×142×42 mm

Relay box HWD: 270×300×100 mm

Switching capacity 10 kW, extendable

Vaporizer output: 3 kW

Power supply: 400 V 3N~50/60 Hz



Sauna control units



EOS EmoTouch 3 | control unit for sauna and for hammam

Touch screen control system for the highest demands - with fully redesigned graphic user interface and numerous functions.

Available in white and black design or new, with an individual glass frame. The new **EOS EmoTouch 3 Individual** offers infinite design possibilities.

- Ideal both for domestic and commercial use.
- Exclusive rimless glass front display with the 7" capacitive colour touch screen display panel.
- Fully redesigned graphic user interface - now with the choice of various cabin designs (themes).
- New menu navigation - makes operation faster, easier and more intuitive.
- Allows multi-cabin control - you can control up to eight separate cabins (saunas, steam rooms, hammams and infrared cabins) with optional relay boxes / steam generators.
- Menu navigation in 20 languages.
- Pin code protected service level for extended settings and fine tuning - allows to adjust the control to suit individual needs.
- Innovative guided setup and numerous smart control functions to make control simple, quick and easy as never before.
- Firmware updates on site possible.
- Free selection of two included sensor housings in black and beige.
- Additional functions can be added with the optional extension modules (coloured light, sound, remote control, etc.).

Sauna version - for dry and humid sauna operation. Includes relay box, one temperature sensor with 5m cable. Optional: bench sensor, humidity sensor.

Switching capacity: 10 kW (vaporizer max. 3 kW), extendable.

Hammam version - for traditional Turkish bath (hammam) operation. Three heating circuits (floor, bench, walls). Includes relay box, three temperature sensors with 5m cable.

Switching capacity: 3×3,3kW, extendable.

EOS EmoTouch 3 Sauna (dry & humid)

| Design | Item no. | Price € no VAT |
|------------|----------|-------------------|
| White | 94 6505 | 2.739,00 |
| Black | 94 6504 | 2.739,00 |
| Individual | 94 8880 | 4.120,00 |

Display panel HWD: 142×202×42mm

Relay box HWD: 270×300×100mm

EOS EmoTouch 3 Hammam

| Design | Item no. | Price € no VAT |
|------------|----------|-------------------|
| White | 94 6992 | 3.117,00 |
| Black | 94 6991 | 3.117,00 |
| Individual | 94 8881 | 4.671,00 |

Power supply and dimensions like sauna version.

Accessories

Optional sensors for sauna version.

| Description | Item no. | Price € no VAT |
|-----------------|----------|-------------------|
| Humidity sensor | 94 9182 | 271,00 |
| Bench sensor | 94 9181 | 169,00 |

Power adaptor 230 V ~ / 24V ---

Required by display cable lengths over 25m

| Description | Item no. | Price € no VAT |
|---------------|----------|-------------------|
| Adaptor 230 V | 94 6671 | 226,00 |

For additional extensions and optional connection cables - see pages 71 - 76.



Image shows **EmoTouch 3 Individual** design examples.



It's unique - control up to 8 cabins from just one display panel!

EOS EmoTouch 3 redefines the meaning of luxury and comfort. Control has never been so easy.

It doesn't matter if it's a sauna, steam room, hammam or infrared cabin. You can control up to 8 separate cabins from just only one display. With an extension module you can easily add another sauna, another steam room, infrared cabin and so on. Control each cabin individually or switch them all at once.

EmoTouch 3 will replace up to 8 separate control units - saving space and money, while offering you the truly luxury class performance and the full range of functions.

More than that - every single cabin can be enhanced with additional control features, for example you can also control music and coloured light effects!

EOS EmoTouch 3 - the digital cockpit of your entire wellness facility!



LSG Sauna I for EOS EmoTouch 3

LSG Sauna allows to connect an additional sauna cabin and control it from the existing EOS EmoTouch 3 display panel.

Up to 8 separate saunas (and/or steam rooms) may be connected to one display panel.

Includes digital temperature sensor with 5m cable.

Includes 10m sauna bus connection cable.

Supports dry and humid sauna operation. 9kW switching capacity. Up to 3kW vaporizer output.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6640 | 915,00 |

Relay box HWD: 270×300×100 mm

Switching capacity: 10 kW, extendable

Vaporizer output: 3 kW

Power supply: 400 V 3N ~ 50 Hz



LSG Hammam I for EOS EmoTouch 3

LSG Hammam allows to control a hammam as an additional cabin from the existing EmoTouch 3 display panel

Up to 8 separate cabins (sauna, steam room, hammam) may be connected to one EmoTouch 3 display panel.

Includes 3 digital temperature sensor with 5m cable for floor, bench and wall temperature control. Temperature control range

Three separate 3kW outputs for floor, bench and wall heating. Includes 10m sauna bus connection cable.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6672 | 1.141,00 |

Relay box HWD: 270×300×100mm

Switching capacity: 3×3,3kW, extendable

Power supply: 400 V 3N ~ 50 Hz



LSG Infrared I for EOS EmoTouch 3

LSG Infrared allows to control an separate infrared cabin with the existing EmoTouch 3 display panel.

3 outputs (2×dimnable, 1×switchable) - can be controlled individually or bundled in groups. Temperature control as per air temperature or by feeling through zone dimming.

Up to 3.500W switching capacity.

Delivery includes 10m sauna bus connection cable, digital temperature sensor with 5m cable, 230V power adaptor (requires 2 power supplies).

Hint: Also available as a complete control unit with EmoTec, EmoStyle and EmoStyle i display panels.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6965 | 708,00 |

Relay box HWD: 240×230×70 mm

Switching capacity: 3,5kW, extendable

Power supply: 230 V 1N ~ 50 Hz



LSG Steam I for EOS EmoTouch 3

LSG Steam allows to operate the steam generators of many other brands. Compatibility must be checked in advance.

Suitable for SteamRock Basic and SteamAttrac models.

Attention: not suitable für EOS SteamRock II Premium.

Output - switching signal only.

Includes 10m sauna bus connection cable and a digital temperature sensor with 5m cable.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6967 | 837,00 |

Relay box HWD: 270×300×100 mm

Power supply: 400 V 3N ~ 50 Hz



Modules and accessories



2nd temperature sensor for sauna | Sensorbus

2nd temperature sensor (bench sensor) with round beige colour housing and 5m connection cable. Recommended for large size saunas or cabins with complex layouts. Improves temperature control, allows exact temperature monitoring at the bench level opposite to the heater. RJ10 plug. Compatible with the following control units: EmoTec- and EmoStyle series, EmoTouch 3

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 9181 | 169,00 |



Humidity sensor for sauna | Sensorbus

Humidity sensor with round beige colour housing and 5m connection cable. For exact humidity control basing on the real relative air humidity in %. RJ10 plug. Compatible with the following control units: EmoTec H, EmoStyle Hi, EmoTouch 3

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 9182 | 271,00 |



Temperature sensor for sauna | Sensorbus

Digital temperature sensor with overheating limiter fuse, round beige colour housing and 5m connection cable (RJ10 plug). Compatible with the following control units: EmoTec- and EmoStyle series, EmoTouch 3

Notice: Every EOS control unit already includes a temperature sensor as standard.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 9183 | 169,00 |



Temperature sensor for steam rooms | Sensorbus

Digital temperature sensor in a stainless steel housing, sensor bus system. Connection cable is **not** included!

Compatible with the following control units:

- LSG Steam
- SteamRock II Premium (main sensor only)

Notice: EOS control units or SteamRock Premium generators include one temperature sensor as standard.

Not suitable for EmoTouch 3 Hammam version.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6279 | 167,00 |

Optional connection cables

| Cable length | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| 5m | 94 6280 | 69,00 |
| 20m | 94 6281 | 100,00 |
| 50m | 94 6282 | 159,00 |



Temperature sensors for hammams | Sensorbus

Digital temperature sensor for floor, bench and wall temperature control in traditional hammams and similar cabins. Stainless steel housing, sensor bus system. With premounted 5m silicone cable (RJ10 plug).

Compatible with the following control units: EmoTouch 3 RB (LSG Hammam) and SteamRock II Premium (only as floor or bench sensor).

| Type | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| Floor sensor | 94 6616 | 161,00 |
| Wall sensor | 94 6623 | 161,00 |
| Bench sensor | 94 6617 | 161,00 |

Notice: EmoTouch 3 RB includes 3 sensors in standard delivery.



Sensor housing | black

Round sensor housing in black colour. Without sensor board. Suitable for all saunabus sensors of control units from following series EmoTec, EmoStyle and EmoTouch series.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 9186 | 21,00 |



SBM-App module

SBM-App module allows to control a sauna remotely from a smart phone / tablet-PC from any place worldwide (internet access required). Requires the "EOS Spa Control" app on a mobile device.

With the extended EOS Spa Control App, various other cabin types in addition to a sauna cabin, such as steam rooms, hammams and infrared cabins can be conveniently controlled in connection with one SBM-App module each while on the move. A quick check of the current sauna condition like its temperature or remaining heating time is easily possible.

Management of several cabins is also possible. Further features are the different preset profiles for the sauna, which can be customized with just a few clicks. For even more control, the temperature of the bench sensor can be accessed and the status of the drying program for sauna, steam room or hammam can be queried. Moreover, the potential-free contact can be controlled via app and can e.g. regulate an additional light source.

Compact size module with pre-mounted cable for connection to the sauna control unit. RJ45 jack for router connection. With status LEDs for network activity. No separate power supply needed.

Internet connection required by initial setup and for later control outside home network.

For Android and Apple iOS devices.

Notice: Delivery does not include a smart phone or a tablet-PC.



SBM-Remote start module

SBM type remote start module (sauna bus system) for on / off sauna switching at distances up to 100 m only in combination with a safety device such as a cover protection rail. Flush-mounting installation.

Allows you to switch your cabin from a remote location (e.g. hotel reception). Includes solid wood front plate with an illuminated LED button (illumination indicates operation conditions, e.g. on, off, error), mounting frame, hollow box and control board. 10 m connection cable (6P6C) is included.

Compatible control units: Econ D4 / H4, Compact DC / HC / D18 / H18 EmoTec, EmoStyle, EmoTouch 3 (Sauna) series.



SBM-GLT-KNX / SBM-GLT-Modbus module

The KNX- / Modbus module allows to integrate your sauna cabin into the central BMS system using the KNX or Modbus communication protocols.

Suitable for Compact DC, HC, D18 / H18, EmoTec, EmoStyle and EmoTouch 3 series.

Allows remote control for: sauna heater (also with vaporizer), temperature and humidity, light with dimming, volt-free output switching, monitoring of temperature and humidity, sauna status etc.

Very simple to install. Connection to sauna control unit via sauna bus connector.

| Item no. | Price € no VAT |
|-----------------------------------|-------------------|
| App module | |
| 94 5987 | 1.110,00 |
| App module cabin address 2 | |
| 94 7814 | 1.110,00 |
| App module cabin address 3 | |
| 94 7815 | 1.110,00 |
| App module cabin address 4 | |
| 94 7816 | 1.110,00 |
| App module cabin address 5 | |
| 94 7817 | 1.110,00 |
| App module cabin address 6 | |
| 94 7818 | 1.110,00 |
| App module cabin address 7 | |
| 94 7819 | 1.110,00 |
| App module cabin address 8 | |
| 94 7820 | 1.110,00 |

Compatible control units: EmoTec D/H, EmoStyle series, EmoTouch 3.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5782 | 250,00 |

Optional Accessories:

| | |
|----------------------------------|--------|
| Connection cable 6P6C 25m | |
| 94 4647 | 118,00 |
| Connection cable 6P6C 50m | |
| 94 4648 | 182,00 |

| Item no. | Price € no VAT |
|--------------------|-------------------|
| SBM-GLT-KNX | |
| 94 7078 | 612,00 |
| SBM-GLT-Mod | |
| 94 7077 | 612,00 |

Compatible with BMS systems using KNX and Modbus protocol. For KNX systems - requires KNX firmware from ETS5.



Modules and accessories



SBM-S BT sound module

The sound module allows to playback music in your sauna and to control it directly at the sauna control unit display.

The module features an integrated stereo amplifier 2×15W and an integrated MP3 player. Music files can be retrieved from an SD-card, USB connection or via Bluetooth. A NF 3,5 mm analogue music jack is also available for music streaming.

Compatible control units: EmoTec D/H, EmoStyle Hi, and EmoTouch 3.

| Item no. | Price € no VAT |
|--------------------------------------|-------------------|
| SBM-S BT Modul with Bluetooth | |
| 94 5921 | 731,00 |

Housing HWD: 270×190×90mm

Power supply: 230V1N~50Hz

Loudspeaker for sauna



Loudspeaker for saunas and steam rooms, 25W power output (50W peak) at 8 Ohm, Ø 10 cm (4"), fibreglass membrane, 120 °C temperature resistant, suitable for outdoors, suitable for salty sea air, white cover

Price per one.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5429 | 135,00 |

Protection class IP65

Dimensions Ø 133×59mm

SBM-Hot button module



Push button for Hot function for sauna control units. Hot is a power boost function (up to 30 minutes).

Stylish push button with durable metal housing, flush-mounting installation. With illumination ring in red.

Set includes: push button with external electronic unit and pre-mounted connection cables.

Suitable for sauna control units: Compact DC / HC / D18 / H18, EmoTec-, EmoStyle- und EmoTouch 3 series.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6800 | 325,00 |

Dimensions control: Ø 87×45mm

Dimensions button: Ø 28×58mm

Dimensions cover plate: 76×76×1,5mm

SBM-Eco button module



Push button for Eco function for sauna control units. Eco is a power-saving mode with manual or automatic operation.

Stylish push button with durable metal housing, flush-mounting installation. With illumination ring in green.

Set includes: push button with external electronic unit and connection cable.

Suitable for sauna control units: Compact DC / HC / D18 / H18, EmoTec-, EmoStyle- und EmoTouch 3 series.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6980 | 325,00 |

Dimensions control: Ø 87×45mm

Dimensions button: Ø 28×58mm

Dimensions cover plate: 76×76×1,5mm

Infrared Receiver with remote controller



Infrared receiver with a wireless remote control for SBM-FL coloured light modules and SBM-S sound modules.

Allows to quickly and conveniently control coloured light and/or music from inside a sauna room (infrared cabin). Control of the coloured light and sound over the control panel remains as before possible.

Set includes: wireless remote control (with battery), 5 m connection cable to the control unit, infrared receiver (black housing) for installation inside sauna (infrared cabin).

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6810 | 201,00 |

Sensor front plate diameter Ø 35mm

Mounting sleeve Ø 17mm (approx.

18mm borehole diameter in sauna wall).

Complete length 85mm (visible 5 mm).



SBM-IR module

SBM-IR module allows to control infrared heaters and heating foils in your sauna. Three operation modes are possible: only sauna, only infrared or sauna & infrared at once. Functions and features:

- Three separate, individually controlled outputs: 2×1.500 W dimmable and 1×500 W switchable
- Up to five channels which allow to create individual zones (e.g. front, side, back).
- Outputs can be assigned to individual zones.
- Temperature control range 30 - 70°C. Heating control as per air temperature or as per heating intensity.
- Compatible with all type of IR emitters like regular and quartz glass IR heaters, IR heating foils and panels.
- Up to three IR modules can be connected to one sauna control unit - up to 10.5kW total power possible.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6966 | 583,00 |

Dimensions HWD: 270×195×100 mm

Switching capacity: 3.500 W

Power supply: 230 V 1N~50 Hz

Compatible control units: EmoTec-, EmoStyle-, InfraStyle-, EmoTouch 3-series



SBM-IR relay module

The SBM-IR relay module is used as an add-on module for connecting additional IR emitters in an existing sauna or IR cabin. As SBM-IR module, but additionally with 5×500 W outputs. Total switching capacity 3.5kW. Can be distributed flexibly. Without dimming function.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7131 | 561,00 |

Dimensions HWD: 240×230×70 mm

Switching capacity: Max. 3.500 W

Power supply: 230 V 1N~50 Hz

Compatible control units: EmoTec-, EmoStyle-, InfraStyle-, EmoTouch 3-series



SBM-FL75/150 coloured light module

Allows to connect and control almost any RGB or white light LED light (e.g. LED spots, LED strips, etc.). No driver needed, direct connection to the module.

Compatible with voltage-controlled (0 - 24 V) and with current-controlled (0 - 3000 mA) LED lamps.

Suitable for LED strips with common "-" only.

Output: RGB (three separately adjustable channels) and white light (may be synchronized with the main light). In EmoTec design housing.

Available with two power outputs: **67.5 W** and **135 W**. Max. 3 A per channel.

Compatible control units: EmoTec, EmoStyle, EmoTouch series.

| Item no. | Price € no VAT |
|-----------------------------|-------------------|
| SBM-FL75 with 67.5 W | |
| 94 5996 | 604,00 |
| SBM-FL150 with 135 W | |
| 94 6007 | 803,00 |

Housing FL150 HBT: 270×285×90 mm

Housing FL75 HBT: 270×195×90 mm

Power: FL75 - 67.5 W, FL150 - 135 W

Power supply: 230 V 1N~50 Hz

Pole converter for SBM-FL75/150

Pole converter allows to connect LED strips with a common "+" pole to colour light modules SBM-FL75/150.

The pole converter is a small compact size board and is mounted inside the housing of SBM-FL75/150. Only for 24 V LED.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7050 | 175,00 |



Modules and accessories

Cable for display panels

Sauna-BUS cable 6P4C

For connection of the display panel to relay box, RJ14 / RJ10 connector.

| Length | Item no. | Price € no VAT |
|--------|----------|-------------------|
| 10m | 94 6802 | 47,00 |
| 25m | 94 6285 | 118,00 |
| 50m | 94 6968 | 182,00 |
| 100m | 94 6969 | 331,00 |

Cable for extension modules

Sauna-BUS cable 6P6C

Connection between relay box and extension modules, RJ12 / RJ12 connector. Includes coupler RJ12/RJ12. Suitable for extension of existing connections.

| Length | Item no. | Price € no VAT |
|------------------------|-----------|-------------------|
| 0,5m (without coupler) | 2001 5297 | 32,00 |
| Modular coupler | 2001 5298 | 18,00 |
| 10m (with coupler) | 94 5861 | 51,00 |
| 25m (with coupler) | 94 4647 | 118,00 |
| 50m (with coupler) | 94 4648 | 182,00 |

Cable for sensors (Sensor Bus)

Sensor-BUS cable 4P4C

Sensor cable for digital sensors (Sensor Bus, RJ45connector). Only for sauna sensors. Unsuitable for steam room sensors. Unsuitable for extension of existing sensor cables!

| Length | Item no. | Price € no VAT |
|--------|-----------|-------------------|
| 25m | 2001 5310 | 85,00 |
| 50m | 2001 5311 | 192,00 |



PEB 10 CA / CW power extension relay box

Relay box for power extension for sauna control units. Provides the additional 10 kW switching capacity.

Improved construction with wall-mounting "EOS Compact"-housing, connections at the bottom or back side. Low-noise operation.

In combination with a 9 kW (10 kW) sauna control unit suitable for twin-circuit sauna heaters up to 19 kW (20 kW) power (with EOS Compact D18/H18 - up to 28 kW).

Available in anthracite (PEB 10 CA) or white (PEB 10 CW).

| Model | Item no. | Price € no VAT |
|-----------|----------|-------------------|
| PEB 10 CA | 94 7802 | 338,00 |
| PEB 10 CW | 94 7803 | 338,00 |

Dimensions HWD: 220×255×65 mm

Power supply: 400 V 3N~50 Hz

Switching capacity: 10 kW



PEB 10 ET power extension relay box

As the PEB 10 CA / CW model but with "EOS EmoTec" - housing.

In combination with a 9 kW (10 kW) sauna control unit suitable for twin-circuit sauna heaters up to 19 kW (20 kW) power (with EOS Compact D18/H18 - up to 28 kW).

| Model | Item no. | Price € no VAT |
|-----------|----------|-------------------|
| PEB 10 ET | 94 7805 | 351,00 |

Dimensions HWD: 270×190×90 mm

Power supply: 400 V 3N ~ 50 Hz

Switching capacity: 10 kW



PEB 18 / 18 H contactor box

Contactor box for power extension for sauna control units. Provides the additional 18 kW (18 + 6 kW) switching capacity.

New improved construction. Very quiet in operation. Wall-mounting housing, connections at the rear or at the bottom side possible.

In combination with a 9 kW (10 kW) sauna control unit suitable for twin-circuit sauna heaters up to 27 kW (28 kW) power (with EOS Compact D18/H18 - up to 36 kW).

PEB 18: With 1×18 kW power output.

PEB 18 H: With 18 kW output for heater and **6 kW** output for vaporizer (for commercial Bi-O heaters).

NEW CONSTRUCTION

| Model | Item no. | Price € no VAT |
|----------|----------|-------------------|
| PEB 18 | 94 8982 | 800,00 |
| PEB 18 H | 94 8983 | 1.033,00 |

Dimensions HWD: 270×300×100 mm

Power supply: 400 V 3N~50/60 Hz

Switching capacity: 18 kW
(PEB 18H - 18 kW + 6 kW)

NOTE: For PEB 18/18H, fuse links are required in accordance with the existing cable cross-sections on site. **Fuse links are included in the scope of delivery!**



PEB 36 / 36 H contactor box

Professional grade contactor box for power extension for sauna control units. Provides the additional 36 kW switching capacity.

Professional wall-mounting housing. **New improved design** with extra large housing and **built-in fuse box** (front side, with a glass window). **Very quiet in operation.** Connection from all sides.

In combination with a 9 kW (10 kW) sauna control units suitable for twin-circuit sauna heaters up to 45 kW (46 kW) power (with EOS Compact D18/H18 - up to 54 kW).

PEB 36: With 2×18 kW output.

PEB 36 H: With 2×18 kW output for heater and **6 kW** output for vaporizer (for commercial Bi-O heaters).

NEW CONSTRUCTION

| Model | Item no. | Price € no VAT |
|----------|----------|-------------------|
| PEB 36 | 94 8984 | 1.610,00 |
| PEB 36 H | 94 8985 | 1.894,00 |

Dimensions HWD: 450×315×155 mm

Power supply: 400 V 3N~50/60 Hz

Switching capacity: 2×18 kW
(PEB 36H - 2×18 kW + 6 kW)

NOTE: For PEB 36/36H, fuse links are required in accordance with the existing cable cross-sections on site. **Fuse links are included in the scope of delivery!**



Safety systems



Type 5W: Example on EOS Goliath HD sauna heater.



Type 5F: Example on EOS 34.G sauna heater.
Upon request.

Cover protection rail

Automatic cover protection system for sauna heaters with switch-off function. If an object is placed on the cover protection rail (e.g. forgotten towel), the rail will bend down and the heater may not start or the heating will be interrupted. Once the object is removed, operation will be continued automatically.

New improved construction with internal switch - simpler, less assembly effort on site. The system consists of the stainless steel rail (frame), metal housing with the integrated switch-off mechanism.

For installation on the sauna wall above the heater (**Type W**). Installation on a free-standing heater (**Type F**) is also available upon request. Thanks for five different rail sizes the system fits all EOS heaters.

EOS cover protection rail is an **approved, norm compliant** safety solution (as per EU 60335-2-53). It may be used by sauna cabins with remote switching or remote operation and reduces the risk, that a sauna heater may be switched on in unsafe condition (e.g. towel on the heater).

The cover protection rail is highly recommended as a safety solution for instance by the use of an "EOS app module" for remote sauna operation from smart phones / tablets.

Compatible with all EOS control units and almost all sauna heaters.

| Type | Price € no VAT |
|----------------------|-------------------|
| Wall-mounting | |
| 1W | 437,00 |
| 3W | 511,00 |
| 4W | 468,00 |
| 5W | 539,00 |
| 6W | 460,00 |

Notice: Installation on a free-standing heater (**Type F**) incl. a set with mounting frame is also available upon request!

| Type | Item no. | Size (HWD) | Design | Shape | Compatible sauna heaters |
|---------|----------|---------------|--------------------------------------|-------|---|
| Type 1W | 94 8870 | 140×333×322mm | Brushed stainless steel / anthracite | | Moment W, Thermat W (Bi-O), Thermo-Tec W (S), Bi-O Tec W, 43FN, Euro, Organic W (Bi-O), Cubo (2, +, 2+, Avantgarde, Bi-O, Bi-O 2), Selection (Bi-O), Edge (Control), FinnRock, Herkules / Stone S25 (Vapor), Mythos S35 / S45 (Vapor) |
| | 94 8871 | | Black | | |
| | 94 8872 | | Anthracite | | |
| | 94 8873 | | Brushed stainless steel / white | | |
| Type 3W | 94 8875 | 140×710×322mm | Brushed stainless steel / anthracite | | P1 (W, +), Herkules XL S50 (Vapor) |
| Type 4W | 94 8876 | 140×333×482mm | Brushed stainless steel / anthracite | | EuroMax, Bi-O Max, BlackRock, Herkules S60 (Vapor), Stone S60 (Vapor) |
| | 94 8877 | | Black | | |
| Type 5W | 94 8878 | 140×710×482mm | Brushed stainless steel / anthracite | | 34.G, Goliath, Herkules XL S120 (Vapor) |
| | 94 8957 | | Black | | |
| Type 6W | 94 8879 | 140×333×222mm | Brushed stainless steel / anthracite | | Picco W (Bi-O), M3 W, Filius W (Bi-O), Gracil (Bi-O), Gracil W (Bi-O) |



EOSafe L: Application and installation example - reflector on Goliath heater

Compatible with the following control units:

- Econ series
- Compact series
- EmoTec series
- EmoStyle series
- EmoTouch 3 Sauna

EOSafe L universal: Application and installation example - reflector on Selection heater



EOSafe safety solution for sauna

EOSafe is an innovative, **certified standard-compliant safety solution** for sauna cabins.

EOSafe L - for supervision of the sauna heater through a light barrier solution with an emitter/receiver on the ceiling and a 27 or 52mm reflector mounted on the heater. The **new universal reflector** (34×52mm) with an extended distance to the ceiling is suitable for various sauna heater models. Set includes control unit, emitter/receiver unit, reflector in stainless steel, black or pure glass and cables.

EOSafe D - safety solution based on door supervision. The system is able to detect an unauthorized opening of the door and through this ensure due safety. Set includes control unit, RFID device (for glass doors) with 5m or 20m cable, and authorization tag.

The EOSafe is also available upon request as a combination of the "L" (with 27mm or 52mm reflector in stainless steel or black) and "D" solutions with one central controller.


Power supply: 230 V 1N~

Connection to sauna control units through "sauna bus" system.

Notice: by EOSafe L version please check the compatibility with a specific EOS sauna heater in advance.

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| EOSafe L with 27 mm reflector | | |
| Stainless steel | 94 7151 | 1.764,00 |
| Black | 94 7807 | 1.764,00 |
| EOSafe L with 52 mm reflector | | |
| Stainless steel | 94 7150 | 1.764,00 |
| Black | 94 7806 | 1.764,00 |
| Stainless steel (for round heaters*) | 94 7492 | 1.764,00 |
| EOSafe L universal reflector (square) | | |
| Glas reflector | 94 9150 | 1.764,00 |
| EOSafe D | | |
| with 5m cable | 94 7149 | 1.088,00 |
| with 20m cable | 94 7821 | 1.255,00 |

Installation example EOSafe L & D



| Item no. | Reflector size | Compatible sauna heaters |
|--------------------|----------------------------------|--|
| 947151 947807 | Ø 27 mm | BlackRock, Cubo (Bi-O) / Cubo 2 / Cubo+, Gracil / Gracil W, Herkules S25 / S60 (Vapor), Moment W, Mythos S35 / S45, Selection (Bi-O) |
| 94 7491 | | Cubo Avantgarde (45°) |
| 94 7792 | | Organic W (Bi-O) |
| 94 8855 | | Credo |
| 94 7150 94 7806 | Ø 52 mm | 34.C, BlackRock, Goliath, Herkules S60 / S120 (Vapor) |
| 94 7492 | Ø 52 mm (* for round heaters) | Orbit, Zeus / S / SL / L |



Safety systems



94 5777



94 5779

Emergency button

Emergency "off" button for sauna cabins. With two separate switching circuits (1×normally open, 1×normally closed). Extra-long housing for easy installation, with threaded mounting.

Two circuits allow to release two separate actions (e.g. heater off and sound alarm) when the button is engaged.

Available separately or as as set with beech wood cover plate and installation kit.

Cover place size HWD: 70×70×12mm

Installation depth of the button: 85mm

Connection: two contact pairs (crimped wires)

| Item no. | Price € no VAT |
|--|-------------------|
| Emergency button with cover plate | |
| 94 5777 | 254,00 |
| Emergency button, no cover plate | |
| 94 5779 | 210,00 |

Surround for control units



Weatherproof housing for sauna control units for outdoor saunas. Softwood frame with window.

Dimensions HWD: 350×400×200mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 9033 | 239,00 |



EOS UV-Clean

Air disinfection unit for installation in the air supply area e. g. of a sauna or infrared cabin. EOS UV-Clean cleans the air supply of the sauna from various infectious strains such as bacteria, viruses and yeasts. Up to 99.9% efficiency - certified by VDE. The outside air is drawn in by integrated fans and purified by means of the highly effective UV-C light before the air flows into the cabin. The air speeds can be set with a switch depending on the size of the sauna cabin. The radiation is prevented from escaping due to the special internal construction and at the same time the air is guided in a targeted manner. With integrated display for changing the UV-tubes - low maintenance.

It is designed for vertical installation on the outer wall of the cabin. The connection cable supplied allows it to be operated directly via a power socket. However, this socket should be coupled with the sauna control unit control unit so that the fans do not continue to run when the heater stops working.

EOS UV-Clean is only suitable for indoor use e. g. in sauna cabins. The cabin must be planned and set up according to the specifications before the EOS UV-Clean can be installed. The corresponding air supply section of the sauna cabin is covered by the air supply duct.

Power supply voltage: 220-240 V



Housing: Chrome steel, anthracite powder-coated

Dimensions (H×W×D) without duct: 600×500×150 mm


Dimensions (H×W×D) with duct: 910×500×150 mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7734 | 2.547,00 |

Installation example EOS UV-Clean Operating principle



Design and function



VDE certified efficiency

UV-Clean reliably eliminates the following virus and bacteria (e.g. Bacterium coli in the air, Bacterium coli in water, Mycobacterium tuberculosis, Poliovirus, Infectus hepatitis, Influenza, Pseudomonas aeruginosa, Pseudomonas fluorescens, Corona Virus SARS-Cov-2 and yeasts (e.g. baker's yeast) with the efficiency rate >99,9%.



Infrared systems

With infrared systems from EOS you create the perfect basis for powerful, soothing heat. Thanks to the short heat-up times, the high-quality IR heaters are very quickly ready for operation, as it does not heat the surroundings, but the body itself. The solid, well thought-out construction ensures maximum efficiency and durability.

All EOS IR heaters are equipped with a specially flocked protective grille and thus offer optimal protection against accidental contact. Thanks to the different types and setting options, individual applications can be implemented if desired – from powerful and highly efficient to gentle and relaxing.


IR heat has been proven to have a positive effect on health – the gentle heat relieves tension and can be beneficial in the treatment of pain.

Blood circulation in the skin is stimulated, regular use strengthens the immune system and increases vitality.


IR heaters from EOS let you experience a pleasant feeling of well-being and ensure a varied wellness experience. As an alternative to the IR heaters, the special IR heating foils are also available. They are characterized by the invisible installation and the particularly mild, pleasant, large-scale heat. This creates even more space for creative design ideas and versatile usage scenarios.

With the perfectly matched control units from EOS with numerous additional functions, the infrared experience becomes an even greater pleasure and leaves nothing to be desired.

| | IR-A | IR-B | IR-C |
|------------|----------------------|--------------------------------|---------------------------|
| Radiation | Short wave radiation | Medium wave radiation | Long wave radiation |
| Skin depth | Sub-skin Subcutis | Upper skin Dermis/Epidermis | Upper skin Epidermis |
| Effect | Deeper impact | Warming of the upper skin | Warming of the upper skin |




EOS Vitae Protect
See page 86



EOS IRS 30 Ceramic
See page 84



Further information available at: www.eos-sauna.com/en/products/infrared



INFRARED SYSTEMS

IR

Infrared systems

EOS IRS 30 Ceramic | infrared heater



IR heater for sauna and infrared warming cabins.
With 300W ceramic emitter, long-wave IR-C range. Reflector shield of polished aluminium. With protective flocked safety grill, black.

Completely assembled with 3 m silicone coated cable 3×1.5mm².

Installation in wall panels or in 90° corners.



| Item no. | Price € no VAT |
|----------|-------------------|
| 94 1878 | 258,00 |


Power supply: 230 V 1N~

Weight: approx. 2.0 kg

Dimensions HWD: 560×185×65 mm



EOS IRS 35 / EOS IRS 50 RHK | infrared heater



IR heater for sauna and infrared warming cabins.

With 350 W or 500 W emitter (metal tube with magnesia oxide type), long-wave IR-C range. Reflector shield of polished aluminium. Housing made zinc-plated steel. With protective flocked safety grill, black. 87 cm housing length.

Completely assembled with 3 m silicone coated cable 3×1.5mm².

Installation in wall panels or in 90° corners.



| Item no. | Price € no VAT |
|----------------------------|-------------------|
| EOS IRS35 RHK 350 W | |
| 94 4305 | 245,00 |
| EOS IRS50 RHK 500 W | |
| 94 4306 | 258,00 |

Power supply: 230 V 1N~50 Hz

Weight: approx. 2.5 kg

Dimensions HWD: 900×185×65 mm



EOS IRS 40 RHK | infrared heater



IR heater for sauna and infrared warming cabins.

With 400 W emitter (metal tube with magnesia oxide type), long-wave IR-C range. Reflector shield of polished aluminium. Housing made zinc-plated steel. With protective flocked safety grill, black. 53 cm housing length.

Completely assembled with 3 m silicone coated cable 3×1.5mm².

Installation in wall panels or in 90° corners.



| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4012 | 209,00 |

Power supply: 230 V 1N~50 Hz

Weight: approx. 2.0 kg

Dimensions HWD: 560×185×65 mm



EOS Vitae I infrared heater



IR heater for sauna and infrared warming cabins.

With high-performance VITAE quartz-glass emitter 350, 500 or 750 W. Vitae 500 W and 750 W version feature a built-in inrush current limiter. Full-spectre range - IR-A, IR-B and IR-C, full power output in less than 1 sec.

With pre-assembled housing with reflector shield and protective flocked safety grill (black).

With 3m silicone coated cable 3×1.5mm².

Installation in wall panels or in 90° corners.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 350 W | 94 2865 | 450,00 |
| 500 W | 94 2576 | 458,00 |
| 750 W | 94 2577 | 490,00 |

Power supply: 230 V1N~

Weight: approx. 2.5kg

Dimensions HWD: 900×185×65mm



EOS Vitae Compact I infrared heater



IR heater for sauna and infrared warming cabins.

An extra-short version of the VITAE model - 745mm length.

With high-performance VITAE quartz-glass emitter 350, 500 or 750 W. Vitae 500 W and 750 W version feature a built-in inrush current limiter. Full-spectre range - IR-A, IR-B and IR-C, full power output in less than 1 sec.

With pre-assembled housing with reflector shield and protective flocked safety grill (black).

With 3m silicone coated cable 3×1.5mm².

Installation in wall panels or in 90° corners.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 350 W | 94 7302 | 443,00 |
| 500 W | 94 7303 | 454,00 |
| 750 W | 94 7304 | 484,00 |


Power supply: 230 V1N~

Weight: approx. 2.5kg

Dimensions HWD: 745×185×65mm



Infrared systems



EOS Vitae Protect | infrared heater

IR heater for sauna and infrared warming cabins.

With special ceramic glass filter for additional dispersion of the infrared heat and humidity protection.

Available with or without protective flocked safety grill (black).

With high-performance VITAE quartz-glass emitter 350, 500 or 750 W. Vitae 500 W and 750 W version feature a built-in in-rush current limiter. Full-spectre range - IR-A, IR-B and IR-C, full power output in less than 1 sec.

With pre-assembled housing with 3 m silicone coated cable 3×1.5 mm².

Installation in wall panels or in 90° corners.

Ipx4 Protection

Power supply: 230 V 1N~

Weight: approx. 2.5 kg

Dimensions HWD: 950×200×60 mm

ATTENTION:

By the version without protective grill a proper norm-compliant protection against accidental contact with the heating surface should be provided on site. Hot surface, risk of burns.



| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| With protective grill | | |
| 350 W | 94 6502 | 780,00 |
| 500 W | 94 5450 | 853,00 |
| 750 W | 94 5451 | 892,00 |
| Without protective grill | | |
| 350 W | 94 6572 | 746,00 |
| 500 W | 94 6573 | 818,00 |
| 750 W | 94 6574 | 853,00 |



EOS Vitae Protect Compact | infrared heater



IR heater for sauna and infrared warming cabins.

As Vitae Protect above, but an extra-short version - 795 mm length.

Optimal for installations where the full-length version does not fit the cabin construction.

Ipx4 Protection

Power supply: 230 V 1N~

Weight: approx. 2.5 kg

Dimensions HWD: 795×200×60 mm

ATTENTION:

By the version without protective grill a proper norm-compliant protection against accidental contact with the heating surface should be provided on site. Hot surface, risk of burns.



| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| With protective grill | | |
| 350 W | 94 7293 | 770,00 |
| 500 W | 94 7294 | 844,00 |
| 750 W | 94 7295 | 879,00 |
| Without protective grill | | |
| 350 W | 94 7287 | 735,00 |
| 500 W | 94 7288 | 806,00 |
| 750 W | 94 7289 | 844,00 |



EOS Vitae+ | infrared heater with built-in dimmer



IR heater for infrared warming cabins.

With high-performance VITAE quartz-glass emitter 350, 500 or 750 W. Vitae 500 W and 750 W version feature a built-in inrush current limiter. Full-spectre range - IR-A, IR-B and IR-C, full power output in less than 1 sec.

With built-in dimmer for quick heat adjustment.

With pre-assembled housing with reflector shield and protective flocked safety grill (black).

With 3m silicone coated cable 3×1.5 mm².

Installation in wall panels or in 90° corners.

Power supply: 230 V 1N~

Weight: approx. 2.8kg

Dimensions HWD: 990×185×65mm

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 350 W | 94 7000 | 568,00 |
| 500 W | 94 7001 | 581,00 |
| 750 W | 94 6862 | 608,00 |



EOS Vitae+ Compact | infrared heater with built-in dimmer



IR heater for infrared warming cabins.

As Vitae+ model above, but an extra-short version - 835 mm length.

Optimal for installations where the full-length version does not fit the cabin construction.

Power supply: 230 V 1N~

Weight: approx. 2.5kg

Dimensions HWD: 815×185×65mm

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 350 W | 94 7299 | 566,00 |
| 500 W | 94 7300 | 574,00 |
| 750 W | 94 7301 | 604,00 |



Infrared systems



EOS Vitae Protect+ | infrared heater with built-in dimmer

IR heater for infrared warming cabins.

With special ceramic glass filter for additional dispersion of the infrared heat and humidity protection.

Available with or without protective flocked safety grill (black).

With high-performance VITAE quartz-glass emitter 350, 500 or 750 W. Vitae 500 W and 750 W version feature a built-in in-rush current limiter. Full-spectre range - IR-A, IR-B and IR-C, full power output in less than 1 sec.

With built-in dimmer for quick heat adjustment. With pre-assembled housing with 3 m silicone coated cable 3×1.5 mm².

Installation in wall panels or in 90° corners.

Power supply: 230 V 1N~

Weight: approx. 3 kg

Dimensions HWD: 1040×200×60 mm

ATTENTION:

By the version without protective grill a proper norm-compliant protection against accidental contact with the heating surface should be provided on site. Hot surface, risk of burns.

| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| With protective grill | | |
| 350 W | 94 6997 | 877,00 |
| 500 W | 94 6998 | 937,00 |
| 750 W | 94 6999 | 970,00 |
| Without protective grill | | |
| 350 W | 94 6995 | 848,00 |
| 500 W | 94 6996 | 911,00 |
| 750 W | 94 6863 | 942,00 |



EOS Vitae Protect+ Compact | infrared heater with built-in dimmer

IR heater for infrared warming cabins.

As Vitae Protect above, but an extra-short version - 885 mm length.

Optimal for installations where the full-length version does not fit the cabin construction.

Power supply: 230 V 1N~

Weight: approx. 3 kg

Dimensions HWD: 885×200×60 mm


ATTENTION:

By the version without protective grill a proper norm-compliant protection against accidental contact with the heating surface should be provided on site. Hot surface, risk of burns.

| Power | Item no. | Price € no VAT |
|---------------------------------|----------|-------------------|
| With protective grill | | |
| 350 W | 94 7296 | 868,00 |
| 500 W | 94 7297 | 930,00 |
| 750 W | 94 7298 | 960,00 |
| Without protective grill | | |
| 350 W | 94 7290 | 842,00 |
| 500 W | 94 7291 | 901,00 |
| 750 W | 94 7292 | 935,00 |



EOS Vitae Protect Top | Ceiling-mounted



Ceiling-mounted infrared warming system for sauna and infrared warming cabins.

Vitae quartz glass emitters with 1000 and 1500 W. With housing and reflector. Protective flocked safety grille (black). Completely pre-assembled with two 3 m silicone connection cables $3 \times 1.5 \text{ mm}^2$.

The recommended distance from the heater to the body is approx. 80 cm.

Use only in connection with a suitable control unit. The maximum total load must not exceed 3500 W.

Power supply: 230 V IN ~

Weight: approx. 5.4 kg

Dimensions HWD: 1440 × 200 × 45 mm

| Item no. | Price € no VAT |
|---------------|-------------------|
| 1000 W | |
| 94 7703 | 1.279,00 |
| 1500 W | |
| 94 7704 | 1.329,00 |



Infrared heating foils




IR heating foils for infrared cabins. For concealed installation behind wooden panelling. Flat and highly flexible. Long-wave IR-C range. Power supply: 230 V IN ~ 50 Hz. Heating foils in 10 pcs set available on request.

Free from heavy metals. With automatic on-surface thermostatic limiter 100 °C. Working temperature approx. 90 to 100 °C. With pre-mounted 3 m silicone cable. Available in various sizes and power outputs.

For technical reasons, the effective output can deviate from the nominal value by up to +5% / -10%.

| Model | Size H × W foil | Size H × W heating surface | Item no. | Price € no VAT |
|-----------|-----------------|----------------------------|----------|-------------------|
| IRF 650 W | 1700 × 800 mm | 1620 × 720 mm | 94 3742 | 157,00 |
| IRF 550 W | 1450 × 800 mm | 1370 × 720 mm | 94 3743 | 142,00 |
| IRF 450 W | 1600 × 600 mm | 1520 × 520 mm | 94 3744 | 132,00 |
| IRF 350 W | 1250 × 600 mm | 1170 × 520 mm | 94 3745 | 127,00 |
| IRF 275 W | 1600 × 400 mm | 1520 × 320 mm | 94 3835 | 127,00 |
| IRF 90 W | 600 × 300 mm | 520 × 220 mm | 94 3891 | 102,00 |

Installation example:



IR dimmer | for Vitae / Vitae Protect series IR heater



Dimmer for manual adjustment of the heating intensity of IR heater. Especially suitable for Vitae quartz glass heater for a quick adjustment of the heating intensity without having to leave the infrared cabin. Available in matt black finish.

Recessed installation, min. gap to the IR heater 50 cm. Maximum load up to 1 kW. With a built-in fuse.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7467 | 165,00 |

Dimensions HWD: 80 × 80 × 55 mm
Wall cut-out: Ø 67 mm

Infrared systems



image similar

Plug adaptors | for connection of IR emitters

IR plug adaptor allows quick and secure connection of up to five IR emitters into one common line for further connection to the control unit.

Plug adaptor with plug parts (5×plug parts, 1×socket part) included in the set.

| Item no. | Price € no VAT |
|---|-------------------|
| IR plug adaptor for up to 5 emitters | |
| 94 7811 | 89,00 |



Top cover for IR heaters

Practical cover panel for corner installation of IR heaters. Covers the hole at the top side by a corner installation. With protective flocked surface coating.

| Item no. | Price € no VAT |
|---|-------------------|
| For IRS / Vitae (price per pair) | |
| 94 4566 | 86,00 |



Top cover for Vitae Protect series infrared heaters

Top cover for IR heaters

Practical cover panel for corner installation of IR heaters. Covers the hole at the top side by a corner installation. With protective flocked surface coating.

| Item no. | Price € no VAT |
|--|-------------------|
| For Vitae Protect (price per one) | |
| 94 6596 | 64,00 |



Aroma bowl for IR heaters | for Vitae / Vitae Protect series IR heaters

With the aroma bowl, you have the opportunity to bring even more nature and wellness into your cabin. Suitable for the EOS Vitae and Vitae Protect IR heaters with protective grill. Particularly recommended with Himalaya salt rocks.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7579 | 46,00 |



EOS InfraSteam vaporizer for infrared cabins

Compact slim-size vaporizer for infrared cabins. With built-in control unit. Very slim, space-saving design.

Manual water tank filling through the removable essence bowl. Integrated dry-run protection with acoustic low water alarm.

Water tank with approx 1.5l volume.

Wall-mounting installation. With pre-mounted 3m mains cord.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4140A | 861,00 |

Power output: 750 W

Power supply: 230 V 1N~

Dimensions HWD: 520×225×120 mm



INFRARED SYSTEMS

IR

Infrared systems



EOS EmoTec IR

Digital control panel for infrared cabins. For residential and commercial use.

EmoTec IR is based on the proven construction of EmoTec D control unit for sauna (page 66).

Functions and features:

- Temperature control range 30 - 70 °C
- Heating control as per air temperature or heat intensity.
- 3 separate outputs: 2×1500W dimmable, 500W switchable.
- Up to 5 channels - allows to create individual zones or heating groups (e.g. back, front, side, etc.).
- Supports all types of IR emitters and heating foils.
- Total power output can be increased to 10.5kW with extension modules SBM-IR.
- Numerous functions as in EmoTec D sauna control unit.
- Incl. relay box and temperature sensor with 5m cable.

| Item no. | Price € no VAT |
|--|-------------------|
| EOS EmoTec IR anthracite / silver | |
| 94 7044 | 1.295,00 |
| EOS EmoTec IR white / silver | |
| 94 7045 | 1.295,00 |

Display panel HWD: 127×130×25mm

Relay box HWD: 240×230×70mm

Switching capacity: 3.5kW

Power supply: 230 V 1N ~ 50Hz

Accessories

Optional extra-long cables for display panel, sensors and extension modules - see pages 72 - 76.



EOS InfraStyle

Digital luxury-class control panel for infrared cabins. For residential and commercial use.

InfraStyle is based on the proven construction of EmoStyle sauna control unit (page 68). Available in black or white design.

Luxurious display panel with glass front and capacitive buttons.

Functions and features as EmoTec IR model. Free selection of two included sensor housings in anthracite and beige. Includes relay box and temperature sensor with 5m cable.

Accessories

Optional extra-long cables for display panel, sensors and extension modules - see pages 72 - 76.

| Item no. | Price € no VAT |
|-------------------------------------|-------------------|
| EOS InfraStyle, black design | |
| 94 7046 | 1.498,00 |
| EOS InfraStyle, white design | |
| 94 7047 | 1.498,00 |

Display panel HWD: 127×130×25mm

Relay box HWD: 240×230×70mm

Switching capacity: 3.5kW

Power supply: 230 V 1N ~ 50Hz



EOS InfraStyle "i", installation inside IR cabin

Digital luxury-class control panel for infrared cabins. For residential and commercial use.

Like InfraStyle, but with the display panel for installation inside infrared cabin. Flush-mounted installation. Free selection of two included sensor housings in anthracite and beige. Includes relay box and temperature sensor with 5m cable.

Luxurious display panel with glass front and natural wood inlay of maple or walnut, capacitive buttons.

TFT colour display with menu navigation in 19 languages. Simple and fast operation thanks to capacitive buttons.

Available in four designs:

- Black or white glass panel
- Wooden inlay made of natural maple or walnut wood.

Accessories

Optional extra-long cables for display panel, sensors and extension modules - see pages 72 - 76.

| Item no. | Price € no VAT |
|--------------------------------------|-------------------|
| EOS InfraStyle i white maple | |
| 94 7049 | 2.070,00 |
| EOS InfraStyle i black maple | |
| 94 7048 | 2.070,00 |
| EOS InfraStyle i white walnut | |
| 94 7071 | 2.070,00 |
| EOS InfraStyle i black walnut | |
| 94 7070 | 2.070,00 |

Display panel HWD: 142×202×42mm

Relay box HWD: 240×230×70mm

Switching capacity: 3.5kW

Power supply: 230 V 1N ~ 50Hz



EOS InfraTec Classic

Electronic control unit for infrared warming cabins.

Illuminated alphanumeric LCD-Display (time, functions, error messages). Temperature control range 30 °C - 70 °C. Variable heating time 1 - 99 min. Switch for cabin light. Integrated main on/off switch. Flush-mounting installation.

Delivery includes temperature sensor with 3 m cable.

Available with the pre-mounted cable set: pre-mounted power supply mains cable with plug, 3-core cable for cabin light and connection cable for IR heaters. Alternatively also available without cable set (only controller and sensor).

The max. switching capacity 3.5 kW may be extended with an optional power extension modules.

| Item no. | Price € no VAT |
|---|-------------------|
| Infratec Classic without cable set | |
| 94 4388 | 325,00 |
| Infratec Classic with cable set | |
| 94 4334 | 367,00 |

Switching capacity: 3500 W, extendable

Power supply: 230 V 1N ~ 50 Hz

Dimensions HWD: 139 × 194 × 49 mm



EOS Econ II

Electronic control unit for infrared warming cabins. Optimal for large commercial infrared cabins.

Illuminated alphanumeric LCD-Display (time, functions, error messages), temperature control range 30 - 70 °C. Menu navigation in 12 languages. Heating time limitation 6 h (1 minute step), keypad lock, switch for cabin light.

Slim housing for wall-mounting or semi-recessed installation. Temperature sensor with 2 m cable is included.

Switching capacity up to 9 kW

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5768 | 374,00 |

Power supply: 400 V 3N ~ 50 HZ

Switching capacity: 9.0 kW

Dimensions HWD: 220 × 250 × 67 mm

Colour: cream-white

EOS InfraTec Premium

Electronic control unit for infrared warming cabins.

Compact size flush-mounting display panel and a separate relay box.

Illuminated alphanumeric LCD-Display (time, functions, error messages), multi-language menu navigation.

- Temperature control range 30 - 70 °C
- Heating control as per air temperature or heat intensity.
- 3 outputs: 2 × 1500 W dimmable, 500 W switchable.
- Cabin light control (230 V output).
- Supports all types or IR emitters and heating foils.
- Optional temperature sensor for heating foils control.

Temperature sensor with cable and 5 m display connection cable are included.

Switching capacity up to 3.5 kW

| Item no. | Price € no VAT |
|---------------------------------|-------------------|
| 94 7808 | 550,00 |
| Sensor for heating foils | |
| 94 5260 | 124,00 |
| 15 m connection cable | |
| 2001 5055 | 85,00 |

Power supply: 230 V 1N ~ 50 Hz

Switching capacity: 3500 W

Display panel size HWD: 130 × 118 × 24 mm

Relay box size HWD: 240 × 230 × 70 mm

Steam room equipment

The idea behind the steam room equipment from EOS is superior performance paired with exceptional reliability and easy handling.

For our products, we rely exclusively on carefully selected materials and perfect workmanship down to the smallest detail - durable engineering for long-lasting steam room pleasure. High-quality raw materials and high-quality components are individually manufactured and only delivered to our customers after several func-

tional tests. The built-in descaling system dissolves limescale and rinses the water tank, thus ensuring consistently high performance.

The steam generators are complemented by quality accessories such as light, sound, fragrances, etc., which appeal to all senses and create an unforgettable steam bath experience.



**EOS SteamRock II
Premium**
See page 98



Further information available at: www.eos-sauna.com/en/products/steam



Steam room equipment

EOS SteamAttrac



Incl. actuator for drain valve.
Automatic drain after use.

Special technical solutions possible upon request, e.g. for use on ships.

Affordable steam generator for steam rooms and humid saunas. Recommended for residential use.

Operation based on heating elements. Compact size housing for wall-mounting installation.

- Water tank made of reinforced 1.5mm stainless steel.
- Robust stainless-steel outer housing with anthracite finish.
- Maintenance-friendly design - easy access to all parts.
- Wall mounting installation
- Steam output 1", right hand side (outer thread).
- Water connection 3/4", bottom (outer thread).
- Drain 1", right hand side (automatic discharge).
- Input for discaler liquid on the upper side 1/2" nozzle
- High-performance heating elements mounted on special blocks with thread connection.
- Dry-run protection with reset function.

e.g. Econ S2 or LSC Steam for EmoTouch 3.

| Power | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 3,0kW | 94 6838 | 3.420,00 |
| 4,0kW | 94 6839 | 3.632,00 |
| 6,0kW | 94 6840 | 3.848,00 |

Power supply:

3kW: 230 V 1N~

4-6kW: 400 V 3N~

Dimension: HWD: 330×450×270 mm

| Power | Steam output | Cabin size |
|-------|--------------|------------|
| 3.0kW | ~ 4 kg/h | up to 4 m³ |
| 4.0kW | ~ 6 kg/h | up to 5 m³ |
| 6.0kW | ~ 8 kg/h | 2,1-6 m³ |

EOS SteamAttrac Accessories

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| 2-part brass screw connection 1" to 35 mm for steam pipe | 94 7003 | 69,00 |
| 0,5 m water supply hose 3/8" to 3/4" for water connection | 94 7004 | 25,00 |
| Steam outlet, 1 1/4" thread, integrated holder for essence, white | 94 7005 | 73,00 |
| Funnel for discaler liquid filling into the tank | 94 7006 | 28,00 |
| 1" ball valve, chrome steel with operating lever for water discharge | 94 7007 | 24,00 |
| Accessories kit for SteamAttrac (above mentioned components as a set) | 94 7008 | 171,00 |





Special technical solutions possible upon request, e.g. for use on ships.

EOS SteamRock II Basic

High-performance steam generator for steam rooms. Ideal for private and commercial use.

Robust, durable construction with quality heating elements. Very fast steam production, high efficiency. Flexible installation thanks to variable steam outlet.

Water tank made entirely of stainless steel, separately replaceable heating elements. Fully automatic operation with overheating protection. Integrated automatic descaling system (cleaning and descaling).

Delivery includes a 5l container with level probe for descaler liquid.

Without control unit. Suitable control unit - e.g. LSC Steam for EmoTouch 3, Econ S2.

The power output may be quickly adjusted on site - from 18kW to 3kW in 3kW steps.

| Power | Item no. | Price € no VAT |
|--------------------------------|----------|-------------------|
| 3 / 6 / 9 kW | 94 7649 | 5.871,00 |
| 3 / 6 / 9 / 12 / 15 / 18 kW | 94 7650 | 6.907,00 |

Power supply: 400V3N~50/60Hz

Size HWD: 670×460×350 mm

Notice: special liquid cleaner is required for operation. Not included in delivery scope. Please refer to accessories.

Water softening devices

| Description | Item no. | Preis € no VAT |
|--|----------|-------------------|
| Water softening system AKE 40 (ion-exchange, runs on salt), 230 V1N, 1" input/output, max. 40 m³ 1°dH, 67×32×52 cm (HWD) | 94 6773 | 1.331,00 |
| Water softening system AKE 120 (ion-exchange, runs on salt), 230 V1N, 1" input/output, max. 120 m³ 1°dH, 125×32×52 cm (HWD) | 94 6818 | 1.770,00 |

 **Note: Obligatory by commercial use of the steam generator!**



Steam room equipment

EOS SteamRock II Premium



Special technical solutions possible upon request, e.g. for use on ships.

Luxury class steam generator with high-performance quality heating elements for steam rooms. Ideal for particularly demanding use.

Built-in descaling and automatic cleaning system.

- **Includes luxury EmoTouch 3 control system** with a separate 7" colour touch screen display panel (5m cable included).
- Full range of settings and functions. Including extended setup, special tuning and the possibility to connect various extension modules, e.g. coloured light, sound, remote start, etc.
- **Built-in essence dosing system** for two fragrances.
- Volt-free outputs for bench and floor heating.
- 230V outputs for two fans and cabin lighting.
- Power outputs for two fans and light (dimmable).
- Flexible installation thanks to variable, extra-large 1 1/4" steam outlet for efficient operation.
- Temperature sensor with 5m cable included in delivery.
- Optional 5l essence container with level probe (Item no. 94 6298).

EmoTouch 3 display panel allows to control up to seven additional saunas or steam rooms (requires additional extension modules or steam generators).

Power supply: 400V3N~50/60Hz

Size HWD: 670×460×350 mm

Notice: special liquid cleaner is required for operation. Not included in delivery scope. Please refer to accessories.

*NC models - without display panel, for connection to an existing already EmoTouch 3 control panel. For control of several cabins from one display panel.

Steam performance

| Power | Steam output |
|--------|--------------|
| 3.0kW | 4 kg/h |
| 6.0kW | 8 kg/h |
| 9.0kW | 12 kg/h |
| 12.0kW | 16 kg/h |
| 15.0kW | 20 kg/h |
| 18.0kW | 24 kg/h |

SteamRock II Premium with control unit in black design

| Power | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| 3/6/9kW | 94 7643 | 9.704,00 |
| 9/12/15/18kW | 94 7644 | 10.167,00 |

SteamRock II Premium with control unit in white design

| Power | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| 3/6/9kW | 94 7645 | 9.704,00 |
| 9/12/15/18kW | 94 7646 | 10.167,00 |

SteamRock II Premium with control unit in 'Individual' design

| Power | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| 3/6/9kW | 94 8883 | 10.989,00 |
| 9/12/15/18kW | 94 8884 | 11.146,00 |


SteamRock II Premium NC*

| Power | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| 3/6/9kW | 94 7647 | 7.718,00 |
| 9/12/15/18kW | 94 7648 | 8.427,00 |

Accessories

| | Item no. | Price €no VAT |
|------------------------------------|----------|------------------|
| Extra-long sensor cable | | |
| Length 20m | 94 6281 | 100,00 |
| Length 50m | 94 6282 | 159,00 |
| Optional sensor-bus sensors | | |
| Floor sensor | 94 6616 | 161,00 |
| Bench sensor | 94 6617 | 161,00 |





STEAM ROOM
EQUIPMENT



Steam room equipment

LSG Steam I for EmoTouch 3



LSG Steam extension module allows to operate the steam generators like SteamRock Basic and SteamAttrac, as well as many other brands.

Compatibility by 3rd party brands should be checked in advance.

Output - switch signal 230V, no load switching.

Includes 10m sauna bus connection cable and a digital temperature sensor with 5m cable.

Note: not needed for SteamRock Premium NC, these models are operated directly from EmoTouch 3.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6967 | 837,00 |

Relay box HWD: 270×300×100mm

Power supply: 230V 1N~50Hz



EOS Econ S2 I control unit for SteamRock II Basic and SteamAttrac

Electronic control unit for SteamRock Basic and SteamAttrac steam generators.

Large multi-line LCD display with all parameters at a glance., menu navigation in 12 languages, guided setup.

Features and functions:

- Temperature control 30 - 50 °C,
- Hysteresis adjustable 1-5K,
- Heating time limitation 6h/12h/unlimited,
- Output for light and ventilation fan (230V),
- Timer (24h single event or automatic recurring switching),
- Control for essence dosing (intensity and intervals),
- Error messages,
- Numerous special functions.

Wall-mounting installation. Temperature sensor with 5m cable included in delivery.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6296 | 609,00 |

Size HWD: 220×250×67mm

For SteamRock II Basic & SteamAttrac

Power supply: 230V 1N~50Hz

Optional accessories & spares

| Model | Item no. | Price € no VAT |
|-------------------|----------|-------------------|
| Sensor (analogue) | 94 6408 | 104,00 |
| Sensor cable 5m | 94 6409 | 69,00 |
| Sensor cable 20m | 94 6410 | 167,00 |
| Sensor cable 50m | 94 6411 | 301,00 |



Essence dosing pump kit

Essence dosing pump kit for steam rooms. Recommended for Econ S2 control unit.

Professional grade peristaltic pump, up to 5l/h dosing capacity, with robust metal housing in anthracite pearl effect finish.

With 5m pre-mounted power supply cable.

Kit includes brass essence injector with nozzle and 3/8" thread connection, PTFE essence dosing tube 6/4, mounting screws and dowels.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6297 | 447,00 |

8W power rating.

Power supply 230 V 50Hz

Size HWD 93×111×138mm.



SBM-Aroma / Aroma button

For manual essence dosing.

SBM-Aroma - for SteamRock Premium. Set with push button (metal housing, flush-mounting installation, blue illumination ring), connection cable 5m, electronic unit.

Aroma Button - for Econ S2. Button as above, with cable 5m.

| Type | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| Aroma Button | 94 6507 | 355,00 |
| SBM-Aroma | 94 6799 | 355,00 |





Loudspeaker for steam rooms

80 W power output (100 W peak) at 4 Ohm, Ø 16 cm (6.5"), 2-way coaxial speaker with moulded plastic cone, plastic basket and grille. Corrosion-resistant and waterproof (encased magnet, silicone-coated leads). Additional tweeter centred in compass design.

White front cover. Alternatively available with elegant matt black finish.

Protection class IP65, -40 °C to 80 °C range, salt water resistant. 60 - 20.000 Hz, 86 dB mean sound pressure level.

PRICE PER PAIR.

| Item no. | Price € no VAT |
|--------------------------|-------------------|
| Loudspeaker white | |
| 94 6196 | 197,00 |
| Loudspeaker black | |
| 94 7768 | 197,00 |

Dimensions: Ø 180 × 71 mm

Cut-out diameter: Ø 142 mm

Weight: 0.46 kg

Fragrance essence container

5l container with level probe for SteamRock steam generators.

For essence level control.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6298 | 111,00 |

EOS SteamClean descaler liquid

Liquid de-scaler for steam generators. 5 kg canister, ready to use. Special formula for low odour, very high efficiency. Based on phosphoric acid solution.

NOTICE: dangerous goods class (phosphoric acid solution), special delivery requirements may apply.

| Item no. | Price € no VAT |
|-----------|-------------------|
| 2001 6065 | 192,00 |

Steam outlet



Made of special heat-resistant plastic. With enlarged holder for essences. Connection 1 1/4" external thread.

With optimized steam flow deflection for increased safety.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7005 | 73,00 |

Fans for steam rooms



Blower fan

DN100 (80 W T50), with non-return valve, with a separate 5-speed rpm controller.

Power supply: 220 - 240 V 50 Hz

Extractor fan

DN100 (12,5 - 15 W) 230 V 50 Hz. Plastic housing, white.

Disc valve for extractor fan to prevent return flow. Available alternatively in plastic or in stainless steel version.

| Description | Item no. | Price € no VAT |
|-----------------------------|-----------|-------------------|
| Blower fan | 2001 4401 | 534,00 |
| Extractor fan | 2001 4402 | 268,00 |
| Disc valve | 2001 4404 | 52,00 |
| Disc valve, stainless steel | 2001 5210 | 111,00 |



Coloured light systems

The lighting creates a harmonious atmosphere that enhances the sauna experience and makes it unique.

The power of colours surrounds us every day - mostly unconsciously and yet deliberately scattered. The different colours have been proven to have a high effect and influence on the human body. The targeted use of coloured light systems with the selection of the right colours or colour change scenarios makes a significant contribution to creating a special experience and a positive overall mood in your sauna cabin or steam bath.

The light is absorbed both through the eyes and through the skin. Which, depending on the colour, triggers a wide variety of reactions and activates body systems.

The psychological influence often goes unnoticed. The colours are not only aesthetic, but also biological and psychological. The warm colours like red or yellow are perceived as stimulating, revitalizing, while the colours like green or blue develop a pronounced relaxing and calming effect.

Bring colour into your sauna, infrared cabin or steam bath! EOS LED strips and LED spots transform your wellness oasis into a varied, atmospheric colour experience. Various versions with RGB or warm white type are very easy to install and give you numerous creative freedom and design options.



EOS LED Strips
See page 104



Further information available at: www.eos-sauna.com/en/products/coloured-light



Coloured light systems

EOS LED strips

NEW




EOS LED Strips - available in three different sizes as RGB and warm white type.

LED Strip flex for steam rooms - see page 105



Application example - connection possible at an angle of up to 90°



Application example - LED Strips RGB with intermediate board.

LED light strips - new improved construction. Slim connector on both ends for a chain-type connection. With mounting holes (with 16.5cm hole distance) for quick installation on any flat surface.

Three basic colours, mixed colours possible (RGB type). Dimmable (voltage based). Not usable for humid sauna (Take a look at LED Strip flex for steam rooms, page 105).

Available as RGB coloured light type and as white light type (3000 K). With optional connection boards, several LED chains can be connected to a common group (e.g. 2x backrest).

Voltage: 24V $\overline{\text{AC}}$, dimmable

Power output: 3,6 - 4 W

Dimensions: 15x5 mm, three lengths available: 495 mm/330 mm/165 mm

Ambient temperature range: up to at least 140 °C

Energy efficiency class: B (Warm-white type) / G (RGB type)

Advantages and benefits:

- Very high heat resistance up to at least 140 °C - may be installed at the sauna ceiling without special heat protection.
- Every single LED with individual overheating protection, automatic reduction of the light intensity at 110 °C to optimize service life.
- Thanks to the innovative connectors, connection is also possible at an angle of up to 90° (corner installation).
- Three lengths available (models 495 mm and 330 mm can be shortened).
- Exceptionally high light output - up to 160 lumen per watt.
- Chains up to 12 pieces possible (with 495 mm model), several groups of chains possible.
- Very simple and quick installation thanks to mounting holes and slim connectors.
- Original „made in Germany“ quality from EOS.

| Description | Item no. | Price € no VAT | Item no. | Price € no VAT |
|------------------|---------------------|-------------------|----------|-------------------|
| Amount / Length | Warm-white (3000 K) | | RGB | |
| LED strip 495 mm | 94 9049 | 101,00 | 94 9039 | 106,00 |
| Set 5 strips | 94 9050 | 473,00 | 94 9040 | 513,00 |
| Set 10 strips | 94 9051 | 908,00 | 94 9041 | 970,00 |
| Set 25 strips | 94 9052 | 2.039,00 | 94 9042 | 2.144,00 |
| LED strip 330 mm | 94 9053 | 74,00 | 94 9043 | 82,00 |
| Set 5 strips | 94 9054 | 387,00 | 94 9044 | 397,00 |
| LED strip 165 mm | 94 9055 | 53,00 | 94 9045 | 61,00 |
| Set 5 strips | 94 9056 | 252,00 | 94 9046 | 292,00 |

| Accessories | Item no. | Price € no VAT |
|---|----------|-------------------|
| Connection board, warm-white type | 94 9047 | 42,00 |
| Intermediate board, warm-white type | 94 9048 | 42,00 |
| Connection board, RGB type | 94 9037 | 47,00 |
| Intermediate board, RGB type | 94 9038 | 47,00 |
| Connection cable for LED strips warm-white type, 10 m | 94 9176 | 82,00 |
| Connection cable for LED strips warm-white type, 50 m | 94 9177 | 357,00 |
| Connection cable for LED strips RGB type, 10 m | 94 9172 | 124,00 |
| Connection cable for LED strips RGB type, 50 m | 94 9173 | 525,00 |



EOS LED Strip flex | flexible LED strips for steam rooms

IP68



Special flexible LED strip designed for steam rooms and similar high humidity installations.

24V~, protection class IP68. Dimmable (constant voltage).

Approx. 5m length, with 5m connection cable on both ends. Adhesive layer on the rear side, mounting brackets for mechanical fixation included in delivery.

Available as RGB coloured light type and as white light type (warm white 3000K). Dividable, can be shortened in 10 cm steps.



Dividable in 10 cm steps

Voltage : 24V~

Power output: 60W

Dimensions LWH: 5000×13×4mm

Protection class: IP68

Ambient temperature range: up to at least 60°C

Energy efficiency class: F (Warm-white type) / G (RGB type)

| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| EOS LED strip flex warm-white type (3000 K) | 94 7318 | 428,00 |
| EOS LED strip flex RGB type | 94 7317 | 457,00 |

EOS LED Control | stand-alone control unit



Compact control system for coloured light LED strips/spots. With a wireless remote controller for an easy and convenient control (radio signal based system - no eye sight needed!). Remote control range up to 20m.

With 230V power adaptor with mains cord, control box with signal receiver and compact size wireless remote controller (cell battery included) with wall holder. The control box includes 5m pre-mounted cable for connection of LED strips or Emolux LED panels. Plug-and-play system - very easy to connect, no special installation needed.

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| Stand-alone LED control for LED spots and LED Strip flex, with remote controller | 94 6638 | 606,00 |
| Stand-alone LED control for LED strips, with remote controller | 94 6639 | 606,00 |
| Set: LED control system for LED strips incl. remote control + 5 LED strips RGB type | 94 6710 | 1.108,00 |

Transformer for LED strips and spots

Electronic transformer for LED strips and spots.

Power rating 75W. Input 220 - 240V~ / output 24V~

With soft-on and fade in function, visual more comfortable. Dimming range: 0~100%, LED start at 0.1% possible.

Up to 50000-hour life time.

Dimensions LWH: 293×43×30mm

| Model | Item no. | Price € no VAT |
|-------|----------|-------------------|
| 75W | 94 9022 | 260,00 |

May be used for instance with white light LED strips.



Coloured light systems

EOS LED spots | for sauna and steam rooms



IP65



IP65

Ø 84×25 mm

Universal spotlight for steam rooms and sauna cabins.

Very simple and quick installation and mounting. Includes pre-mounted 2m connection cable. Elegant, timeless design. Metal housing, matt nickel. Also available with elegant matt black finish. Heat resistant up to at least 140°C, electronic protection of LED chips (automatic reduction of the light intensity at 110°C).

The spots are available individually, in sets of 5 or 10, as RGB or warm white version.

Voltage: 24V =

Power output: approx. 4W

Dimensions: Ø84×25 mm

Protection class: IP65

Ambient temperature range: up to at least 140°C

Energy efficiency class: C (Warm-white type) / G (RGB type)

| Description | Item no. | Price € no VAT | Item no. | Price € no VAT. |
|--------------------|---------------------|-------------------|----------|--------------------|
| | Warm-white (3000 K) | | RGB | |
| EOS LED Spot | 94 7421 | 163,00 | 94 7424 | 188,00 |
| Set 5 spots | 94 7422 | 767,00 | 94 7425 | 894,00 |
| Set 10 spots | 94 7423 | 1.459,00 | 94 7426 | 1.730,00 |
| EOS LED Spot black | 94 8827 | 168,00 | 94 8830 | 194,00 |
| Set 5 spots black | 94 8828 | 785,00 | 94 8831 | 921,00 |
| Set 10 spots black | 94 8829 | 1.496,00 | 94 8832 | 1.797,00 |

EOS LED spots Compact | for sauna and steam rooms

NEW



IP65



IP65

Ø 40×25 mm

Compact, universal spotlight for steam rooms and sauna cabins.

Very simple and quick installation and mounting. Includes pre-mounted 2m connection cable. Elegant, timeless design. Housing made of aluminum, silver glossy anodized. Also available in black. Beam angle approx. 60°. Heat resistant up to at least 140°C, electronic protection of LED chips (automatic reduction of the light intensity at 110°C).

The spots are available individually or in sets of 5, as RGB or warm white version.

Voltage: 24V =

Power output: approx. 1,3-1,5W

Dimensions: Ø40×25 mm

Protection class: IP65

Ambient temperature range: up to at least 140°C

Energy efficiency class: C (Warm-white type) / G (RGB type)

| Description | Item no. | Price € no VAT | Item no. | Price € no VAT. |
|--------------------|---------------------|-------------------|----------|--------------------|
| | Warm-white (3000 K) | | RGB | |
| EOS LED Spot | 94 9193 | 92,00 | 94 9187 | 103,00 |
| Set 5 spots | 94 9194 | 376,00 | 94 9188 | 418,00 |
| EOS LED Spot black | 94 9196 | 92,00 | 94 9190 | 103,00 |
| Set 5 spots black | 94 9197 | 376,00 | 94 9191 | 418,00 |



Essence dosing systems & flake-ice machines

Make your sauna or steam bath an aromatically exhilarating experience!

An automatic fragrance dosing and infusion system ensures fully automatic infusions according to your wishes - times, intensity and other parameters can be set without any problems.

Further information available at:

www.eos-sauna.com/en/products/dosing-units

The experience continues even after the sauna session. The EOS E-Cool flake ice machines offer the right level of cold stimulus to get the circulation going and create a unique atmosphere. The use of ice after a sauna session not only provides a delightful cool down, but also improves the blood circulation of the skin, trains the blood vessels, strengthens the immune system and stimulates the metabolism.

Further information available at:

www.eos-sauna.com/en/products/flake-ice-machines



EOS AromaTec II
(Automatic Sauna-Aufguss system)
See page 110





Essence dosing systems



AromaTec II Basic | automatic dosing and water splash system for sauna

Dosing system for automatic water splashes for sauna cabins.

Built-in digital control unit with LCD display.

Functions: dosing delay, water quantity adjustment, intensity, cycle time.

Completely pre-mounted on robust metal chassis, incl. cover panel.

With built-in dosing pump and console for essence container.

Dosing performance - up to 5l/min.

Protection class IP44.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6798 | 3.113,00 |

Power supply: 230 V 1N ~ 50 Hz

Dimensions (HWD): 570 × 710 × 240 mm

Water connection: 1/2" inner thread

Water output: 3/8" inner thread

Power rating: 50 W

Optional Accessories (page 112):

- 94 5192 Wall-through feed tube
- 94 5191 Sprinkler head



Image shows AromaTec II with 1 fragrance 94 624

AromaTec II | automatic dosing and water splash system for sauna

New generation dosing system for automatic water infusions for sauna cabins.

With built-in colour 3,2" touch screen control unit with numerous functions and features (week timer, password protected access, special programs, etc.)

Pre-mounted on a robust metal chassis with plastic housing. Integrated peristaltic pump(s).

The system may be switched from the built-in control unit, from an external push-button or a timer. Control unit allows to quickly set cycles, quantity and dosing intensity. Automatic 30min dosing start delay after the heating start. With 230V output for infusion event display. Delay time for infusion display adjustable.

Dosing capacity: water 50 - 600 ml / essence 0 - 9 ml.

Available with essence dosing for 1 fragrance, for 2 fragrances and for 3 fragrances.

Optional system divider 1/2" available on request.

| Version | Item no. | Price € no VAT |
|--------------|----------|-------------------|
| 1 fragrance | 94 6242 | 3.790,00 |
| 2 fragrances | 94 6243 | 4.333,00 |
| 3 fragrances | 94 6244 | 4.857,00 |

Power supply: 230 V 1N ~ 50 Hz

Dimensions (HWD): 700 × 400 × 230 mm

Optional Accessories (page 112):

- 94 5192 wall-through feed
- 94 5191 sprinkler head
- 94 5193 Timer (price on request)



AquaDisp | automatic water splash system for sauna

Automatic water splash system for saunas. Water splash can effect automatically at pre-set intervals or manually with an optional push-button.

Recommended for instance for hidden heaters.

With dosing valve in stainless steel housing, electronic control unit, dosing hose for connection to a sauna heater.

Push button with cover plate optionally available.

Notice: without essence dosing.

For control units: Econ D4/H4, Compact DC/HC, EmoTec, EmoStyle, EmoTouch 3 (Sauna) series.

For control units Econ D1-D3 and H1-H3 an additional power adaptor 947166 is required.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6904 | 830,00 |

Power supply: 230 V 1N ~ 50 Hz

Optional Accessories:

| Item no. | Price € no VAT |
|---|-------------------|
| Push-button for AquaDisp | |
| 94 7129 | 333,00 |
| Power adaptor (for Econ controls only) | |
| 94 7166 | 200,00 |

DuftTec Solo | dosing system for steam rooms



Affordable, compact size dosing system for steam rooms.

Built-in peristaltic pump for essence dosing with dosing intensity adjustment. The dosing output is controlled by setting the intervals between dosing cycles with the built-in adjustment knob on the front side of the unit. The dosing cycle duration may be set inside the unit. Duft-Tec Solo should be operated only with the steam generator switched on.

Max dosing capacity 3l/h, dosing pump SA, dosing tube 3.2×1.6V with holder for 4×1mm and suction tube (PE 0.8m). Power adaptor 230V with mains cable or 1.5m connection cable for direct connection of the pump to the steam generator.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5261 | 641,00 |

Size HWD: 120×80×90mm

Power supply: 230V 1N~

DuftTec Quattro W | dosing system for steam rooms



Essence dosing system for steam rooms, for dosing of 4 fragrances. With standard analogue type control unit.

For dosing of 4 fragrances, with 4 separate dosing outputs.

With 4 quality peristaltic pumps SA type with dosing tubes 3.2×1.6V with tube holder on 4×1mm and suction tube (PE 0.8m), with DS type control unit for adjustment of dosing intervals and dosing duration. With console for 4 essence containers 1.5l.

Supplied completely pre-mounted on a PE-board.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5262 | 3.104,00 |

Power supply: 230V 1N 50Hz

Dosing capacity: max. 3l/h

Dimension HWD: 500×600×300mm

DuftTec Quattro T | dosing system for steam rooms



Essence dosing system for steam rooms, for dosing of 4 fragrances. With an advanced analogue type control unit.

For dosing of 4 fragrances, with 4 separate dosing outputs.

With an advance micro-processor control unit for 4 pumps with 6 programs (8-20 minutes), 6 dosing quantities per fragrance (0-4ml per injection), 5 status LEDs. With 4 SA type peristaltic pumps with dosing tubes 3.2×1.6V with tube holder on 4×1 mm and suction tube (PE 0.8m). With console for 4 essence containers 1.5l.

Supplied completely pre-mounted on a PE-board.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5263 | 3.781,00 |

Power supply: 230V 1N 50Hz

Dosing capacity: max. 3l/h

Dimension HWD: 500×600×350mm

Attention: Requires an optionally available push button panel for operation. See Accessories below for alternative models.

Essence dosing systems

Accessories for AromaTec & DuftTec dosing systems



| Description | Item no. | Price € no VAT |
|---|----------|-------------------|
| DuftTec dosing set DD Dosing valve VA 3/8" - 4×1, 3 m dosing tube PTFE 4×1 | 94 5267 | 107,00 |
| DuftTec dosing valve Dosing valve VA 3/8" - 4×1 | 94 5268 | 80,00 |
| Console for essence containers up to 10l Material: PE black; size HWD: 600×235×240 mm | 94 5269 | 180,00 |
| Steam outlet LD kit V4A stainless steel pipe with connector for steam and fresh air | 94 5270 | 1.542,00 |
| Push button panel 4-fold (no illumination) 4-fold push button panel for Duft-Tec Quattro T, incl. 5 m cable | 94 5271 | 555,00 |
| Bottom housing for flush-mounting installation of 4-fold push button panel, black | 94 5272 | 91,00 |
| Push button panel 1-fold (with illumination) 1-fold push button panel for SolTec and AromaTec Systems, incl. 5 m cable | 94 5143 | 384,00 |
| Bottom housing for flush-mounting installation of 1-fold push button panel, black | 94 5137 | 82,00 |
| Wall-through connector for AromaTec units, stainless steel, thread connection | 94 5192 | 116,00 |
| Sprinkle head for AromaTec units, stainless steel, thread connection | 94 5191 | 98,00 |

Salt nebulizer systems

EOS



SolTec V3 | salt nebulizer system for steam rooms

Salt nebulizer system for steam rooms. For up to 25m² rooms.

New generation digital control unit with a 3,2" colour touch-screen display. Numerous functions (week timer, password protection, etc.).

With solenoid diaphragm pump, stainless steel console V4A for 5l politainer bags, stainless steel V4A injector with bezel, mounting sleeve and 5m dosing tube PTFE 4×1, dry run switch.

Includes disinfecting set.

Pre-assembled, durable metal chassis for wall-hanging installation with a protective metal cover panel.

5l politainer bag with sterile salt brine (5% solution) included.

Note: salt brine is a consumable item. Make sure to order on time for an interruption-free operation.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6246 | 4.531,00 |

Power supply: 230 V 50 Hz

Power consumption 350 W

Dosing capacity up to 1,6 l/h at 5 bar

Dimensions HWD: 710×470×240 mm



SolTec II SL | salt nebulizer system for dry rooms (sauna)

Salt nebulizer system for dry rooms, e.g. for saunas, salt grottos. For up to 35m² rooms.

New generation digital control unit with a 3,2" colour touch-screen display.

Numerous functions (week timer, password protection, etc.).

Peristaltic pump SA with rpm control for dosing quantity adjustment, separate diaphragm compressor, disinfecting set, stainless steel console for 5l salt brine politainer bags, 2-component injector of V4A stainless steel with cover rosette and mounting sleeve, dry run switch.

Pre-assembled, durable metal chassis for wall-hanging installation with a protective metal cover panel.

5l politainer bag with sterile salt brine (5% solution) included.

Note: salt brine is a consumable item. Make sure to order on time for an interruption-free operation.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6245 | 7.204,00 |

Power supply: 230V 50Hz

Power consumption: 400W

Dosing capacity: up to 3,2l/h

Dimensions HWD: 710×470×240 mm

Salt brine for SolTec systems

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| Salt solution (brine) for SolTec 6×1l (boxed) 6 Politainer bags with brine (5%) @ 1l, incl. disinfecting tablet | 94 5273 | 189,00 |
| Salt solution (brine) for SolTec 6×5l (boxed) 6 Politainer bags with brine (5%) @ 5l, incl. disinfecting tabs. | 94 5274 | 475,00 |



Flake ice machines

E-Cool Wall



E-Cool S/SE

Flake ice machine as built-in version for concealed installation.

Allows installation above the ice bowl (ice chute at the bottom) or on the side to the ice bowl (ice chute on the side panel). With integrated or external ice level sensor.

Fully automatic or manual operation, depending on the version. Very low noise. With ice chute made of stainless steel, 60 cm.

Water based cooling system. With status indication LED lamps.

Up to 120 kg flaked ice production capacity per day. Includes 60 cm stainless steel ice chute tube.

Metal housing with anthracite pearl effect finish.

Connections: 3/4" water supply (ice production), 3/4" water supply (cooling system), drain (melted ice), drain (cooling system).

Main on/off power switch. Pre-mounted mains cord with 230 V plug.

NOTICE: special discount conditions apply to this product.

Please ask for an individual quotation.



E-Cool B/BE

| Model | Item no. | Price € no VAT |
|--|----------|-------------------|
| E-Cool Wall B with ice chute on the bottom | 94 6096 | 12.134,00 |
| E-Cool Wall BE , bottom chute , external ice level sensor | 94 6220 | 13.011,00 |
| E-Cool Wall S with ice chute on the side panel | 94 6087 | 12.494,00 |
| E-Cool Wall SE , side chute , external ice level sensor | 94 6221 | 13.236,00 |


Dimensions HWD: 560×530×525mm

Power supply: 230 V 1N~50Hz

Power consumption: 500W

External sensor - max. 50 cm distance to ice, incl. 5m connection cable and mounting bracket.

Sensor size M18×1.



Sauna accessories

A sauna bath is only complete when you can enjoy it with all your senses.

For a completely relaxed sauna experience, everything should be tailored to your individual needs and personal well-being, down to the smallest detail.

High-quality, extensive accessories and precise measuring devices enable you to create an all-round comfortable, stylish ambience.



EOS Excellent climate station
See page 120



EOS Excellent sand timer
See page 120



Further information available at: www.eos-sauna.com/en/products/accessories





Sauna accessories



EOS Sauna bag

High-quality sauna bag made of robust, durable polyester with two front pockets and two side pockets with 2-way zips.

Spacious main compartment. Detachable, length-adjustable shoulder strap with comfortable shoulder pad. Handles with grip sleeves. Floor feet.

Dimensions HWD: approx. 32×66/56×25 cm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7801 | 105,00 |



EOS Sauna scarf

High-quality sauna scarf made of pure cotton. With high/low weaving and EOS logo embroidery.

Dimensions: 30×140 cm; Quality: 480gsm
Colour: Black.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7874 | 42,00 |



EOS Sauna bath towel

High-quality sauna bath towel made of pure cotton. With high/low weaving and EOS logo embroidery.

Dimensions: 200×80 cm; Quality: 480gsm
Colour: Black.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7873 | 72,00 |



image similar

EOS Sauna bath robe

Sauna bath robe with pocket and belt.

Top quality 100% cotton. With embroidery.

Colour: Grey. Washable up to 60 °C.

| Size | S | M | L | XL | XXL | Price € no VAT |
|----------|---------|---------|---------|---------|---------|-------------------|
| Item no. | 94 4360 | 94 4361 | 94 4362 | 94 4363 | 94 4364 | 174,00 |

EOS Sauna bucket set



For sauna enjoyment with style.

Luxury infusion bucket in an extravagant cubistic design made of high-quality, hand-welded steel.

With a matching design ladle with a wooden handle made of thermo aspen and a special, innovative spout. The ladle can be placed very elegantly directly in the bucket.

Colour: black finish

Dimensions bucket HWD: 240×250×250 mm

Dimensions ladle HWD: 65×425×75 mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7599 | 369,00 |

EOS sauna essence holder for 2 to 3 essence bottles



Sauna essence holder for herbs, aetherial oils and sauna essences in various sizes. Perfect match to the EOS sauna bucket set.

Quick and simple installation by simply hanging the holder on the sauna bucket.

Colour: black finish

Dimensions openings:

- Holder for 2 essences: Ø42 mm
- Holder for 3 essences: Ø26 mm

PRICE PER PAIR.

| Item no. | Price € no VAT |
|------------------------------|-------------------|
| Holder for 2 essences | |
| 94 7602 | 69,00 |
| Holder for 3 essences | |
| 94 7603 | 82,00 |

EOS cell phone rack



High-quality holder for mobile phones. Wall-mounting.

Colour: black finish

Dimensions HWD: 85×90×96 mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7766 | 86,00 |

EOS glasses rack



High-quality support for glasses, including anti-slip mat. Wall-mounting.

Colour: black finish

Dimensions HWD: 85×160×120 mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7765 | 82,00 |

EOS coat rack



High-quality coat rack for up to two bath robes.

Colour: black finish

Dimensions HWD: 30×250×100 mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7767 | 69,00 |

Sauna accessories



EOS Thermometer / Hygrometer

Sauna thermometer, round shape Ø 100 mm, wall-mounting. Temperature range 0-120 °C.

Sauna hygrometer, round shape Ø 100 mm, wall-mounting. Humidity range 0-100 % rel. air humidity.

| Item no. | Price € no VAT |
|--------------------------|-------------------|
| Sauna thermometer | |
| 94 6035 | 39,00 |
| Sauna hygrometer | |
| 94 6036 | 47,00 |

made in Germany



Type 100L



Type 100D

EOS Excellent climate station

Exclusive designer sauna climate measuring station.

Round instruments fitted in an anthracite pearl effect metal plate with the wooden frame cut of solid walnut or maple. Ø 100 mm thermometer and hygrometer, measuring range 0-120 °C / 0-100 % rel. air humidity.

Size 340×195 mm. Wall-hanging.

Type 100L - maple

Type 100D - walnut

| Type | Item no. | Price € no VAT |
|------|----------|-------------------|
| 100D | 94 6023 | 189,00 |
| 100L | 94 6024 | 189,00 |

made in Germany



Type 15L

Type 15D

EOS Excellent sand timer

Exclusive sand timer for sauna in stylish, cubistic design. With high contrast sand filling.

Hand-cut from a solid piece of wood - walnut or maple. The innovative integrated magnet holds the timer in vertical position. Available in two design versions - completely made of walnut or maple. With carved EOS logo. Wall-hanging.

Type 15L - maple

Type 15D - walnut

| Type | Item no. | Price € no VAT |
|------|----------|-------------------|
| 15D | 94 6019 | 133,00 |
| 15L | 94 6020 | 133,00 |

made in Germany

Sauna climate station



made in Germany

Sauna climate station, round shape Ø 100 mm.
Combines thermometer and hygrometer in one.
Typical sauna climate range is colour highlighted.

Alternatively available in extra-large size - Ø 160 mm.
Combines thermometer and hygrometer.
Typical sauna climate range is colour highlighted.

| Model | Item no. | Price € no VAT |
|----------|----------|-------------------|
| Ø 100 mm | 90 5523 | 48,00 |
| Ø 160 mm | 90 6084 | 72,00 |

Sauna climate station in glass & wood design



Sauna climate station with a separate thermometer and a hygrometer mounted on a glass panel with wooden frame.
Measuring range 0 - 120 °C / 0 - 100 % rel. humidity;
Size: 180 × 245 mm. Diameter of instruments: Ø 100 mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4118 | 118,00 |

Sauna backrest



Ergonomically shaped sauna backrest, poplar wood, with leather anti-skid strips.
Size HWD: 520 × 400 × 70 mm

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4121 | 86,00 |

Sand timer



Sauna sand timer, wooden housing, approx. 15 min running time. Coloured sand. Wall-mounting.

| Item no. | Price € no VAT |
|----------|-------------------|
| 905518 | 31,00 |

Sauna set N I



6-part: includes sauna bucket 5 l with PVC liner, ladle, sand timer, thermo-/hygrometer combination Ø100 mm and a sauna rules board.
Packed in a box.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 2863 | 172,00 |

Sauna accessories



Sauna set stainless steel

Stainless steel bucket 4.5l with wooden handle, stainless steel ladle with wooden handle.

Packed in a gift box.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4122 | 93,00 |



Sauna bucket + ladle standard wood

Sauna bucket made of high quality coniferous wood, with approx. 5l volume.

Includes PVC liner.

Sauna ladle made of hardwood, approx. 40 cm long.

| Item no. | Price € no VAT |
|---------------------|-------------------|
| Sauna bucket | |
| 90 5520 | 78,00 |
| Sauna ladle | |
| 90 5519 | 30,00 |

Drench bucket



Made of high quality untreated cedar wood. Thanks to the integrated lever a greatly smaller force is needed to pull the bucket for a water splash. All frame parts, holding bar, nuts, pull chain and other metal parts are made of stainless steel which provides a robust and long-lasting construction.

The water level may be adjusted from 4,5 to approx. 7l volume with the same water splash quantity. Built-in valve for automatic refilling (permanent connection required).

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 6412 | 633,00 |

Bucket size Ø/H: 255 mm (top) × 265 mm.
Action radius 305 mm.
Chain length 700 mm.
Water connection - nozzle 1/2".

Sauna lamp



Sauna lamp, with oval shape wooden diffuser 205×270 mm, dazzle-free, with water-splash proof, heat-resistant (T150 °C) oval lamp, IP54, die-cast aluminium base with matt glass globe and ceramic E27 type socket, bulb not included.

Alternately available as "Sauna Lamp Basic", as above but without wooden diffuser. Bulb not included.

Special compact size bulb, 300 °C resistant, E27, 40 W

| Item no. | Price € no VAT |
|--|-------------------|
| 94 2877 | 61,00 |
| Sauna lamp „Basic“, no diffuser | |
| 94 3749 | 29,00 |
| Bulb E27, 40 W | |
| 94 5497 | 17,00 |

Ventilation fan



Ventilation fan, suits sauna cabins up to 16 m³, IP55 protection class. Capacity: 160 cbm/h, with quality ball bearing.

For larger size cabins several fans may be used with parallel connection.

Min/max operation temperatures: -10 °C to +70 °C.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5774 | 69,00 |

Size HWD: 120×120×38 mm
Power supply: 230 V 1N ~ 50 Hz
Power output: 22 W

Diabase sauna stones



Diabase sauna stones are the most common sauna stones for all types of sauna heaters. These sauna stones are also referred to as subvolcanic rocks, which is quarried in western Finland. This traditional type of stone has a very fine-grained, resistant structure and, due to its high density, can store and release heat well.

Diabase sauna stones are very durable and are also ideal for frequent sauna infusions.

Colour: medium grey to grey-green



Image shows EOS Selection with diabase sauna stones.

| Stone size, mm | Weight | Packing | Item no. | Price € no VAT |
|----------------|--------|---------|----------|-------------------|
| 30 - 60 | ~8kg | boxed | 94 7338 | 29,00 |
| 100 - 150 | ~15kg | boxed | 94 8054 | 46,00 |
| 100 - 150 | ~20 kg | boxed | 94 7340 | 46,00 |
| 50 - 100 | ~20kg | boxed | 94 7336 | 46,00 |
| 50 - 100 | ~25kg | boxed | 94 7337 | 54,00 |

Dark vulcanite sauna stones



The dark vulcanite sauna stone is a dark gray stone with many crystalline inclusions. During sauna infusions, the stone looks almost black and shines with many light reflections. The volcanic origin of the stone dates back about two billion years.

Due to its structure and composition, vulcanite is an excellent choice for sauna enthusiasts who appreciate an interesting look and want to set special accents in their sauna.

Colour: Dark grey with prominent crystalline inclusions

Grain size approx. 50 - 100mm. 20kg or 25kg package.



Image shows EOS Selection with dark vulcanite sauna stones.

| Item no. | Price € no VAT |
|----------------------|-------------------|
| 20 kg package | |
| 94 7911 | 49,00 |
| 25 kg package | |
| 94 8114 | 58,00 |

White quartz sauna stones



The snow-white sauna stones are particularly suitable as decorative elements on the sauna heater. They create attractive contrasts and, with their finely rounded shapes, are characterized by a unique, striking look. They also prove to be very durable and offer excellent infusion characteristics thanks to the fine-pored surface.

Snow-white stones may only be used as the top layer.

Colour: white

Grain size approx. 50 - 80mm. 10kg package.



Image shows EOS Selection with white quartz sauna stones.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 7698 | 77,00 |

Sauna accessories



Original Himalaya salt and accessories

| Description | Item no. | Price € no VAT |
|--|----------|--------------------|
| Salt rocks, various size, 0,5kg pack for Multicup bowl | 94 2630 | 25,00 |
| Salt tile, 200×100×25mm, 20 pcs per box, price per box | 94 5433 | Price upon request |
| Salt tile, 200×200×25mm, 20 pcs per box, price per box | 94 5430 | |
| Salt brick 200×100×50 mm, 1 side (front) natural (raw) appearance. 10 pcs / box, price per box, size tolerance 3 - 6 mm. | 94 5432 | |
| Salt brick 200×100×50 mm, all sides straight cut. 10 pcs/box, price per box, tolerance 3 - 6 mm | 94 5426 | |

Glue for salt bricks and tiles

Special glue for Himalaya salt bricks and tiles. 1 kg pack, sufficient for approx. 1 m² gluing surface.
Very simple to use (powder, to be mixed with water).
Ensures very strong and reliable bond. Allows to glue salt to variety of different materials (e.g. wood, stone).

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5510 | 57,00 |

Himalaya salt wall panel



Wall panel with Himalaya salt bricks in Abachi wood frame 1090×283×40 mm. Filled with straight cut Himalaya salt bricks, 25mm depth. For wall installation on the appropriate surfaces.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5578 | 295,00 |

Silicone coated connection cables

Quality cable with heat resistant silicone coating (red). Ideal for connection of sauna equipment.
On request available in larger lengths.

| Cross section | Length | Item no. | Price € no VAT |
|----------------------|--------|----------|--------------------|
| 3×1,5mm ² | 5m | 94 3737 | Price upon request |
| 5×1,5mm ² | 2m | 94 2440 | |
| | 5m | 94 2872 | |
| 5×2,5mm ² | 2m | 94 2437 | |
| | 5m | 94 2871 | |
| 5×4mm ² | 5m | 94 2870 | |
| 5×6mm ² | 5m | 94 2869 | |

Silicone coated cables for sensors

| Type | Colour | Length | Item no. | Price € no VAT |
|---|--------|--------|----------|--------------------|
| Silicone cable 2×0.5mm ² (temperature sensor standard) | red | 5m | 94 2866 | Price upon request |
| Silicone cable 2×0.5mm ² (overheating limited) | white | 5m | 94 2867 | |
| Silicone cable 3×0.5mm ² (humidity sensor F2) | red | 5m | 94 2868 | |



Sauna doors and accessories



Sauna door

All-glass door, with two door hinges, sealing, door knob, magnet lock. Wooden frame made of spruce.




Clear glass sheet

Glass sheet size WH: 590 or 680×1915mm

Frame size WHD: 650 or 740×1960×40mm

ESG safety glass 8mm

| Item no. | Price € no VAT |
|---------------------|-------------------|
| 590 mm width | |
| 94 9031 | 419,00 |
| 680 mm width | |
| 94 9032 | 499,00 |



Door hinge for 6 - 8 mm glass doors



Door hinge for 6 or 8 mm glass doors. Made of aluminium/zinc alloy. Max weight load: 28 kg/hinge.

Size W×H: 60×70 mm

Sales unit 1 piece

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 4345 | 106,00 |

Double-glass door hinge, 6 - 8 mm



Door hinge for 6 or 8 mm glass doors. For connection of two glass sheets, opening angle 180°, made of aluminium / zinc alloy. Alternatively available with elegant matt black finish.

Max weight load: 28 kg/hinge

Size W×H: 92×82 mm

Price per 1 hinge

| Item no. | Price € no VAT |
|-----------------------------------|-------------------|
| Twin-side door hinge | |
| 94 5937 | 106,00 |
| Twin-side door hinge black | |
| 94 7468 | 113,00 |

Door handle



Door handle set in sleek contemporary design. Inner part made of solid wood, outer part made of brushed metal. Includes connection screws.

| Item no. | Price € no VAT |
|----------|-------------------|
| 94 5320 | 88,00 |

Magnet door lock for glass doors

| Description | Item no. | Price € no VAT |
|--|----------|-------------------|
| U-shape metal catch for magnet locks, for 6 mm glass | 94 4120 | 11,00 |
| U-shape metal catch for magnet locks, for 8 mm glass | 94 4126 | 11,00 |
| Door magnet lock 95 N | 94 4124 | 17,00 |
| Door magnet lock 150 N | 94 4125 | 22,00 |

Important notes

Order acceptance is carried out exclusively based upon our general terms and conditions of purchase, delivery is carried out exclusively based upon our general terms and conditions of sale, which both can be found at www.eos-sauna.com/agb.

This price list is valid from 01 January 2025 and is going to lose its validity once a new price list is issued. The prices valid on the day of delivery are going to be used for invoicing. Once this price list becomes valid, all previous price lists will lose their validity.

No liability for print errors, technical changes without prior notice are reserved. Changes by product specifications are reserved.

The export to and operation in the USA or Canada are not permitted. By violation of this stipulation EOS shall not be held liable by any claims. We expressly advise that in such case high liability risk arise for the exporter and / or operator.

For subsequent amendments of already packed and prepared for delivery orders a handling fee of 100 € will be charged.

For forwarding to third parties a handling fee of 5% will be charged if the order net value is below 300 €.

By customized wiring of the electric appliances an individually calculated surcharge will be invoiced.

The minimum value of a purchase order is 20.00 €.

A 5,00 € surcharge will be applied by:

- small orders / small quantities below 50,00 € net goods value,
- Individual dispatch or parcel service dispatch of sauna heaters (please refer to the special notes by the respective sauna heaters).

November 2024

EOS Saunatechnik GmbH

Schneiderstriesch 1, 35759 Driedorf, Germany

Tel.: +49 2775 82 0

Email: info@eos-sauna.de

Service Center:

Tel.: +49 2775 82 514

Email: service@eos-sauna.de

www.eos-sauna.com/en

4-year warranty* on heating elements for privately used sauna heaters

The quality of the high-class products from our company speaks for itself. We are reinforcing this with a four-year warranty on all heating elements for privately used sauna heaters.

The warranty period begins on the date of production of the sauna heater (according to the type plate) and is 4 years for the heating elements for private use.

Any shipping, transport, travel, repair or assembly costs incurred will not be reimbursed by us. This also applies in particular to costs incurred without written authorization from our service department as a result of service calls from external companies.

A warranty service will only be executed if

- ✓ the production date of the heater is after **December 1st, 2022**.
- ✓ the assembly, commissioning and long-term operation of our products have been carried out professionally and in accordance with the manufacturer's specifications (see installation and operating instructions).
- ✓ the proof of purchase belonging to the product can be presented.
- ✓ proof that the electrical connection has been carried out by a qualified electrician can be provided.
- ✓ the warranty claim is sent to our service department together with the device designation, the item number, the serial number and a significant description of the error and an RMA number has been assigned there for the process.

A warranty service will not be executed if

- ✓ changes have been made to our products without our written consent.
- ✓ defects were caused a result of improper use.
- ✓ no original EOS spare parts were used within the warranty period.

Any warranty claim is void if the original type plate has been altered, replaced, removed, defaced or manipulated in any other way.

Our promise of quality

We only promise what we can really guarantee. Our standards for the quality of our products is already unique. Therefore, we are the only manufacturer in Europe that can offer a four-year warranty on our heating elements. This makes EOS your reliable partner for sauna engineering with the highest level of quality.



*according to our guarantee conditions, available at www.eos-sauna.com/en/warranty-conditions

Overview sauna control, heater power selection

Control units - overview of functions and features




















| | Dimensions HWD, mm | Touch screen | TFT Farbdisplay | LCD multi-functional display (backlighting) | electronic temperature control | Pre-set timer 0-24 h | Heating time limitation, hours | Cabin light control, output 230V | Cabin light output dimmable | Display of time / pre-set timer 24 h | Temperature control range, dry sauna, °C | Temperature control range, humid sauna, °C | Fan control, output 230 V | Optional 2nd temperature sensor | Optional humidity sensor | Sauna dry program (afterheating) | Data retention after power loss (24 h) | Power extension with LSC box | Optional colour light control | For dry & humid sauna operation | Max switching capacity, kW |
|-----------------------------|---|--------------|-----------------|---|--------------------------------|----------------------|--------------------------------|----------------------------------|-----------------------------|--------------------------------------|--|--|---------------------------|---------------------------------|--------------------------|----------------------------------|--|------------------------------|-------------------------------|---------------------------------|----------------------------|
| EOS EmoTec / EOS EmoStyle D | Control panel: 127×130×25 mm Relay box: 270×300×100 mm | | ■ | | ■ | ■ | 6/12/∞ | ■ | ■ | ■ | 30-115 | | ■ | ■ | | | ■ | ■ | ■ | | 10 |
| EOS EmoTec / EOS EmoStyle H | | | ■ | | ■ | ■ | 6/12/∞ | ■ | ■ | ■ | 30-115 | 30-70 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | 10 |
| EmoStyle Hi | Control panel: 202×142×42 mm | | ■ | | ■ | ■ | 6/12/∞ | ■ | ■ | ■ | 30-115 | 30-70 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | 10 |
| EOS EmoTouch 3 | Control panel: 141×201 mm | ■ | | | ■ | ■ | 6/12/∞ | ■ | ■ | ■ | 30-115 | 30-70 | ■ | ■ | ■ | ■ | ■ | ■ | ■ | ■ | 10 |
| EOS Compact DP | Control panel: 220×255×65 mm | | ■ | | ■ | ■ | 6/12/18 / ∞ | ■ | | ■ | 30-115 | | ■ | ■ | | | ■ | ■ | | | 10 |
| EOS Compact HP | | | ■ | | ■ | ■ | 6/12/18 / ∞ | ■ | | ■ | 30-115 | 30-70 | ■ | ■ | | ■ | ■ | ■ | | ■ | 10 |
| EOS Compact DC | | | ■ | | ■ | ■ | 6/12/18 / ∞ | ■ | ■ | ■ | 30-115 | | ■ | ■ | | | ■ | ■ | | | 10 |
| EOS Compact HC | | | ■ | | ■ | ■ | 6/12/18 / ∞ | ■ | ■ | ■ | 30-115 | 30-70 | ■ | ■ | | ■ | ■ | ■ | | ■ | 10 |
| EOS Compact D18 | Control panel: 220×255×90 mm | | ■ | | ■ | ■ | 6/12/18 / ∞ | ■ | ■ | ■ | 30-115 | | ■ | ■ | | | ■ | ■ | | | 18 |
| EOS Compact H18 | | | ■ | | ■ | ■ | 6/12/18 / ∞ | ■ | ■ | ■ | 30-115 | 30-70 | ■ | ■ | | ■ | ■ | ■ | | ■ | 18 |
| EOS Econ D2 | Control panel: 220×250×67 mm | | | ■ | ■ | ■ | 6/12 | ■ | | ■ | 30-115 | | | | | | ■ | ■ | | | 9 |
| EOS Econ H2 | | | | ■ | ■ | ■ | 6/12 | ■ | | ■ | 30-115 | 30-70 | | | | ■ | ■ | ■ | | ■ | 9 |
| EOS Econ D3 | | | | ■ | ■ | ■ | 6/12/∞ | ■ | | ■ | 30-115 | | | ■ | | | ■ | ■ | | | 9 |
| EOS Econ H3 | | | | ■ | ■ | ■ | 6/12/∞ | ■ | | ■ | 30-115 | 30-70 | | ■ | ■ | ■ | ■ | ■ | | ■ | 9 |
| EOS Econ D4 | | | | ■ | ■ | ■ | 6/12/∞ | ■ | ■ | ■ | 30-115 | | ■ | ■ | | | ■ | ■ | | | 9 |
| EOS Econ H4 | | | | ■ | ■ | ■ | 6/12/∞ | ■ | ■ | ■ | 30-115 | 30-70 | ■ | ■ | ■ | ■ | ■ | ■ | | ■ | 9 |

Steam room size

| Power | Acryl steam room | Wall cladding made of tiles / hard foam | Wall cladding made of tiles on concrete | Solid wall made of concrete / tiles |
|--------|-------------------------|---|---|-------------------------------------|
| 3.0kW | up to 4m ³ | up to 3m ³ | up to 3m ³ | up to 2m ³ |
| 4.0kW | up to 5m ³ | up to 4.5m ³ | up to 3.5m ³ | up to 2,5m ³ |
| 6.0kW | 4.1 - 8m ³ | 3.1 - 6m ³ | 3.1 - 5m ³ | 2.1 - 4m ³ |
| 9.0kW | 8.1 - 12m ³ | 6.1 - 10m ³ | 5.1 - 8m ³ | 4.1 - 6m ³ |
| 12.0kW | 12.1 - 16m ³ | 10.1 - 13m ³ | 8.1 - 11m ³ | 6.1 - 8m ³ |
| 15.0kW | 16.1 - 20m ³ | 13.1 - 16m ³ | 11.1 - 13m ³ | 8.1 - 10m ³ |
| 18.0kW | 20.1 - 24m ³ | 16.1 - 19m ³ | 13.1 - 16m ³ | 10.1 - 12m ³ |

Errors and omissions excepted. Technical changes reserved. All information is without guarantee.
For further information and specifications, please do not hesitate to contact us.

Heater power selection, cable connections and fuse protection

| Notice: heater power selection refers to the standard wooden sauna and presents only a rough, non-binding suggestion.* | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|--|---|--|---|---|---|---|---------|-----------------------|--------------------|----------------------------|--|
| Heating power kW | Sauna cabin size in m³ | | | | | | | | | | Min. cable cross section in mm² | | | | | | | | | | | | | |
| | 3-4 | 3-4,5 | 4-6 | 6-8 | 7-10 | 9-14 | 11-15 | 14-18 | 18-25 | 24-30 | 24-34 | 35-40 | 40-50 | 50-65 | 60-75 | 65-80 | 70-90 | 80-100 | 100-130 | 130-160 | Connection 400 V 3N ~ | Connection 230 V ~ | Fuse protection, A | |
| 3.0 |  | | | | | | | | | | | | | | | | | | | | | 3×1,5² | 1×16 | |
| 3.5 | |  | | | | | | | | | | | | | | | | | | | | | | |
| 4.5 | | |  | | | | | | | | | | | | | | | | | | | | | |
| 6.0 | | | |  | | | | | | | | | | | | | | | | | 5×2,5² | | 3×16 | |
| 7.5 | | | | |  | | | | | | | | | | | | | | | | | | | |
| 9.0 | | | | | |  | | | | | | | | | | | | | | | | | | |
| 10.0 / 10.5 | | | | | | |  | | | | | | | | | | | | | | 5×4² | | 3×25 | |
| 12.0 | | | | | | | |  | | | | | | | | | | | | | | | | |
| 15.0 | | | | | | | | |  | | | | | | | | | | | | | | | |
| 18.0 | | | | | | | | | |  | | | | | | | | | | | 5×6² | | 3×35 | |
| 21.0 | | | | | | | | | | |  | | | | | | | | | | | | | |
| 24.0 | | | | | | | | | | | |  | | | | | | | | | 5×10² | | 3×50 | |
| 27.0 | | | | | | | | | | | | |  | | | | | | | | | | | |
| 30.0 | | | | | | | | | | | | | |  | | | | | | | mind. 5×10² | | 3×63 | |
| 36.0 | | | | | | | | | | | | | | |  | | | | | | | | | |
| 42.0 | | | | | | | | | | | | | | | |  | | | | | 2×(5×4²) 2×(5×6²) | | 1X (3×35 A) 1X (3×63 A) | |
| 48.0 | | | | | | | | | | | | | | | | |  | | | | | | | |
| 54.0 | | | | | | | | | | | | | | | | | |  | | | | | | |
| 60.0 | | | | | | | | | | | | | | | | | | |  | | 4×(5×6²) | | 2×(3×35 A) | |
| 72.0 | | | | | | | | | | | | | | | | | | | | | | | 2×(3×63 A) | |

* depending on the used building materials
Errors and omissions excepted. Technical changes reserved. All information is without guarantee.

EOS

EOS Saunatechnik GmbH
Schneiderstriesch 1
35759 Driedorf, Germany
info@eos-sauna.de
www.eos-sauna.com

made in Germany 