

Control units



Perfect relaxation is no coincidence, but the result of optimal interaction of all necessary components. Regardless of whether it is a classic Finnish sauna, Bi-O sauna, steam bath or an infrared cabin, the EOS control units help you to create the unique moment of wellbeing and a memorable experience.

Leave nothing to chance.

EOS control units combine smart features and the cutting-edge engineering with simplicity and comfort in use, setting the quality benchmark both in the private and in the commercial sector.

EOS control units. The right choice. Innovative. Functional. Reliable.



EOS Compact DC | Compact HC

EOS Compact DC - for dry sauna EOS Compact HC – for dry & humid sauna

Control unit for demanding private and commercial use. Modern, stylish design with slim depth housing. Available in white and anthracite. Flexible mounting options - wall mounting and partially recessed mounting.

Simple, intuitive operation thanks to multifunctional buttons. Large 3.5" TFT colour display. Display for remaining time, holiday home mode, 4 user profiles, operation lock

EOS Compact HC additionally with humidity control suits all Bi-O type sauna heaters up to 10kW. Switching capacity can be extended with power supply units.

Very large scope of functions and features, e.g. dimmable cabin light output, two-stage fan output, output for EOSafe safety system, HOT function with short-time power boost (via external SBM-HOT module), remote start (via external remote start module), remote control via building management system (via external KNX/ Modbus module), etc.

Model	ltem no.
EOS Compact DC anthracite	94 7433
EOS Compact DC white	94 7429
EOS Compact HC anthracite	94 7434
EOS Compact HC white	94 7430



EOS EmoTec D | EmoTec H

EOS EmoTec D – for dry sauna EOS EmoTec H - for dry & humid sauna

Premium class digital control unit for demanding private and commercial operation. EOS EmoTec features a separate slim-size display panel with a TFT colour display with menu navigation in 19 languages. The jog-dial knob allows to reach all essential functions and makes settings in seconds.

EOS EmoTec is loaded with many advanced functions, such as extended week timer, restricted access modes, energy saving ECO or power boost HOT mode. Additional extension modules for music and colour light control are optionally available.

EOS EmoTec H additionally with humidity control - suits all Bi-O type sauna heaters. Optional humidity sensor (allows exact humidity setting per rel. air humidity in %).

Timer and preset time can be activated in conjunction with a safety device.

Potential-free contact / output.

Model	ltem no.
EOS EmoTec D anthracite	94 5559
EOS EmoTec D black / white	94 7256 / 94 6053
EOS EmoTec H anthracite	94 5560
EOS EmoTec H black / white	94 7257 / 94 6054

-			
	84	_	0
	\$		0 ☆ ₽
	09.12	64	Û
			\$J €
_		09:12	~

EOS EmoStyle Hi EOS EmoStyle D | EmoStyle H

EOS EmoStyle D - for dry sauna EOS EmoStyle H - for dry & humid sauna

Luxury class digital control unit for demandin vate and commercial sauna cabins.

Exclusive design - stylish display panel with glass

The display panel may be installed remotely distance up to 100m. For flush-mounting of face-mounting installation.

With TFT colour display with menu navigation languages, operation via capacitive buttons.

All functions as the EOS EmoTec series models

Additional extension modules for music, coloured remote control and others are optionally available


EOS EmoStyle H – with humidity control, for all EOS Bi-O type sauna heaters. Humidity control effects either with proportional to time switching or as per relative air humidity (requires optional humidity sensor).

Model	ltem no.
EOS EmoStyle D white	94 6316
EOS EmoStyle D black	94 6314
EOS EmoStyle H white	94 6315
EOS EmoStyle H black	94 6319



EOS EmoStyle Hi - for dry & humid sauna

ng pri-	Luxury class digital control unit with display panel suit-able for installations inside sauna cabins.
s front. y at a or sur-	Exclusive display panel design with glass front and stylish wooden inlay of maple or walnut with inte- grated capacitive button for quick and easy opera- tion.
n in 19	Available in four designs: • White or black glass • with maple or walnut inlay
s. d light, le	All functions as the EOS EmoStyle series models.





EOS EmoTouch 3

Item no.

94 6317

94 6241

94 6415

94 6414

Innovative touchscreen control system - for saunas, infrared cabins, steam rooms or hammams.

EOS EmoTouch 3 can control both dry and humid sauna operation at the highest level of demands. A true "high end class" experience for your entire spa, whether for private or commercial use. Control of up to 8 cabins from just one display panel (using extensions). Combine saunas, steam baths, hammams and infrared cabins as you wish - one control panel provides fast, simple and easy access to all connected cabins and their functions.

The 7" capacitive colour touchscreen display with the patented graphic user interface and menu navigation in 20 languages take the operation to a completely new level of comfort. Available in white and black design or new, with an individual glass frame. The new EOS EmoTouch 3 Individual offers infinite design possibilities - create your favorite design!

Smart guided setup, on-site update possibility, and fine tuning tools - leaving literally no wish unfulfilled.

Additional practical functions such as controlling music or LED coloured lighting, app, remote start, etc. can be easily enhanced with optional modules.

Model	Item no. Sauna / Hammam
EOS EmoTouch 3 white	94 6505 / 94 6992
EOS EmoTouch 3 black	94 6504 / 94 6991
EOS EmoTouch 3 Individual	94 8880 / 94 8881



Extensions for EOS EmoTouch 3

LSG Sauna: Allows to connect an additional sauna cabin and control it from the existing EOS EmoTouch 3 display panel. Supports dry and humid sauna operation. Up to 3kW vaporizer output.

LSC Hammam: Allows to control a hammam as an additional cabin from the existing display panel. Three separate 3kW outputs for floor, bench and wall heat ing. Temperature control range to 40°C.

LSG Infrared: Allows to control a separate infrared cabin. 3 outputs (2×dimmable, 1×switchable) - can be controlled individually or bundled in groups. Temperature control as per air temperature or by feeling through zone dimming. Up to 3500W switching capacity.

LSG Steam: Allows to operate various steam generators, also of other brands. Compatibility must be checked in advance. Output - switching signal only.

Model	ltem no.
LSG Sauna	94 6640
LSG Hammam	94 6672
LSG Infrarot	94 6965
LSG Steam	94 6967

Modules and accessories



SBM-FL 75/150

Coloured light module

For control of almost any RGB or white light LED lamp (e.g. LED strips, spots, etc.). No driver needed, direct connection to the module.

Suits voltage-controlled and current controlled LEDs, dimmable outputs.

Output: RGB (3 separately adjustable channels) and white light (linking to main light possible). Available with two power outputs: 67.5W and 135W. IR-sensor with wireless remote optional.



SBM-FL75 (67,5 W) Item no. 94 5996 SBM-FL150 (135 W) Item no. 94 6007



KNX-/MODBUS module

The KNX- / Modbus module allows to integrate vour cabin into a BMS system using the KNX or Modbus communication protocols.

Allows remote control for: heating (dry or humid modes), temperature and humidity, light with dimming, volt-free output switching, monitoring of temperature and humidity, sauna status etc.

			EMO TEC	COM- PACT
--	--	--	------------	--------------

SBM-GLT-KNX..... Item no. 94 7078 SBM-GLT-Modbus.....Item no. 94 7077

Power Extensions

FOS

For sauna heaters with 10.5kW or more power you will need a power extension unit, like PEB10 (10kW) or contactor boxes PEB18 (18kW) / PEB36 (2×18 kW).



SBM-IR

Infrared module

Allows to control infrared radiators and heating foils in a sauna. Three operation modes are possible: only sauna, only infrared

or sauna and infrared at once.

3 separate, individually controlled outputs: 2×1.500W dimmable and 1×500W switchable.

Up to 5 channels allow to create individual zones (e.g. front, side, back).



SBM-IR Module.....Item no. 94 6966





sauna as well as steam Coogle pla rooms, hammams and infrared cabins remote-

ly from a smart phone or tablet-PC with the "EOS Spa Control" app from any place worldwide (internet access required). No separate power supply needed.

Delivery does not include a smart phone or a tablet pc Suitable for Android and Apple iOS.



SBM-App Module.....Item no. 94 5987



EOSafe

Safety solution

EOSafe D - based on door supervision. The system is able to detect an unauthorized opening of the door and

through this ensure due safety. Set includes control unit, RFID device (for glass doors), authorization chip, cables.

EOSafe L - for supervision of the sauna heater through a light ray solution with an emitter/receiver on the ceiling and a reflector mounted on the heater.

|--|

EOSafe D	. Item no. 94 7149
EOSafe L	. Item no. 94 7150



🚲 EOS LED Strip

New improved construction. Slim connector on both ends for a chain-tvpe connection. Available

in different sets as RGB coloured light type and as white light type. Very high heat resistance up to 140 °C (autom. reduction of the light intensity at 110 °C). Exceptionally high light output - up to 160 lumen per watt.

24V ~ voltage, power output 3.6 - 4W.

PEB 10 ET (10 kW)

Very compact size: 495×15×5mm

LED strip warm white ... Item no. 94 9049 LED strip RGB.....Item no. 94 9039



SBM-Hot / Eco

module

Push button and module for Hot function for sauna. Hot is a power boost function (up to 30 minutes).

Push button and module for Eco function for sauna and steam rooms. Eco is a power-saving mode with manual or automatic operation.

EMO STYLE	EMO TEC	$\mathbf{>}$	COM- PACT	\checkmark
lat	1+		o 04	6000

SBM-Hot	ltem no. 94 6800
SBM-Eco	Item no. 94 6980



EOS LED Spot

Dimmable, recessed spotlights for use in saunas, infrared cabins. steam rooms and hammams. Avail-

able in matt nickel or black finish in different sets as RGB or warm white version. Elegant round-shape slim size housing with pre-mounted 2m connection cable allows fast and easy installation. Very compact size: Ø 84×25mm. 4W / 24V ~. Protection class IP65.

Heat-resistant up to 110°C.

PEB 18 (18 kW)

LED spot warm white......Item no. 94 7421 LED spot RGB.....Item no. 94 7424

PEB 36 (36 kW)



EOS Saunatechnik GmbH | Schneiderstriesch1 | 35759 Driedorf | Germany | Tel. +49 2775 82 0 | www.eos-sauna.com | info@eos-sauna.de





