



For decades, EOS has been designing its sauna equipment with the individual desires of sauna enthusiasts in mind. Regardless of whether it is the classic Finnish sauna, the theme sauna, the herbal or the soft steam bath: We know what kind of demands the modern sauna must meet. Therefore, it is not surprising that EOS is Europe's leader in the commercial as well as in the private sector, when it comes to innovation, design and quality.

Rely on the competence of the premium-market leader.



EOS ThermoTec W

Wall-mounting heater

Sauna heater for a dry Finnish sauna. EOS ThermoTec W feat-ures a classic, timeless design with a die-cast aluminium top and an outer shell with a scratch-resistant anthracite pearl effect finish.

The proven corrosion-resistant construction delivers many years of reliable service. The perfectly balanced rock store ensures continuously stable air convection and high temperature reserves for authentic water splashes.

Rock store fits approx. 18 kg sauna stones. Suitable cover protection rail type 1.

Power supply: 400 V 3 N ~ 50/60 Hz Dimensions HWD: 600 × 375 × 380 mm Outer shell: anthracite pearl effect finish

 Power
 Sauna cabin
 Item No.

 6,0 kW
 6 - 8 m³
 94 5688

 7,5 kW
 7 - 10 m³
 94 5689

 9,0 kW
 9 - 14 m³
 94 5690



EOS Cubo

Floor-standing heater

Stylish sauna heater in modern cubistic design with brushed stainless steel top and outer shell in anthracite pearl effect. Suitable for private and commercial use.

Floor-standing, space-saving design - only $40\times39\,\mathrm{cm}$ footprint, flat rear side with recessed terminal box, thanks to the optional rear side cover panel ideal for installation in front of glass panels.

Rock store fits approx. 25kg sauna stones. Suitable cover protection guard type 1. 7.5kW and 9kW available as a single-phase version.

Also available as **Cubo Avantgarde** with stylish matt black finish or as **Cubo+** (same dimensions as Bi-O Cubo) with extra large 40 kg stone volume for powerful water splashes.

Power supply: 400 V 3 N ~ 50/60 Hz
Dimensions HWD: 720 × 400 × 385 mm
Outer shell: anthracite pearl effect or matt black finish

Power	Sauna cabin	Item No.
7,5kW	7 - 10 m³	94 5073
9,0 kW	9 - 14 m³	94 5074
10,5kW	12 - 16 m³	94 6592
12,0 kW	14 - 18 m³	94 5075



EOS BlackRock

Floor-standing heater

High-performance floor-standing sauna heater for sauna cabins up to approx. 30m. Uniform appearance on all sides. No rear side, no protruding terminal box.

High-contrast design with side panels with anthracite finish and corners made of polished stainless steel. Top cover of polished stainless steel. Also available as "Black Line Edition" with all sides and top with stylish matt black finish.

Rock store fits approx. 40 kg sauna stones. Suitable cover protection guard type 4.

Power supply: 400 V 3 N ~ 50/60 Hz Dimensions HWD: 830 × 555 × 555 mm

12.0 kW

18.0 kW 24 - 30 m³

Outer shell: stainless steel, side panels with

anthracite finish or all sides and top with stylish matt black finish

Item no. anthracite / black

947140 / 947312

94 7141 / 94 7313

94 7142 / 94 7314



EOS Bi-O Tec W

Wall-mounting heater

High-quality sauna heater with integrated vaporizer for various climate forms: classic Finnish, soft sauna, herbal bath etc.

With an elegant die-cast aluminium top. Durable construction with the inner shell made of stainless steel. Vaporizer at the right-hand side with a 5 l water tank. With a bowl for herbs and oils. Manual filling. Dry-run protection with acoustic alarm.

Rock store fits approx. 18kg sauna stones. Suitable cover protection guard type 1. Up to 9,0kW also for single phase installation available.

Power supply: 400 V 3 N ~ 50/60 Hz Dimensions HWD: 600 × 450 × 380 mm

Outer shell: anthracite pearl effect finish (upon request - polished stainless steel)

 Power
 Sauna cabin
 Item No.

 6,0 kW
 6 - 8 m³
 94 2605A

 7,5 kW
 7 - 10 m³
 94 2606A

 9,0 kW
 9 - 14 m³
 94 2607A



EOS Bi-O Cubo

Floor-standing heater

Modern sauna heater with integrated vaporizer for private and commercial use.

Brushed stainless steel top and inner shell in anthracite pearl effect finish. Flat rear side with recessed terminal box. No contact between stones and heating elements.

Installed vaporizer in the lower area, 91 water tank. With a bowl for herbs and essences. Manual filling. Integrated dry-run protection with acoustic alarm. Water level indication.

Rock store fits approx. 25kg sauna stones. Suitable cover protection guard type 1. Up to 9,0kW also for single phase installation available.

Power supply: 400 V 3 N ~ 50/60 Hz Dimensions HWD: 950 × 400 × 395 mm

Outer shell: anthracite pearl effect finish or matt black finish

 Power
 Sauna cabin
 Item no. anthracite / black

 7,5kW
 7 - 10 m³
 94 5922 / 94 7471

 9,0kW
 9 - 14 m³
 94 5923 / 94 7276

 10,5kW
 12 - 16 m³
 94 5924 / 94 7472

 12,0kW
 14 - 18 m³
 94 5925 / 94 7277



EOS BlackRock vaporizer

External vaporizer

External vaporizer for EOS BlackRock sauna heaters - turns every BlackRock sauna heater into a "Bi-O" version for a flexible sauna climate from hot and dry to mild and humid.

Durable stainless steel water tank with manual drain, 10 l tank volume, 3,0 kW power.

Very slim design - only 10,5cm depth. The vaporizer can be mounted on any side of the heater. Retrofitting possible on site.

The sauna heater must be ordered separately and is not included in the delivery!

Power supply: 230 V 1N ~

Dimensions HWD: $760 \times 395 \times 105 \text{ mm}$

(vaporizer only)
Dimensions HWD: 830 × 555 × 650 mm

(vaporizer + heater)

Outer shell: stainless steel with anthracite finish or matt black finish

IIIISII OI IIIALL DIACK IIIISII

Design	Item no.
Anthracite	94 7230
Black	94 7324



Switching capacity: 10 kW, extendable

EOS Compact DP (dry Finnish sauna)

Control unit for the dry (Finnish) sauna. Modern, stylish design with slim depth housing. Large 3.5" TFT colour display. Simple, intuitive operation thanks to multifunctional buttons. Very large scope of functions. With holiday home mode, operation lock, display for remaining time, output for cabin light and fan, heating time limitation up to 6 h/ 12 h / 18 h / unlimited. 4 user profiles.

Switching capacity: 10 kW, may be extended for connection of more powerful heaters (e.g. with PEB 10). Inc. temperature sensor.

Power supply: 400V3N~50/60Hz **Dimensions HWD:** 220 × 255 × 65 mm surface or semi-recessed Installation:

Colour / **Item no**.: arctic white **94 7427** / anthracite **94 7431**

EOS Compact HP (dry and humid sauna)

Control unit for dry and humid sauna operation for heaters with vaporizer. Like EOS Compact DP, but additionally with humidity control (on time basis without humidity sensors). Humidity adjustable in 10 steps.

Switching capacity: 10kW (Output vaporizer: up to 3W), may be extended for connection of more powerful heaters (e.g. with PEB 10). Incl. Temperature sensor.

Power supply: 400V3N~50/60Hz Dimensions HWD: 220 × 255 × 65 mm Installation: surface or semi-recessed

arctic white 947428 / anthracite 947432 Colour / **Item no**.:



Switching capacity: 10 kW, extendable

EOS EmoTec D (dry Finnish sauna)

Premium class digital control unit. With separate slim-size display panel (can be installed at up to 100 m distance, flush-mounting or surface installation). Modern TFT colour display with menu navigation in 19 languages. Innovative operation via a jog-dial knob.

Large scope of advanced functions. Dimmable cabin light output. Adjustable fan output. 24 h pre-set timer and extended week timer. Heating time limitation 6 h / 12 h / unlimited. Holiday home mode and display lock per pin code. Pin code protected service level for setup and fine tuning. Volt-free output. Optional 2nd temperature sensor (bench sensor). Coloured light and sound control via optional modules.

400V3N~50/60Hz Power supply: Display panel HWD: 127 × 130 × 25 mm Relay box HWD: 270 × 300 × 100 mm

Colour / **Item no**.: anthracite/silver 94 5559 white/silver 94 6053

> 94 7256 anthracite/black

EOS EmoTec H (dry and humid sauna)

As EOS EmoTec D model, but additionally with humidity control - either on time-proportional basis (for constant steam production per given time) or with an optional humidity sensor as per relative air humidity (allows exact humidity setting per rel. air humidity in %). Output for vaporizer up to 3kW. With water shortage detection.

Quick selection between dry or humid sauna operation modes. With many additional convenience features: sauna dry program after humid mode, adjustable after-heating temperature, fan speed and time. Adjustable time for refilling the water tank by water shortage. Smart-Heat functions heats up the sauna faster and prevents premature steam production.

400 V 3 N ~ 50/60 Hz Power supply: 127 × 130 × 25 mm Display panel HWD: Relay box HWD: 270 × 300 × 100 mm

Colour / Item no.: anthracite/silver 94 5560

white/silver 946054 anthracite/black 94 7257

Extension modules for EOS EmoTec series





SBM-Remote start module SBM-GLT-KNX/Modbus Modul SBM-S BT Sound module









SBM-App module

SBM-App module allows to control a sauna remotely from a smartphone or tablet-PC with the "EOS Spa Control" app from any place worldwide (internet access required). Suitable for Android and Apple iOS. No separate power supply needed.

Delivery does not include a smartphone or a tablet pc!