

Steam room equipment

for pleasant climate and relaxation

Innovative steam room equipment

The idea behind the steam room equipment from EOS is superior performance paired with exceptional reliability and easy handling.

For our products, we rely exclusively on carefully selected materials and perfect workmanship down to the smallest detail – durable technology for long-lasting steam room pleasure. High-quality raw materials and high-quality components are individually manufactured and only delivered to our customers after several functional tests. The built-in descaling system dissolves limescale and rinses the water tank, thus ensuring consistently high performance.

The steam generators are complemented by quality accessories such as light, sound, fragrances, etc., which appeal to all senses and create an unforgettable steam bath experience.

Trust in decades of experience made in Germany.

STEAM GENERATORS



EOS SteamAttrac

Compact steam generator for steam rooms or saunas with humid operation. Suitable for private and commercial use.

Durable stainless steel outer housing and water tank with high-performance heating elements. Stable steam production.

Dry run protection with automatic switch-off at water shortage. Automatic drain after use. Reminder indicator for cleaning / descaling.

Power supply: 3 kW: 230 V 1N ~ 50 Hz
4 – 6 kW: 400 V 3N ~ 50 Hz

Power	Steam room**	Steam/h	Item no.
3 kW	up to 4 m³	4 kg	94 6838
4 kW	up to 5 m³	5 kg	94 6839
6 kW	2,1 - 6 m³	8 kg	94 6840

* power outputs 3/6/9 kW also possible

** You can find further information and specifications on our website: www.eos-sauna.com/en/steam



EOS SteamRock II Basic

Premium class steam generator for steam rooms. Ideal for private and commercial use.

Robust, durable construction with quality heating elements. Very fast steam production, high efficiency. The power output may be quickly adjusted on site. Flexible installation thanks to variable steam outlet.

Water tank made entirely of stainless steel, separately replaceable heating elements. Fully automatic operation with overheating protection. Integrated automatic descaling system (cleaning and descaling). Delivery includes a 5 l container with level probe for descaler liquid.

Power supply: 400 V 3N ~ 50 Hz

Power	Steam room**	Steam/h	Item no.
3 / 6 / 9 kW	up to 12 m³	4 - 12 kg	94 7649
12 / 15 / 18 kW*	6,1 - 24 m³	16 - 24 kg	94 7650



EOS SteamRock II Premium

Luxury class steam generator with high-performance quality heating elements for steam rooms. Ideal for particularly demanding use.


Built-in descaling and automatic cleaning sytem. With control unit – including EOS EmoTouch 3 control panel with colour touchscreen display. Very large scope of functions and features, e. g. coloured light, sound, remote start, etc.

Built-in essence dosing system for two fragrances. The power output may be quickly adjusted on site. Flexible installation thanks to variable, extra-large 1 1/4 “steam outlet for efficient operation.

Volt-free outputs for bench and floor heating. Outputs for two fans and light (dimnable). Temperature sensor with 5 m cable included in delivery.

Power supply: 400 V 3N ~ 50 Hz

Power	Steam room**	Steam/h	Item no.
EOS SteamRock II Premium, black / white control unit			
3 / 6 / 9 kW	up to 12 m³	4 - 12 kg	94 7643 / 7645
12 / 15 / 18 kW*	6,1 - 24 m³	16 - 24 kg	94 7644 / 7646
EOS SteamRock II Premium NC (without control panel)			
3 / 6 / 9 kW	up to 12 m³	4 - 12 kg	94 7647
12 / 15 / 18 kW*	6,1 - 24 m³	16 - 24 kg	94 7648



EOS LED Spot

Dimmable, recessed spotlights for use in saunas, infrared cabins, steam rooms and hammams.


Elegant round-shape slim size metal housing with pre-mounted 2 m connection cable allows fast and easy installation. Ø 84 mm, case depth only 25 mm.

Powerful, brilliant colours, homogeneous light surface. Heat-resistant up to 110 °C, aprox. 4 W / 24 V =, protection class IP65.

The spots are available individually, in sets of 5 or 10, as RGB or warm white version. Upon request also available in matt black finish.

Notice: A transformer or the SBM-FL75/150 coloured light module is required for operation.

Model	Item no.
Warm-white (3000 K)	94 7421
RGB	94 7424



EOS LED Strip SR flex

Special flexible LED strip designed for steam rooms and similar high humidity installations.

24 V =, protection class IP68. Dimmable (constant voltage).

LED strips with 5 m length and 5 m connection cable on both ends. Adhesive layer on the rear side, mounting brackets for mechanical fixation included in delievery.

Available as RGB coloured light type (60 W) and as white light type (warm white 3000K, 60 W).

Dividable, can be shortened in 10 cm steps.

Notice: A transformer or the SBM-FL75/150 coloured light module is required for operation.

Model	Item no.
Warm-white (3000 K)	94 7318
RGB	94 7317



EOS LED Strip SR

LED light strips – special version designed for steam rooms. The strips are fitted in a robust U-shape aluminium profile and protected against humidity.

5 m connection cable with a 6-pin connector included (cable extension possible). Available as RGB coloured light type or warm white light type (3000K). RGB version – basic colors can be selected individually or mixed colors.

24 V = voltage. Dimmable (voltage based). Very high light output - up to 160 lumen per watt. Overheating protection.

Full humidity protection IP65, high mechanical protection thanks to the robust aluminium profile. Very compact, slim size – only 20 x 9 mm. With integrated mounting holes for easy installation.

Notice: A transformer or the SBM-FL75/150 coloured light module is required for operation.

Model	Power	Length	Item no.
Warm-white (3000 K)	3 W	355 mm	94 6646
Warm-white (3000 K)	20 W	2500 mm	94 6653
RGB	3 W	355 mm	94 6654
RGB	20 W	2500 mm	94 6661



Essence dosing pump kit

High performance essence dosing pump for steam rooms. Ideal in connection with the control unit EOS Econ S2 for EOS SteamAttrac und SteamRock II Basic steam generators.

Professional grade peristaltic pump with maximum dosing capacity up to 5 l/h with only 8 W power rating. Robust metal housing in anthracite pearl effect finish for wall-mounting. Installation kit included in delivery.

SBM-Aroma / Aroma button

For manual essence dosing.

SBM-Aroma – for EOS SteamRock II Premium. Set with push button (metal housing, flush-mounting installation, blue illumination ring), connection cable 5 m, electronic unit.

Aroma Button – for EOS Econ S2. Button as above, with cable 5 m.

Model	Item no.
Essence dosing pump kit	94 6297
SBM-Aroma / Aroma button	94 6799 / 94 6507



EOS EmoTouch 3

Innovative touchscreen control system – for private or commercial use.

Control of up to 8 cabins from just one display panel (using extensions). **LSG Steam** allows to operate the steam generators like SteamRock Basic and SteamAttrac, as well as many other brands (check compatibility in advance).

The 7" capacitive touchscreen display with photorealistic interactive cabin interior takes the operation to a completely new level of comfort. Every connected cabin can be easily enhanced with additional features – e.g. you can also control music or LED coloured lighting.

EOS Econ S2

Control unit for EOS SteamRock II Basic and SteamAttrac. Large multi-line LCD display, menu navigation in 12 languages, guided setup. Temperature control 30 to 50 °C, variable heating time limitation, output for light and ventilation fan (230 V), Timer function. Control for essence dosing pumps and further special functions.

Temperature sensor with 5 m cable included in delivery. Longer sensor cables (20 m or 50 m) optionally available.

Model	Item no.
EOS Econ S2	94 6296



SBM-App module

The SBM-App module allows to control a steam room remotely from a smartphone or tablet-PC from any place worldwide (internet access required). You can comfortably control your steam room while you are out and about or directly from the couch without having to get up. Also a quick check of the current operating status like temperature or remaining heating time is easily possible.

Requires the installation of the **EOS Spa Control App**. Suitable for Android and Apple iOS. The app will automatically detect the paired sauna control unit and adjust its interface for a simple and intuitive operation. No separate power supply needed. Delivery does not include a smartphone or a tablet pc!

For EOS SteamRock II Premium incl. EOS EmoTouch 3, EOS SteamRock II Basic and EOS SteamAttrac each in connection with LSG Steam for EOS EmoTouch3.

Compatible control unit: EOS EmoTouch 3

Model	Item no.
SBM-App module	94 5987

Steam room accessories

For a completely relaxed steam room experience, everything should be tailored to your individual needs, down to the smallest detail. Rely on EOS quality products when it comes to steam room equipment.



LSG Steam for
EOS EmoTouch 3
Item no. 94 6967



Loudspeaker for
steam rooms
Item no. 94 6196 / 7768



Fans for
steam rooms
Item no. 2001 4401