EOS FINEST SAUNA ENGINEERING



Sauna hardware

Small space, great wellness

From now on the lack of space is no longer an excuse for not having a sauna in your own home. This dream can also be easily realised in a city apartment. Great sauna experience even in small rooms! The space-saying sauna heaters from EOS allow to make your sauna fit almost any room.

EOS Saunatechnik delivers the perfect combination of design and innovation with "made in Germany" quality. With our advanced control units sauna becomes an even greater pleasure.

Why not enhance your sauna with infrared radiators for more flexibility and fun. Indulge your body and mind with a perfectly relaxing and highly effective heat treatment at mild temperatures.

Let the dream of your own wellness oasis within your own four walls come true. Take good care of yourself!



EOS Inviso Mini

High-quality underbench sauna heater for dry Finnish sauna. Special design model for concealed installation under the sauna benches.

With only as little as 10 cm gap between the sauna wall and the screen wall Invisio Mini provides you the most space-saving solution on the market while still ensuring all benefits of a sauna bath with the possibility to make traditional water splashes. Includes safety grill and water splash kit.

3-fold height adjustment possible.

Rock store fits approx. 15kg sauna stones. Also available in other performance classes.

ower Sauna cabin	Outer shell	ltem no.	Р	ower	Sauna cabin	Outer shell	ltem no.
0kW ~ 3 - 4m ³	Unpainted	94 5708	3,	DkW	~ 3 - 4m³	Stainless steel	94 1921
0kW ~ 3 - 4m ³	Anthracite	94 5810	3,	OkW	~ 3 - 4 m³	Anthracite	94 7348

Sauna control units



EOS Compact DP (dry Finnish sauna) white Item no. 94 7427 Item no. 94 7431 anthracite

EOS Compact HP (dry + humid sauna) white Item no. 94 7428 Item no. 94 7432 anthracite



EOS EmoTec D (dry Finnish sauna) anthracite / silver Item no. 94 5559 Item no. 94 6053 white / silver anthracite / black Item no. 94 7256

EOS EmoTec H (dry + humid sauna) anthracite / silver Item no. 94 5560 white / silver Item no. 94 6054 anthracite / black Item no. 94 7257



EOS M3 W

Sauna heater with built-in control unit. For small size domestic sauna cabins from 3 to 4m. Thermostatic temperature control 40 to 110°C. Heating time up to 4 hours. With premounted connection cable.

Control unit may be placed on the left or on the right hand side by swapping the outer shell.

Rock store fits approx. 8kg sauna stones.



EOS Picco W | EOS Bi-O Picco W

Very compact and space-saving, recommended for sauna size up to 4,5m. EOS Picco W for dry Finnish sauna and EOS Bi-O Picco W with built-in 750 W vaporizer with manual filling (approx. 2I water tank). Dry-run protection with acoustic alarm. Available in two model variants with different outer shell designs. May be used as a floor-standing model with optional feet. Rock stores fit approx. 10 kg sauna stones.

Power	Sauna cabin	Outer shell	Item no. Model 1
EOS Picco	W	(*)	Model 2 upon request)
3,0 / 3,5kW	~ 3 - 4 / 4,5 m³	Stainless steel	94 7621 / 7624
3,0 / 3,5kW	~ 3 - 4 / 4,5 m³	Anthracite	94 7620 / 7623
3,0 / 3,5kW	~ 3 - 4 / 4,5m³	Matt black	94 7619 / 7622
EOS Bi-O	Picco W	(*)	Model 2 upon request)
3,0 / 3,5kW	~ 3 - 4 / 4,5 m³	Stainless steel	94 7609 / 7612
3,0 / 3,5kW	~ 3 - 4 / 4,5m³	Anthracite	94 7608 / 7611
3,0 / 3,5kW	~ 3 - 4 / 4,5 m³	Matt black	94 7607 / 7610

Infrared hardware





EOS IRS 30 CERAMIC | IRS 35/50 RHK

EOS IRS 30 Ceramic: IR radiator for sauna- and IR warming cabins with 300W ceramic emitter, longwave IR-C range. Reflector shield of polished aluminium. With protective flocked safety grill (black). Recommended e. g. as calf radiator, for horizontal installation in the area of the calves. Dimensions HWD: 560 × 185 × 65mm.

EOS IRS 35/50 RHK: Affordable entry-level model with 350W or 500W, medium-wave IR-B and long-wave IR-C range. With protective flocked safety grill (black).

Dimensions HWD: 900 × 185 × 65 mm.

Completely assembled with 3m silicone coated cable 3×1.5 mm. Installation in wall panels or in 90° corners.

Power

300 W

350 W

500W

	1		I	۱	I	
Ì	İ	I	t	İ	İ	ľ
Ì	ľ	I	t	İ	İ	t
Ì	ľ	I	t	İ	İ	t
	İ	I	t	İ	t	t
Ì	İ	I	t	İ	İ	t
			t		1	İ

EOS Vitae Compact

IR radiator for sauna- and IR warming cabins.

VITAE quartz-glass emitter with 350, 500, 750W. The versions 500W and 750W feature a built-in inrush current limiter. Full-spectre range - IR-A. IR-B und IR-C. full power output in less than 1 sec.

With pre-assembled housing with reflector shield and protective flocked safety grill (black). With 3m silicone coated cable 3 × 1.5mm. Installation in wall panels or in 90° corners.

Dimensions HWD: 745 × 185 × 65 mm



EOS Vitae Protect Compact

IR radiator for sauna- and IR warming cabins with special ceramic glass filter for additional dispersion of the infrared heat and humidity protection. Available with or without protective flocked safety grill (black)

VITAE quartz-glass emitter with 350, 500, 750W. The versions 500W and 750W feature a built-in inrush current limiter. Full-spectre range - IR-A, IR-B und IR-C, full power output in less than 1 sec.

With pre-assembled housing with reflector shield and protective flocked safety grill (black). With 3m silicone coated cable 3 × 1.5 mm.

Dimensions HWD: 795 × 200 × 60 mm

Power (with / without protective grill)	Item no.
350 W	94 7293 / 94 7287
500 W	94 7294 / 94 7288
750W	94 7295 / 94 7289

Control units for infrared cabins




Model

EOS IRS 30 Ceramic

EOS IRS 35 RHK

EOS IRS 50 RHK



without cable set Item no. 94 4388 Item no. 94 4334

Item no.

941878

94 4305

94 4306

Power

350 W

500W

750 W



EOS InfraTec Premium Item no. 94 7808

Item no.

947302

947303

947304

EOS InfraSteam



Berge

Item no. 94 4140A

Vaporizer for infrared cabins

Steam room equipment



EOS SteamAttrac

Compact steam generator for steam rooms or saunas with humid operation. Suitable for private and commercial use.

Durable stainless steel outer housing and water tank with high-performance heating elements. Stable steam production.

Dry run protection with automatic switch-off at water shortage. Automatic drain after use. Reminder indicator for cleaning / descaling.

Suitable control units - EOS Econ S2 or LSG Steam for EOS EmoTouch 3.

Also available in other performance classes.

Dimensions HWD:	330 × 450 × 270 mm
Power supply:	230 V 1N ~ 50 Hz

Power	Steam room*	Steam/h	ltem no.
3,0 kW	up to 4m ³	4 kg	94 6838

* You can find further information and specifications on our website: www.eos-sauna.com/en/steam



EOS Econ S2

Control unit for EOS SteamRock II Basic and EOS Steam-Attrac steam generators.

Large multi-line LCD display with all parameters at a glance, menu navigation in 12 languages, guided setup.

Temperature control 30 to 50° C, variable heating time limitation, output for light and ventilation fan (230V), Timer function.

Control for essence dosing (for 230 V essence dosing pumps), and further special functions.

Temperature sensor with 5m cable included in delivery. Longer sensor cables (20m or 50m) optionally available.

Dimensions HWD: Power supply: 220 × 250 × 60mm 230V 1N ~ 50Hz

Model	Item no.
EOS Econ S2	94 6296



Essence dosing pump kit

High performance essence dosing pump for steam rooms. Ideal in connection with the control unit EOS Econ S2 for EOS SteamAttrac und SteamRock II Basic steam generators.

Professional grade peristaltic pump with maximum dosing capacity up to 51/h with only 8W power rating.

Robust metal housing in anthracite pearl effect finish for wall-mounting.

Installation kit included in delivery.

Dimensions HWD:	93 × 111 × 138mm
Power supply:	230 V 1N ~ 50 Hz

Model	Item no.
Essence dosing pump kit	94 6297



For a completely relaxed sauna experience, everything should be tailored to your individual needs, down to the smallest detail. Rely on EOS quality products when it comes to sauna accessories.



Sauna Set N I Item no. 94 2863

